

## SECTION 1 – IDENTIFICATION

### NAME: SUPERFLOW GREEN LIQUID

USE: Liquid soap for membranes

MANUFACTURER:B.O.D. CHEMICALS INC.<br/>3300, Star Street, Saint-Hubert, Qc, Canada, J3Y 3W6<br/>Phone : (450) 443-5556 / Fax : (450) 443-6230 / Email : info@chimiquesbod.com

Corrosive to metals, category 1

Acute toxicity, oral, category 4 Skin corrosion / Irritation, category 1

Carcinogenicity, category 2

Not available

DANGER

 EMERGENCY PHONE:
 CANUTEC (Canada):
 1 (613) 996-6666

 CHEMTREC (USA):
 1 (800) 424-9300

### **SECTION 2 – HAZARDS IDENTIFICATION**

#### **GHS CLASSIFICATION**

**PHYSICAL HAZARDS:** 

**HEALTH HAZARDS:** 

**ENVIRONMENTAL HAZARDS:** 

GHS LABEL ELEMENTS

PICTOGRAM:

SIGNAL WORD:

HAZARD STATEMENTS:

May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Suspected of causing cancer.

Serious eye damage / Eye irritation, category 1

### PRECAUTIONARY STATEMENTS

**PREVENTION:** 

**RESPONSE:** 

Keep only in original container. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Absorb spillage to prevent material damage. **If swallowed:** Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. **If on skin (or hair):** Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes/shower. Wash contaminated clothing before reuse. **If inhaled:** Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Specific treatment (see supplemental first aid on the label). **If in eyes:** Rinse cautiously with water for 15-20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing, keeping eyelids open. Immediately call a POISON CENTER/doctor. **If exposed or concerned:** Get medical advice/attention.

#### STORAGE / DISPOSAL:

Store in corrosive resistant container. Store locked up. Dispose of contents/container in accordance with local regulations (see 13<sup>th</sup> section).

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Tetrasodium ethylene diamine tetraacetate	<b>CAS</b> 000064-02-8	<b>% (W/W)</b> 10 - 30
Sodium hydroxide	001310-73-2	7 - 13
Potassium hydroxide	001310-58-3	1 - 5

# **SECTION 4 – FIRST AID MEASURES**

SKIN:	Remove contaminated clothing. Rinse skin with water for at least 15 minutes/shower. Consult a physician if irritation persists.
EYES:	Rinse cautiously with water for 15-20 minutes, keeping eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
INGESTION:	Rinse mouth. Do not induce vomiting. Drink 3 to 4 glasses of water or milk. Do not give anything by mouth if victim is unconscious. Call a physician immediately.
INHALATION:	Breathe fresh air. Give artificial respiration if necessary. Consult a physician if discomforts persist.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:	Skin: Burning and severe skin damage, redness of the skin. Eyes: Causes serious eye damage. Symptoms may include burning, tingling, watery eyes, redness, swelling and blurred vision. This could result in permanent eye damage.
TO PHYSICIAN:	Treat symptoms.

## **SECTION 5 – FIRE-FIGHTING MEASURES**

EXTINGUISHING MEDIA:	Water spray, carbon dioxide, chemical powder, foam.
UNSUITABLE EXTINGUISHING MEDIA:	Do not use water jet as an extinguisher, as this will spread the fire.
SPECIFIC HAZARDS:	Not flammable. Under fire conditions, toxic and corrosive fumes are emitted. The product does not burn itself but may decompose upon heating to produce corrosive and/or toxic fumes.
SPECIAL FIRE FIGHTING PROCEDURES:	Wear protective clothing and self-contained breathing apparatus if necessary.

# SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:	Ventilate enclosed areas. Avoid contact of the product with eyes and skin. Do not breathe vapours. Wear gloves, safety goggles and respirator if needed. Prevent discharge in sewers. Keep away from incompatible materials.
ENVIRONMENTAL PRECAUTIONS:	Avoid the spillage or runoff entering drains, sewers or watercourses.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:	Wear protective clothing. Control spill to prevent runoff into sewers. Cover with inert absorbent material and recover in suitable containers. Sweep and rinse with water.

# SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	Avoid contact of the product with eyes and skin. Do not breathe vapours. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:	Keep containers closed, in fresh, dry and well ventilated area, away from incompatible materials.

# SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **OCCUPATIONAL EXPOSURE LIMITS**

INGREDIENT	CAS	VALUE	REGULATION
Sodium hydroxide	1310-73-2	VP: 2 mg/m <sup>3</sup>	RSST

#### APPROPRIATE ENGINEERING Normal ventilation

#### CONTROL:

### PERSONAL PROTECTIVE EQUIPMENT



SKIN:	Protective clothing. Impermeable gloves.
EYES:	Safety goggles.
RESPIRATORY:	If ventilation is inadequate, suitable respiratory protection must be worn.
HYGIENE MEASURES:	Wash hands after handling.

# SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE / FORM:	Clear liquid
COLOR:	Colorless
ODOR:	Slight
ODOR THRESHOLD:	Not available
pH:	13 - 14
MELTING POINT / FREEZING POINT (°C):	< 0
BOILING POINT (°C):	> 100
FLASH POINT (°C):	Not available
EVAPORATION RATE:	Not available
EXPLOSIVE LIMITS:	Not available
VAPOUR PRESSURE:	Not available
VAPOUR DENSITY:	Not available
DENSITY (kg/L):	1.27 - 1.29
WATER SOLUBILITY:	Complete
PARTITION COEFFICIENT N-OCTANOL / WATER:	Not available
AUTOIGNITION TEMPERATURE (°C):	Not available
DECOMPOSITION TEMPERATURE (°C):	Not available
SECTION 10 - STABILITY AND READ	CTIVITY
REACTIVITY:	No dangerous reaction known under conditions of normal use.
CHEMICAL STABILITY:	Stable at normal ambient temperatures and when used as recommended.
HAZARDOUS REACTIONS:	Hazardous polymerisation does not occur.
CONDITIONS TO AVOID:	Contact with incompatible materials.
INCOMPATIBILITY:	Acids, reducing agents, oxidizing agents, soft metals (Al, Zn, Sn).
HAZARDOUS DECOMPOSITION PRODUCTS:	Not available.

# SECTION 11 – TOXICOLOGICAL INFORMATION

### INFORMATION ON LIKELY ROUTES OF EXPOSURE

SKIN:	Causes severe skin burns.
EYES:	Causes serious eye damage.
INHALATION:	May cause an irritation.
INGESTION:	Harmful if swallowed.
NUMERIC VALUES OF TOXICITY	
ACUTE ORAL TOXICITY:	LD50 (rat): 1030 mg/kg
ACUTE DERMAL TOXICITY:	Not available. No health effects (normal conditions of use).
ACUTE INHALATION TOXICITY:	Not available. No health effects (normal conditions of use).
DELAYED AND IMMEDIATE EFFECTS	
SKIN CORROSION / IRRITATION:	Causes severe skin burns.
SERIOUS EYE DAMAGE / EYE IRRITATION:	Causes serious eye damage.
RESPIRATORY SENSITIZATION:	Not expected to cause respiratory sensitization.
SKIN SENSITIZATION:	Not expected to cause skin sensitization.
GERMINAL CELL MUTAGENICITY:	No data available to indicate product or components present at greater than 0.1% are mutagenic or genotoxic.
CARCINOGENICITY:	Suspected of causing cancer.
REPRODUCTIVE TOXICITY:	No potential reproductive toxicity.
SPECIFIC TARGET ORGAN TOXICITY- SINGLE EXPOSURE:	Not classified.
SPECIFIC TARGET ORGAN TOXICITY- REPEATED EXPOSURE:	Not classified.
ASPIRATION HAZARD:	Not classified.
SECTION 12 – ECOLOGICAL INFOR	MATION
ECOTOXICITY:	Sodium hydroxide

ECOTOXICITY:	Sodium hydroxide LC50, Bluegill, 99 mg/l, 48h LC50, Mosquitofish, 125 mg/l, 96h
	Tetrasodium ethylene diamine tetraacetate LC50, Pimephales promelas, >100 mg/l, 96h
PERSISTENCE AND DEGRADABILITY:	Not available
BIOACCUMULATIVE POTENTIAL:	Not available
MOBILITY IN SOIL:	Not available
OTHER ADVERSE EFFECTS:	Not available

# **SECTION 13 – DISPOSAL CONSIDERATIONS**

DISPOSAL INSTRUCTIONS:Collect in appropriate containers and recycle or dispose the product at a licensed waste disposal site<br/>or in accordance with local regulations. Avoid the spillage or runoff entering drains, sewers or<br/>watercourses.HAZARDOUS WASTE CODE:The waste code should be assigned in discussion between the user, the producer and the waste<br/>disposal company.CONTAMINATED PACKAGING:Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## **SECTION 14 – TRANSPORT INFORMATION**

TDG:

UN1760, CORROSIVE LIQUID, N.O.S., (Sodium hydroxide), Class 8, PG II

**SPECIAL PRECAUTIONS FOR USER:** Read safety instructions, SDS and emergency procedures before handling.

### SECTION 15 – REGULATORY INFORMATION

Ingredients included on inventory of DSL (Canada), REACH, TSCA (USA)

### **SECTION 16 – OTHER INFORMATION**

**PRODUCT NAME:** SUPERFLOW GREEN LIQUID

 IN CASE OF
 CANUTEC (Canada):
 1 (613) 996-6666

 ACCIDENTAL SPILL:
 CHEMTREC (USA):
 1 (800) 424-9300

PREPARED BY: B.O.D. CHEMICALS INC.

**PHONE:** (450) 443-5556

**DATE:** April 23<sup>th</sup>, 2019

B.O.D. CHEMICALS INC. assume no responsibility for damages or physical injuries resulting in the use of this product. The user recognizes the risk in the use of this product and must consult and respect directions and dangers of this product.