

## CERTIFICATE OF ANALYSIS

<b>Equipment No :</b> PENSKE
<b>Seal No :</b> 035093

<b>Customer Part No / Description</b>	<b>Shipped Order Qty UOM</b>
FW50 DIATOMACEOUS EARTH	702.00 50 LB

Lot / Batch No	Lot Qty	MFG Date	Test Name	Result	Units	Spec Min	Spec Max	Test Method
3C17B22	702	3/17/2022						
			+ 14, PCS	3	pcs	0	5	LAB WI 340
			+ 28, PERCENT	0.3	percent	0.0	1.0	LAB WI 340
			+ 150, PERCENT	21.8	percent	6.0	40.0	LAB WI 330/360
			ARSENIC USFCC	0.9	ppm As	0.0	10.0	LAB WI 134A
			PERMEABILITY	4213	mdarcles	3,200	4,500	LAB WI 297
			WBD	19	lbs/ft <sup>3</sup>	0	22	LAB WI 120/297
				304	kg/m <sup>3</sup>			

EPM Notes

800-228-3865 . Fax 1-775-824-7577 . 150 COAL CANYON ROAD, LOVELOCK, NV 89419, USA . [www.epminerals.com](http://www.epminerals.com)  
Please check all quality values on this certificate of analysis carefully and promptly notify EP Minerals of any discrepancies at 800-228-3865. Product has no expiration date.

## CERTIFICATE OF ANALYSIS

**Equipment No :** AI LOGISTICS

**Seal No :** 035353

Customer Part No / Description	Shipped Order Qty UOM
FW50 DIATOMACEOUS EARTH	702.00 50 LB

Lot / Batch No	Lot Qty	MFG Date	Test Name	Result	Units	Spec Min	Spec Max	Test Method
3C26B22	702	3/26/2022	+ 14, PCS	2	pcs	0	5	LAB WI 340
			+ 28, PERCENT	0.2	percent	0.0	1.0	LAB WI 340
			+ 150, PERCENT	22.8	percent	6.0	40.0	LAB WI 330/360
			ARSENIC USFCC	0.8	ppm As	0.0	10.0	LAB WI 134A
			PERMEABILITY	4112	mdarcles	3,200	4,500	LAB WI 297
			WBD	21	lbs/ft3	0	22	LAB WI 120/297
				336	kg/m <sup>3</sup>			

**EPM Notes**

C OF A MUST ACCOMPANY SHIPMENT

800-228-3865 . Fax 1-775-824-7577 . 150 COAL CANYON ROAD, LOVELOCK, NV 89419, USA . [www.epminerals.com](http://www.epminerals.com)

Please check all quality values on this certificate of analysis carefully and promptly notify EP Minerals of any discrepancies at 800-228-3865. Product has no expiration date.

## CERTIFICATE OF ANALYSIS

<b>Equipment No :</b> PREMIER LINES
<b>Seal No :</b> 035380

Customer Part No / Description	Shipped Order Qty UOM
FW50 DIATOMACEOUS EARTH	702.00 50 LB

Lot / Batch No	Lot Qty	MFG Date	Test Name	Result	Units	Spec Min	Spec Max	Test Method
3C15C22	702	3/15/2022	+ 14, PCS	3	pcs	0	5	LAB WI 340
			+ 28, PERCENT	0.1	percent	0.0	1.0	LAB WI 340
			+ 150, PERCENT	17.1	percent	6.0	40.0	LAB WI 330/360
			ARSENIC USFCC	0.9	ppm As	0.0	10.0	LAB WI 134A
			PERMEABILITY	3625	mdarcles	3,200	4,500	LAB WI 297
			WBD	18	lbs/ft3	0	22	LAB WI 120/297
				288	kg/m^3			

EPM Notes

800-228-3865 . Fax 1-775-824-7577 . 150 COAL CANYON ROAD, LOVELOCK, NV 89419, USA . [www.epminerals.com](http://www.epminerals.com)  
Please check all quality values on this certificate of analysis carefully and promptly notify EP Minerals of any discrepancies at 800-228-3865. Product has no expiration date.