



2026

Catalog



# EVENTS

Take advantage  
of our  
**PROMOTIONS!**

Come see our  
**NEW PRODUCTS!**  
Do not miss this event!

Festive atmosphere  
guaranteed!



**IN QUEBEC |**  
**Saint-Lazare-de-Bellechasse**  
**Friday 15 and Saturday 16**  
**May 2026**

**IN VERMONT |**  
**St. Albans**  
**Friday 24 and Saturday 25**  
**April 2026**

**REGIONAL**  
**OPEN HOUSE**  
AT YOUR CDL STORES

Regional Open House days  
will take place at your local store.

Details coming soon!



Dear Maple Producers,

It is with great pleasure that we present to you our CDL 2026 catalog. Each new sugaring season brings its share of excitement, hard work, and tradition. We are proud to support you in this craft that has energized our regions every spring for many generations.

We also feel privileged to be part of a thriving industry marked by strong enthusiasm and significant potential for the years ahead. Maple sugaring continues to evolve, offering new perspectives and inspiring passionate producers across generations. Contributing to this progress alongside dedicated clients like you has been an honor, and 2026 proudly marks our 35th anniversary.

This year, we are especially excited to introduce several innovations that will be launched in the coming months. Developed with passion and shaped by your real needs in your sugarbushes and sugar shacks these new products are designed to bring you even greater efficiency, precision, and simplicity in your daily operations. Whether it's technological improvements, redesigned equipment, or entirely new technology, our goal remains the same: to help you produce better, more easily, and with greater peace of mind all while reducing your costs.

At CDL, we put our heart into developing reliable, innovative solutions tailored to your everyday reality both family and business. Whether you operate a small family-run sugarbush or a large-scale operation, we know that every drop counts. We're here to provide you with the best tools and services to help you make the most of your season.

Thank you for continuing to trust the CDL team. We wish you a 2026 season filled with strong sap runs, success, pride, and unforgettable moments with your loved ones.

Have a great sugaring season!

*CDL's Co-owners from left to right:*

**Marc-André Chabot,**  
Vice president of Research & Development

**Vallier Chabot,**  
General manager of CDL

**Martin Chabot,**  
General manager of CDL USA and head of  
international business development – CDL Sap Division

## TABLE OF CONTENTS

**4** FOREST

**23** TOOLS AND HARDWARE

**42** CDL INTELLIGENCE

**52** PUMPING STATION AND TANKS

**68** SUGARBUSH

**112** PROCESSING AND PACKAGING

**127** STORE CONTACTS AND SALES TEAM

# Signature SPOUTS

## MINIMUM RESTRICTION

The 15° and 45° angles facilitates sap flow and prevents residues or unwanted bacteria from accumulating.

## PERFECT SEAL

Resin conforms to the shape of the tap hole and adheres to the bark.

## SPOUT LENGTH SUITS ALL BARK THICKNESSES

Thin wall maximizes sap flow while minimizing tree damage.



**THE PERFECT CHOICE FOR YOUR SUGARBUSH**

### Signature SPOUTS WITH 15° ANGLE



**1/4"**



**5/16"**



Clear



Blue

**1/4"**

66015044

66015344

**5/16"**

66015064

66015063

### WITH 45° ANGLE



**1/4"**



**5/16"**



Clear



Blue



Smoke

**1/4"**

66045044

66045344

66045144

**5/16"**

66045064

66045063

66045069

We recommend the use of the 1/4" drill bit for tapping with 1/4" Signature spouts and the 5/16" drill bit for tapping with 5/16" Signature spouts.

Please contact your CDL store or CDL online store for more information and prices.

### Signature SPOUTS WITH 15° ANGLE AND BARBS



**1/4"**



**5/16"**



Clear



Blue

**1/4"**

66015424WB

66015624WB

**5/16"**

66015064WB

66015063WB

### WITH 45° ANGLE AND BARBS



**1/4"**



**5/16"**

Maxflow barb for a better grip on tubing



Clear



Blue



Smoke

**1/4"**

66045424WB

66045524WB

66045624WB

**5/16"**

66045264WB

66045263WB

66045269WB

# SMART<sup>®</sup> 2.0

## Spouts

### 17/64" SPOUTS



Smoke  
66015016



Clear  
66015017



Blue  
66015019

- > 15° ANGLE
- > 1<sup>ST</sup> MAXFLOW BARB FOR ABSOLUTE LEAKPROOF
- > THE 15° ANGLE ENSURES CLEARANCE BETWEEN THE DROP AND THE TREE, WHILE FACILITATING HAMMERING
- > THICKER WALL TO REDUCE DISTORTION

We recommend the use of the 17/64" drill bit for tapping.

### ANTIBACTERIAL SPOUT

5/16" spout Zap-Bac Antibacterial

66090094

Contains silver nanoparticles, approved by FDA. On request only.  
Also available in 3/16" on request only.



cdlinc.ca | cdlusa.com

ZAP-BAC®



ONLY AVAILABLE  
IN THE USA



Please contact your CDL store or CDL online store for more information and prices.

# MAXFlow+

## LONG LASTING 5/16" SPOUTS



The opening at the tip of the spout lets the sap flow into the spout more easily, optimizing your yield of your drawoff.

The 15° angle gives a good clearance between the drop and the tree



Blue  
66015518



White  
66015517



Black  
66015516



# MAXFlow MAXFLOW SPOUTS WITH BARBS



5/16"  
Blue  
66090518



White  
66090517



Black  
66090516

17/64"  
66090513

66090515

66090514

Note : we recommend the use of a 19/64" drill bit for Maxflow 5/16" tapping.

## WHITE SPOUTS, 7% BETTER PERFORMANCE



Please contact your CDL store or CDL online store for more information and prices.




### ACCORDING TO A STUDY FROM THE ACER CENTER

When comparing sap yield, the white Maxflow spout gave a **SAP VOLUME 7% HIGHER** than the black Maxflow spout.

### CONCLUSION OF THE STUDY

In the studied sugarbush, white spouts gave a higher volume of sap compared to the black spouts.

This increase, recorded in the last part of the season, would be related to the color of the spout and its thermal absorption properties.





## BETTER GRIP ON TUBING!



The line of **5/16"** **Maxflow** fittings was specifically designed and developed for maple producers wanting to operate **over 25 in-hg** (**high vacuum**). These fittings enable a perfect seal with a vacuum level beyond 25 in-hg and offers the following advantages:

- > No parting lines on the first barb.
- > Precision moulding.
- > Eliminates micro-leaks caused by molding lines.
- > Better grip on the tubing.

### T MAXFLOW

Compatible with all  
5/16" spouts and caps  
66030517 and 66030519



5/16" health T  
660300099

For use with 66030515  
and 660630514



5/16" T with pin  
66301099



5/16" multi-function T  
660300096

Compatible with all  
Maxflow, Maxflow +  
spouts and universal  
reducers 66030518



**IDEAL TO SANITIZE WITH  
ISOPROPYL ALCOHOL**  
5/16" T with sanitizing cap  
66302099

Compatible with all  
Signature, Smart 2.0  
spouts and  $\frac{1}{4}$ " reducers  
66030512



5/16" Maxflow with multi stage pin  
66304099



T 5/16" universal cap  
66306099

### MAXFLOW END OF LINE TEES

Compatible with all  
5/16" spouts and caps  
66030517 and 66030519



5/16" end of line health T  
66306357

For use with 66030515  
and 660630514



5/16" end of line T with pin  
66305099



5/16" multifunction end T  
66306358

Compatible with all  
Maxflow, Maxflow +  
spouts and universal  
reducers 66030518



**IDEAL TO SANITIZE WITH  
ISOPROPYL ALCOHOL**  
5/16" end of line T  
with sanitizing cap  
66304357

Compatible with all  
Signature, Smart 2.0  
spouts and  $\frac{1}{4}$ " reducers  
66030512



5/16" multi stage  
Maxflow end line T  
66305357



T 5/16" end of line  
universal cap  
66307357

## MAXFLOW END OF LINE ADAPTORS



End of line adaptor 1/4" with cap 66266357

**MAXFlow**



End of line adaptor Universal cap 66268099

**MAXFlow**



5/16" end of line adaptor 66265099

**MAXFlow**



End of line adaptor with cap 66266099

**MAXFlow**



Maxflow multifunctional end of line adaptor 66267099

**MAXFlow**

## END OF LINE ADAPTORS



5/16" black Y 66014099



5/16" sliding adaptor ETMAT316C



5/16" sliding hook ETMAT316CH



5/16" end of line hook 66279099

## SAP LADDER FITTINGS



5/16" 6-way star 66180

1/2" MIPT



5/16" 3-way star 66183

1/2" MIPT

## THE SOLUTION TO PREVENT MICRO-LEAKS

### 5/16" MAXFLOW CONNECTORS



5/16" flat hook connector 66303099

**MAXFlow**

### 5/16" CONNECTORS



Quick connector 6601209902



Connector with loops 6601109902

### DIVERS



5/16" Rubber plug 6603509905



Health spout pin 66012099



End-line ring ERA1400



Double forks 1/2" 66031099



Double forks 3/4" 66032099



Double forks 1" 66033099



INS X INS X INS 66074099

3/4" 66074099

1" 66075099

1" x 1" x 3/4" 66066099

1-1/4" x 1-1/4" x 1" 66034098

## REDUCERS AND ADAPTORS

VOLUME PRICING. OTHER COLORS AVAILABLE.  
ON ORDER ONLY, MINIMUM QUANTITIES REQUIRED. CALL US!



7/16" to 1/4" thin wall clear reducer 66090714M



7/16" to 5/16" thin wall clear reducer 66090054M

We recommend the use of a 5/16" drill bit for tapping.



5/16" natural spout adaptor 66090099N

We recommend the use of a 19/64" drill bit for tapping.



5/16" clear adaptor with thin wall 66090099M

We recommend the use of a 5/16" drill bit for tapping.



5/16" to 1/4" thin wall clear reducer 66090014M



5/16" Zap Bac antibacterial adaptor 66090094A



**CDL REDUCERS AND SPOUT ADAPTORS ALLOW YOU TO REUSE AND EXTEND THE LIFE OF YOUR LONG LASTING SPOUTS WHILE MAXIMIZING EFFICIENCY.**



cdlinc.ca | cdlusa.com

## MAXSEAL MULTI-FITTINGS / FIXED HEAD



3/4"	66096096
1"	66097096
1-1/4"	66098096
Maxseal single gasket	66091C

Hole diameter: 31/64".  
Screw kit #66099099 not included.

## MULTI-FITTINGS / FIXED HEAD



3/4"	66096099
1"	66097099

Hole diameter: 5/16".  
Screw kit not included.

## MULTI-FITTINGS / PLUG

IDEAL TO REPAIR HOLES IN MAINLINES OR PLUG HOLES WHEN YOU CHANGE THE LOCATION OF A MULTI-FITTING.



3/4"	66094034
1"	66094091

Screw kit not included.



Screw kit	66099099
-----------	----------



Please contact your CDL store or CDL online store for more information and prices.



## SANITIZING CAPS - PERFECT FOR SPOUT SANITATION



Clear cap tip insertion

66030515



1/4" Clear cap tip insertion


66030514



Clear sanitizing universal cap

CDL200

\*Pieces sold separately. Customer assembly required.



Light green 5/16" end cap insert

This cap fits on 5/16" health T and allows you to hang 5/16" Signature or 5/16" or 17/64" Maxflow spouts to sanitize with isopropyl alcohol.

66030517



Clear blue 1/4" end cap insert

This cap fits on 5/16" health Ts and allows you to plug 1/4" Signature, Smart 2.0 or 17/64" Maxflow spouts.

66030519

THIS CAP FITS ON  
5/16" HEALTH Ts



### Universal Reducer Maxflow Cap

Fits all health "T", "T" caps or end of line adapters offered by CDL and even those from the competition!

The Universal Reducer MaxFlow Cap allows the insertion of our 5/16" or 1/4" Signature spout. It can also fit any of the spouts from the CDL product line, whether it is 5/16", 1/4" or 17/64".

This product was designed with a malleable material to have very good retention and be tight under high vacuum.

It gives the opportunity to customers using permanent spouts to make the transition to the Signature spout without changing the entire drop.

66030518

SCAN TO SEE  
THE VIDEO

[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



### 1/4" REDUCER FOR 5/16" T CAP

TRANSFORMS YOUR HEALTH T  
AND MAKES IT COMPATIBLE WITH  
ALL TYPES OF SPOUTS.



Inserts onto a T cap (short) or an end of line adapter cap.

Designed with a malleable material to have very good retention and be waterproof at high vacuum. Allows customers who have short T caps to insert a 1/4" Signature, 17/64" Smart 2.0 or 17/64" Maxflow spout without changing the entire drop.

66030512

## BUCKET SPOUTS



5/16" bucket spout | Blue 660552



7/16" white bucket spout 66055000A1



7/16" bucket spout  
Stainless steel 66055S



7/16" Spout without hook  
Aluminum 660557



5/16" Spout without hook  
Aluminum 660555

## BUCKETS



2-gallon grey plastic bucket 663054



2-gallon green plastic bucket 663052



3-gallon green plastic bucket 663051



2-gallon blue plastic bucket 663050



3-gallon blue plastic bucket 663053

## COVERS AND ACCESSORIES



Galvanized cover for 2-gallon bucket 66660



Green plastic cover  
for 2-gallon bucket 663058



Green plastic cover  
for 3-gallon bucket 663057



Blue plastic cover  
for 2-gallon bucket 663059



Blue plastic cover  
for 3-gallon bucket 663055



Wire for galvanized cover  
(25/Pkg) LIDWIR



Galvanized bag holder 69BUCKET0102



Blue sap bag 663032

## TAPPING STARTER KIT - 15 TAPS



### Includes:

- 1 short tapping bit 5/16"
- 15 bucket spouts 5/16"
- 15 plastic buckets (2 gallon)
- 15 galvanized bucket covers
- 1 CDL aluminum tapping hammer
- 1 aluminum spout remover (15")

6600800

# 3/16" SEMI-RIGID

## CDL GRAVITY TUBING

Ideal for sugarbushes **without electricity** and maple producers who do not want to use a mechanical system for vacuum.

	LENGTH	PRODUCT CODE	WARRANTY
Blue	500'	431610021	<b>8 year</b>
	1 000'	431608221	<b>8 year</b>
Green	500'	431608025	<b>8 year</b>
	1 000'	431608225	<b>8 year</b>




### PRACTICAL TIPS FOR SETTING UP 3/16" GRAVITY TUBING!

- Minimum 3-5% slope
- The steeper the slope, the better the vacuum
- The weight of the water column in the 3/16" line creates the vacuum
- The system must be 100% airtight
- Keep lines as straight as possible
- Approximately 25 taps per 3/16" line
- Material cost is about \$5 per tap
- 3/16" tubing is not compatible with a vacuum pump setup!

For more details,  
watch our video!

**SCAN TO SEE  
THE VIDEO**

[bit.ly/cdlvideos](http://bit.ly/cdlvideos)





## 3/16" PLIERS



3/16" compact insertion tool  
with 4WR vise-grip and  
lateral knife

6623157



Mini 3/16" installation pliers  
with adjustable automatic  
pressure and cutter

6623156



Mini 3/16" installation pliers  
with adjustment screw

66515

## 3/16" FITTINGS



3/16" clear spout

66045316

*Signature*

We recommend the use of a 5/16" drill bit for tapping



3/16" white spout  
with barbs

66090316

**MAXFlow**

We recommend the use of a 19/64" drill bit for tapping



3/16" end of line hook

66279357



3/16" flat hook connector

66303357



5/16"- 3/16"  
flat hook connector

66303356



3/16"- 3/16"- 5/16"  
health T drop line

66030355



3/16" health T

66030357



3/16" health T end of line

66030358



5-16"- 5/16"- 3/16"  
health T drop line

66030356

## 3/16" SPINSEAL FITTINGS



3/16" BLUE SpinSeal Fitting

66091041

3/16" BLACK SpinSeal Fitting


66091049



9/64" CDL drill bit for 3/16"  
SpinSeal Fittings

66964

## MAXSEAL MULTI-FITTINGS / FIXED HEAD



Maxseal single gasket

66091C

Screw kit not included



Screw Kit

66099099

# FLEX

- **FLEX**
- Flexible at all temperatures
- Resists falling trees
- The best translucency
- Excellent elastic memory
- Maximum leakproofness



# VISION

- **FLEX / SEMI-RIGID**
- Ideal for straight and long laterals
- Good translucency
- Good elastic memory
- Keep its properties over the years



MODEL	COLOR	RIGIDITY	CODE	WARRANTY
5/16" Flex	Pale Blue	Flex	451610001	<b>10 years</b>
5/16" Flex	Pâle Blue	Flex	451615001*	<b>15 years</b>
5/16" Flex	Dark Blue	Flex	451610007*	<b>10 years</b>
5/16" Flex	Dark Blue	Flex	451615007	<b>15 years</b>
5/16" Flex	Green	Flex	451610005	<b>10 years</b>
5/16" Flex	Green	Flex	451615005	<b>15 years</b>
5/16" Flex	Shadow Grey	Flex	451610006*	<b>10 years</b>
5/16" Flex	Shadow Grey	Flex	451615006	<b>15 years</b>

\* Special order only.



Favorite



MODEL	COLOR	RIGIDITY	CODE	WARRANTY
5/16" Vision	Pale Blue	Flex/semi-rigid	451610021	<b>10 years</b>
5/16" Vision	Dark Blue	Flex/semi-rigid	451610027*	<b>10 years</b>
5/16" Vision	Dark Blue	Flex/semi-rigid	451615027*	<b>15 years</b>
5/16" Vision	Green	Flex/semi-rigid	451610025	<b>10 years</b>
5/16" Vision	Green	Flex/semi-rigid	451615025	<b>15 years</b>

\* Special order only.

# PRECUT DROPS

- **10 year warranty**
- Completely clear for an optimal visibility
- Unique plastic recipe with UV stabilizers
- Packaged in bundles of 100 units.

36" 6600100036 40" 6600100040



MODEL	COLOR	RIGIDITY	CODE	WARRANTY	MODEL	COLOR	RIGIDITY	CODE	WARRANTY
5/16" Max	Pale Blue	Semi-rigid/rigid	451605011	-	5/16" 50	Pale Blue	Semi-rigid	451610031*	10 years
5/16" Max	Green	Semi-rigid/rigid	451605015	-					

\* Special order only.

## OUR COLORS




**SpinSeal**

- > 100 PSI
- > Thicker and more flexible
- > Remains flexible even in cold weather



**HD (HIGH DENSITY)**

- > 100 PSI
- > Superior quality high density resin
- > More rigid than the low density | Light tubing

Products manufactured by  **CDL**

Choose CDL's quality!

**10-YEAR  
WARRANTY!**



**BLACK**

**GREY**

**BLUE**

**GREEN**

\* Special order only.

	<b>SpinSeal</b>	<b>HD</b>	<b>SpinSeal</b>	<b>HD</b>	<b>SpinSeal</b>	<b>HD</b>	<b>SpinSeal</b>	<b>HD</b>
500'	403410069S	403410069	-	-	403410061S	403410061	-	403410065*
<b>¾"</b> 1 000'	-	403410269*	-	-	-	403410261	-	403410265*
2 500' spool	403410169S*	403410169*	-	-	403410161S*	403410161*	-	403410165*
500'	410010069S	410010069	-	-	410010061S	410010061	410010065S	410010065
<b>1"</b> 1 000'	410010269S	410010269	-	-	410010261S	410010261	410010265S	410010265
2 000' spool	410010769S	410010769	410010732S*	-	410010761S	410010761	410010765S	410010765
500'	411410069S	411410069	-	-	411410061S	411410061	-	411410065
<b>1 ½"</b> 1 000'	-	411410269*	-	-	-	411410261*	-	411410265*
1 000' spool	411410169S	-	411410132S	-	411410161S	-	-	-
<b>1 ½"</b> 500'	411210069S	411210069	-	-	411210061S	411210061	-	411210065
900' spool	411210169S	-	411210132S	-	411210161S	-	-	-

\* Special order only.

**Our commitment**

When producing CDL tubing and mainline, we do supervised quality checks to guarantee you the best product on the market.



**TUBING FOR  
SIDE TYING**

**½"** 500'  
Black  
401210049

# CDL PRE-LASHED MAINLINE

Factory pre-lashed with superior stainless steel wire. Save time with a 1-step installation!

Aluminum alloy main wire

Stainless steel support wire


SCAN TO SEE THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



Products manufactured by  **CDL**

Choose CDL's quality!

**10-YEAR WARRANTY!**



**BLACK**

**GREY**

**BLUE**

**GREEN**

\* Special order only.

**SpinSeal**   **HD**

**SpinSeal**   **HD**

**SpinSeal**   **HD**

**SpinSeal**   **HD**

**¾"** 2 500' spool (PRE-LASHED)

403410169SL\* 403410169L\*

403410161SL\* 403410161L\*

403410165L\*

**1"** 2 000' spool (PRE-LASHED)

410010769SL 410010769L

410010761SL 410010761L

410010765SL 410010765L

**1¼"** 1 000' spool (PRE-LASHED)

411410169SL -

411410161SL -

- -

**1½"** 900' spool (PRE-LASHED)

411210169SL -

411210161SL -

- -

\* Special order only.

## ADVANTAGES OF THE PRE-LASHED AND SPINSEAL COMBO

- > The Professional's choice
- > Potential savings of \$0.75 (CAD) per tap, in labor and material
- > Best value for the money of any mainline systems in the industry
- > Resistant and very reliable system over time
- > The most durable system that requires the least maintenance over time
- > Try it and adopt it!



## THE CDL EXPERIENCE: OPTIMAL forest installation!

Take advantage of the best practices in the industry and ask your experts to give you advices how to install mainlines and tubing.

**It's our customer promise!**

# SpinSeal™ TECHNOLOGY



THE ONLY CONNECTOR THAT  
PROVIDES A PERFECT SEAL  
FOR THE ENTIRE LIFE  
OF THE MAINLINE



SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



A	5/16" BLUE SpinSeal Fitting	66091061
B	5/16" BLACK SpinSeal Fitting	66091069
C	5/16" GREEN SpinSeal Fitting	66091065
D	5/16" GREY SpinSeal Plug	66091059

Made for:

- > Repair hole(s), caused by animals on CDL HD, Spinseal, Fusion or Rapitube tubing;
- > Plug old 5/16" multi-fitting holes and allow conversion to Spinseal system on CDL HD, Spinseal, Fusion or Rapitube Pipe;
- > Plug Spinseal holes that are not used anymore.

Warning: SpinSeal technology was developed for use on pipe manufactured and distributed by CDL.

The use of this technology on pipes manufactured and distributed by other companies can be very risky and won't be covered by the warranty.

## CDL EXCLUSIVE

Save from \$1.80 to \$3.45 (CAD) per lateral line compared to all other systems in the industry.

## THE SPINSEAL TECHNOLOGY THE CDL WAY TO SAVE TIME AND MONEY.

Based on an average of 250 fusions per day, your SpinSeal™ System will pay for itself in just two weeks.



SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



DEWALT  
A SURE VALUE!

SpinSeal welder  
Includes: 1 battery, 1 charger and carrying case.

730100

SpinSeal tool 1" mainline insert. Can be used with a compact fitting tool. Facilitates the installation of the 5/16" tubing on your spinseal fitting.

730115

5/16" SpinSeal drilling template with drill bit

730101

7/32" CDL drill bit for 5/16" SpinSeal Fittings

66732



## AERIAL/IN-GROUND HDPE TUBING

**FUSION** mainline is suitable for all installation methods.

- PVC Insertion fittings / Clamps
- Stainless steel Insertion fittings / Clamps
- Electrofusion fittings
- End to end fusion

**145 PSI**

THE REFERENCE FOR YEARS IN  
THE MAPLE INDUSTRY IN TERMS  
OF UNDERGROUND PIPE BURIAL

LENGTH	BLACK	BLUE	GREEN
1"	500'	670020990500	670022720500
1"	1 500' spool	670020991500	670022721500
1-1/4"	500'	670030990500	670032720500
1-1/2"	500'	661222920500	661222720500
1-1/2"	2 500' spool	661222922500	661222722500
2"	500'	66230292	66230272
2"	2 500' spool	662302922500	662302722500
3"	50' rod	66334292	66334272
3"	500'	663340990500	663342720500
4"	50' rod	663440990050*	663432720050*

### END TO END FUSION

\* Special order only.




### BURIED



### END TO END FUSION ADVANTAGES

- > The least expensive
- > Very resistant and durable
- > Ideal for buried pipe systems
- > Does not require any fittings



THE SPINSEAL  
TECHNOLOGY IS  
100% COMPATIBLE  
WITH FUSION  
MAINLINES.

## WIRELESS MAINLINE TUBING

### RAPITUBE V2™

#### TRANSLUSCENT BLUE

1"	500'	6600827250RT
1"	3 000' spool	6600827227RT

#### RAPI-FIX TENSION STRAPPING

Black	200'	66300099
-------	------	----------



**FLEXIBLE**  
**QUICKER TO INSTALL**  
**100 PSI**

SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



Fusion and Rapitube mainlines are manufactured exclusively for



[cdlinc.ca](http://cdlinc.ca) | [cdlusa.com](http://cdlusa.com)



## ELECTROFUSION

### HIGH TECHNOLOGY FITTINGS

#### ELECTRO SADDLES



1-1/4" x 1"	66130125X100
1-1/2" x 1"	66130115X100
1-1/2" x 1-1/2"	66130115X150
2" x 1"	6613012X100
2" x 1-1/4"	6613012X12500
2" x 1-1/2"	6613012X150
3" x 1"	6613013X100
3" x 1-1/4"	6613013X12500
3" x 1-1/2"	6613013X1500
3" x 2"	6613013X200

#### ELECTRO COUPLINGS



1"	661303100
1-1/4"	66130312500
1-1/2"	6613031500
2"	661303200
3"	661303300
4"	661303400

#### ELECTRO T



1" x 1" x 1"	6613041X1X100
1½" x 1½" x 1½"	661301150
2" x 2" x 2"	661301200

## A LEAK FREE SOLUTION.

### FUSION SYSTEM FOR AERIAL OR BURIED TUBING

- > Ultra quick installation of connectors.
- > Installation of connectors without cutting the tubing.

#### ELECTRO REDUCERS



2" x 1-1/2"	6613022X1500
3" x 2"	6613023X200

## PURCHASE OR LEASE

Ask your CDL sales representative about purchasing or leasing a welder.



For rent 10601LOC

Purchase 10502

# CHOOSE THE CDL PRE-LASHED MAINLINE

Factory pre-lashed with superior stainless steel wire.

Save time with a 1-step installation!



## WIRE TIES

	REGULAR (18 GA)	HEAVY DUTY (16 GA)
5"   1 000/pkg for $\frac{3}{8}$ " tubing	660851	66085116
6"   1 000/pkg for 1" tubing	660861	66086116
7"   1 000/pkg for 1 $\frac{1}{2}$ " tubing	660871	66087116
8"   1 000/pkg for 1 $\frac{1}{2}$ " tubing	660881	66088116
10"   1 000/pkg for 2" tubing	660811	660810116
12"   2 500/pkg	66400112	6640011216
14"   2 500/pkg for 3" tubing	66096	6609616
18"   1 000/pkg for 3" tubing	-	66423

## TENSION GRIP



	REGULAR
3/4"	663098
1"	663099
1-1/4"	663097



## WIRE AND ACCESSORIES

### GALVANIZED



#9	50 lb	66040
#12	50 lb	66049
#14	50 lb	66051

### HIGH TENSION

#12,5	50 lb	ETBRO12.5HT
.134 high carbone	50 lb	66054
.134 high carbone	100 lb	660541
Hydro aluminum #10	$\pm 1\ 500$ lb/stool	660301
Hydro aluminum #12	$\pm 1\ 200$ lb/stool	660302

### LASHING WIRE

	Stainless steel 1 200'	660660
	Medium grippe 10-14 GA	665503
	Large grippe 7,5-10 GA	665505
	Jumbo grippe 10-12,5 GA	665511
	Repair wire #9 (orange)	662000
	Repair wire #10 (black)	662001
	Repair wire 3/16"	662003
	Repair wire for 1/4" cable	662004

	Steel cable 1/8"	60042
	Steel cable 3/16"	60045
	Steel cable 1/4"	60043

	3/8" hook tensioning screw	667073
	Galvanised steel ratchet	ETMRAT01
	Ratchet handle for wire	ETMRAT02
	12,5 GA wire link	WL12LINK



## Your maple syrup projects from A to Z

**DID YOU KNOW THAT CDL'S TEAM IS HERE TO MEET ALL OF YOUR NEEDS?**

**HERE IS THE LIST OF SERVICES WE OFFER. ASK YOUR STORE OR YOUR CDL REPRESENTATIVE!**

### > Project evaluation

Have your project fully assessed by our experts, who have access to a large inventory in real time. Whether you are beginners or experienced, you will be accompanied by our experts according to your needs.

### > Maple syrup and technical advice

Take advantage of the advice of our experts to calculate the pipe sizing and discharge calculation.

### > GPS mapping

Optimize the strategic positioning and planning of your equipment using GPS technology.

### > Installation of mainlines and tubing

Take advantage of the industry's best practices and ask our experts to install your mainlines and tubing in your forest.

### > Equipment rental

Rent an Electrofusion welder or a SpinSeal welder for your one-time installation needs. Verify with your CDL branch to find out if other equipment is available for rental in your region.

### > Assembly of drop lines

Make your life easier with our drop line assembly service! Available in every CDL store.

### > Implementation of the CDL Intelligence

Get advice from our experts on our Maple Sugaring Management System. Our team will assess your needs and guide you step by step on its installation in your sugarbush.

### > Turnkey installation of equipment

When making your purchase, ask our experts to deliver and do a complete installation of your CDL equipment directly to your sugarhouse.

### > Repair at the sugarhouse

Start maintaining your equipment before the start of the sugar season! Our team will come to your sugarhouse to repair your electrical, welding, plumbing, start-up and burner adjustment problems, for any brands.

### > Modification of equipment

Request custom adjustments if you have specific needs.

### > 24/7 assistance during the sugaring season

During the sugaring season, our team is available 24 hours a day, 7 days a week to respond to your emergencies.



Branon Systems, LLC

## PRECISION TAPPER

**PROFITABILITY  
STARTS FROM TREES!**

### PREVENT

- ✓ Damaged drill bits
- ✓ Inconsistency
- ✓ Oval holes
- ✓ Holes tapped too deep

### GET RID OF

- ✓ Vacuum loss
- ✓ Production loss
- ✓ High labor cost
- ✓ Unhealthy trees

SCAN TO SEE  
THE VIDEO

[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



**PERFECT TAP,  
PERFECTLY  
AIRTIGHT.**



**PERFECT ANGLE AND  
TAP HOLE DEPTH**



Precision Tapper™ kit

Includes: 1 drill, 2 batteries, 1 carrying bag and 1 precision template.

663970

\*Tapping bit adaptor not included.



Precision Tapper™ adaptor

\*Drill bit not included.

663971



Drill bits adaptors

(1/2"-20 UNF) (9/16"-18 UNF)

1/4"	6639714	6639714-1
17/64"	6639764	N/A
19/64"	6639964	6639964-1
5/16"	6639716	6639716-1



## PRUNO TOOLS FOR TUBING



Repair pliers with automatic tension and tubing stretcher 6623160



Mini 3/16" installation pliers with adjustable automatic pressure and cutter 6623156



Mini 3/16" installation pliers with adjustment screw 66515



5/16" installation pliers with adjustment screw 6623158



Repair pliers with adjustment screw with knife and tubing stretcher 66501



Deluxe double automatic tubing tool with cutter and tubing stretcher 662153

## PRUNO WIRE GRIPPER



Spring loaded wire gripper 667068

Please contact your CDL store or CDL online store for more information and prices.

## PRUNO TOOLS FOR SPOUTS AND TUBING



Designed to easily install the 5/16" on SpinSeals or any other straight fittings 6623161



Blade for 5/16" tubing remover pliers 66500



5/16" compact insertion tool with lateral knife and tubing stretcher 66559



5/16" compact insertion tool with lateral knife 66558



Blade for compact insertion tool 665579



5/16" compact insertion tool with 4WR vise-grip and lateral knife 66557



5/16" tubing butt remover without blade 664954



3/16" compact insertion tool with 4WR vise-grip and lateral knife 6623157



5/16" compact insertion tool 30° to 115° with cutter Ideal to install Signature spouts and every other CDL spouts 664958



5/16" compact insertion tool 30° to 115° Ideal to install signature spouts and every other CDL spouts 664959

## PRUNO SUPPORT HOOKS



Kit with 2 aluminum hooks for mainline level 66902

\*Level not included

## PRUNO PUNCHES



5/16" mainline punch 66185

31/64" mainline punch 661851

5/16" drill bit and handle 66185P

31/64" drill bit and handle 661851P

\* Product available in limited quantity.


## PRUNO FLOW STOPPER TOOL



Flow stopper tool with adjustment screw 66499

## PRUNO TUBING WINDERS

- Swivel hook
- Lightweight, adjustable and foldable (for shipping and storage)



A Horizontal for 3/16" and 5/16" tubing 660411

B Vertical for 3/16" and 5/16" tubing 660410

C Wire winder 66041

## PRUNO MAINLINE DOUBLE FORK PLIERS



1" and 3/4" 662191

1-1/2" and 1" 66219

1-1/4" and 1" 662194

1-1/2" and 1-1/4" 662195

2" and 1-1/2" 662192

3" 662193

3/4" to 2" Kit 662196



 **SOPPEC**

## THE FIRST CHOICE OF WOODSMEN!



**MARKING WILL LAST 1-2 YEARS**

### FEATURES

- ENVIRONMENTALLY FRIENDLY
- Marking will last 1-2 years depending on supports and application conditions
- Temperature range : 5 °F to 122 °F
- Excellent adherence
- High covering power



Orange Fluo Marker 661174

Yellow Standard Marker 661172

Red Standard Marker 661177

Blue Standard Marker 661179

## WIRE TOOLS



CDL wire bender  
650 kg



Permanent wire gripper  
for path crossing



Crimping tool



High tension wire cutter  
Cuts high carbon wire easily



"Contractor" pliers for gripple  
installation



Light clamp for gripple



Manual wire twister



Automatic wire twister

## TOOLS FOR PRE-LASHED MAINLINES INSTALLATION



Pre-lashed mainline  
retention hook



Wire puller for  
pre-lashed mainline

## TOOLS FOR TUBING



30" Drop line cutter



36" Drop line cutter



40" Drop line cutter

5/16" Drop line pliers



3/16" Drop line pliers



Pliers 5/16" aluminium  
foam sleeves

## REEL



Pruno  
mainline reel  
on wheels



## PREMIUM QUALITY MARKING TAPE



- High Quality durable marking tape with great durability
- Designed to withstand the 4 seasons: sun, rain, wind and cold
- Specialized for sugaring and forestry industries
- Fluorescent color increases visibility in the forest:

Orange	661015
Pink	661016
Yellow	661018
Blue	661017



Sighting hand level

666566



The Forestry Pro II laser rangefinder/hypsometer

Accurate distance measurer with improved capability and accuracy. Faster response time. New function to store up to 250 results. Compact ergonomics and ease of use.

6606420

## PLIERS FOR SPOUTS AND TUBING



3/16" Compact  
insertion pliers  
Icebreaking jaws

73067



Compact insertion pliers  
Icebreaking jaws

73062



**An even larger selection!**

Many other models in store to answer all  
your needs and budget, check it out!



3/16" tension hooks

669103



Aluminium binder 30"

68044

Makes forest repairs much easier by keeping  
the 5/16" (or 3/16") line handy when cutting.



5/16" tension hooks

669104



3/4" to 1-1/2" tubing cutters

63001

Repair pliers for  
3/16" tubing

ETPTR0316C



2" tubing cutters

63005



FISKAR pliers

63FISK

# CDL DRILL BITS HIGH PERFORMANCE

CDL'S DRILL BITS ARE SOLD IN A PROTECTIVE CASE TO ENSURE A **PERFECT** EDGE!



- High precision sharpening
- Developed to maximize cutting accuracy in frozen and semi-frozen wood
- No cutting burr
- Developed for maximum performance in sugar maple and red maple trees

## SHORT DRILL BITS

1/4" short drill bit	662414
17/64" short drill bit	66252
19/64" short drill bit	66259
5/16" short drill bit	662516
7/16" short drill bit	66257

## IDEAL FOR PRECISION TAPPER

1/4" long drill bit	662415
19/64" long drill bit	662542
5/16" long drill bit	662540


## BOLDUC DRILL BITS



15/64" Bolduc drill bit	662535C
1/4" Bolduc drill bit	662537C
17/64" Bolduc drill bit	662539C
9/32" Bolduc drill bit	662536C
19/64" Bolduc drill bit	662544C
5/16" Bolduc drill bit	662543C
15/64" Bolduc long drill bit	662535
1/4" Bolduc long drill bit	662537
17/64" Bolduc long drill bit	662539
9/32" Bolduc long drill bit	662536
19/64" Bolduc long drill bit	662544
5/16" Bolduc long drill bit	662543
7/16" Bolduc long drill bit	662534

CDL OFFERS  
A PROFESSIONAL DRILL BIT  
SHARPENING SERVICE.

FIND OUT MORE!



## WORK APRONS



Front

CDL work apron

66934

## TAPPING ACCESSORIES



CDL tapping hammer  
Aluminum handle

73064



2 face tapping hammer  
Aluminum handle

68041



Tapping hammer with blade  
Aluminum handle

68042



12" wooden tapping hammer

729254045



1 L bottle + vaporizer

663440

1 L bottle

66344

Spray trigger head

663441

## BACKPACK CLEANING KIT

**COMPACT, LIGHTER, COMFORTABLE AND SPECIFICALLY DESIGNED FOR MAPLE SUGARING.**



Specifically developed by CDL for work under vacuum.

Backpack cleaning kit with harness and dozer 661616

Backpack cleaning kit with harness, without dozer 661612



Dozer gun only, 10 to 20 ml 661698

Harness only 661691



Replacement tube kit for CDL dozer 661692



Three-piece kit for dispenser spout 661693



Spring for CDL dozer 661694



Screw cap for CDL dozer 661689

## TAPPING DRILL AND ACCESSORIES



- > Head at 90°
- > Brushless
- > 2 000 RPM
- > Long lasting 5A lithium battery



20V Dewalt drill 663920  
20V Dewalt battery 663925  
12V-20V Dewalt charger 663921  
Dewalt Complete set 663920K

Get a bonus carry bag with the purchase of the complete set!



## BRUSHES FOR BUCKETS AND SPOUTS



For 1.5-gallon bucket 72940020



For 2-gallon bucket 72940031



For 7/16" interior spout 663562



For 5/16" - 19/64" spout 663563

## TUBE CLEANING SPONGES



3/4" - 1" 661432



1-1/2" - 1-1/4" 661433



2" 661435



3" 661436

## SPOUT REMOVERS



A Spout remover Pro-Tech PULL 27" 6671844

A Spout remover Pro-Tech PULL 36" 6671847

A Spout remover Pro-Tech PULL 48" 6671848

A Spout remover Pro-Tech PULL 60" 6671849

B Steel spout remover 66077

Aluminum spout remover | Small | 15" 68015

Aluminum spout remover | Medium | 22,5" 68020

C Aluminum spout remover | Long | 30" 68030

Aluminum spout remover | X-Long | 40" 68040

D Aluminum spout remover | 48" 68031

D Aluminum spout remover | 60" 68032



**NEW!**  
TALK ABOUT  
YOUR PROJECT  
WITH OUR  
REGIONAL  
TEAM

## CDL STAINLESS STEEL PLUMBING RANGE:

### DURABILITY AND FLEXIBILITY FOR YOUR INSTALLATIONS!

OPTIMIZE YOUR SETUP BY ADOPTING RELIABLE, MODERN, AND 4.0-READY SOLUTIONS! DISCOVER OUR NEW RANGE OF STAINLESS-STEEL FITTINGS, DESIGNED FOR MODULAR AND DURABLE INSTALLATIONS. GLUE-FREE AND FULLY REMOVABLE, OUR FITTINGS ADAPT TO THE NEEDS OF YOUR SUGARBUSH AND ARE IDEAL FOR SCALABLE AND CONNECTED PROJECTS..

### MODULAR - DURABLE - SCALABLE

OPTIMIZE YOUR INSTALLATIONS BY ADOPTING RELIABLE, MODERN, AND 4.0-READY SOLUTIONS!

## STAINLESS STEEL FERRULE-TYPE FITTINGS

### 45° STAINLESS STEEL FERRULE ELBOW



1"	60R1045F
1½"	60R1545F
2"	60R2045F
2½"	60R2545F
3"	60R345F
4"	60R4045F



### SS CONCENTRIC FERRULE REDUCER

1" to 1½"	716051510F
1" to 2"	716052010F
1½" to 2"	60R14215
2" to 3"	7160513



### SS ECCENTRIC FERRULE REDUCER

1 to 1½"	716091510F
1" to 2"	716092010F
1½" to 2"	60R14215
1½" to 3"	716093015F
2" to 3"	716093020F



### STANDARD STAINLESS STEEL FERRULE

1"	60R14SW1
1½"	60R14SW112
2"	60R14SW2
2½"	60R14SW212
3"	60R14SW3
4"	60R14SW4



### LONG STAINLESS STEEL FERRULE

1½"	60R14A15
2"	60R14A2
2½"	60R14A212



### FLARED STAINLESS STEEL FERRULE

1½"	60R1415FL
2"	60R14R2

**DO MORE YOURSELF  
WITH STAINLESS STEEL  
FERRULE-TYPE PLUMBING**

## ACCESSORIES FOR STAINLESS STEEL FERRULE-TYPE PLUMBING



STAINLESS STEEL FERRULE SIGHT GLASS

1"	6600100
1½"	6600150
2"	6600200
3"	6600303



STAINLESS STEEL FERRULE CHECK VALVE

1"	661747
1½"	661749
2"	661750
3"	661752



SS FERRULE BUTTERFLY VALVE

1½"	60T150
2"	60P88CC2
2½"	60T212
3"	60T300
4"	60T400




SS MOTORIZED FERRULE VALVE

1½"	668408S
2"	668409S
2½"	668410S
3"	668411S
4"	668412S



SS MOTORIZED FERRULE VALVE

1½"	60T150A07
2"	60T200A07
3"	60T300A07



STAINLESS STEEL FERRULE X MIPT

1½" to ¾"	736654
1½" to 1"	6788991D1
1½" to 1½"	770024
2" to 1½"	60R14SW215
2" to 2"	60R14SW22
2½" to 2"	770049
3" to 3"	770100



STAINLESS STEEL FERRULE X FIPT

1½" to ½"	6788991D5
1½" to ¾"	6788991D3
1½" to 1"	6788991D4
2" to 1"	67THRE2X1ST
2" to 1½"	6598140
2" to 2"	6598142
2½" to 2"	6598141
3" to 3"	770152

FERRULE TO INS ADAPTER  
(INSERTION PART ONLY)

INS - FER	
¾" - 1½"	736650
1" - 1½"	736651
1¼" - 1½"	736652
1½" - 2"	736655
2" - 2"	736689



STAINLESS STEEL FERRULE CLIPS

1½"	60R13HC112
2"	60R13HC2
2½"	60R13HC212
3"	60R13HC3
4"	60R13HC



SILICONE SEALING GASKET

¾"	60GASKET34SILI
1½"	60GASKET112SILI
2"	60GASKET2SILI
2½"	60GASKET212SILI
3"	60GASKET3
4"	60GASKET4

## WELDED STAINLESS STEEL FITTINGS



### 45° WELDED STAINLESS STEEL ELBOW

1"	60R2WK100
1½"	60R2WK112
2"	60R245
2½"	60R2WK212
3"	60R345

### 90° WELDED STAINLESS STEEL ELBOW

1"	60R2WC1
1½"	60R2WC112
2"	60R2WC2
2½"	60R2WC212
3"	60R2WC3
4"	60R2WC4

### WELDED STAINLESS STEEL TEE

1"	60R7W17
1½"	60R7W112
2"	60R7W27
2" x 2" x 1½"	60R7W2112
2½"	60R7W257
3"	60R7W37
3" x 3" x 2"	60R7W32
3" x 3" x 1½"	60R7W315



### WELDED STAINLESS STEEL CROSS

1"	6010CR10S
1½"	60R9W112
2"	6010C2S
3"	6010CR30S



### CONCENTRIC WELDED SS REDUCER

1" to 1½"	7160516
1" to 2"	7160515
1½" to 2"	7160510
2" to 3"	7160512



### ECCENTRIC WELDED SS REDUCER

1" to 1½"	60R7L1510
1" to 2"	716112010S
1½" to 2"	60R7L215
2" to 3"	716113020S



### WELDED STAINLESS STEEL ROUND TUBE

½"	60TRST120650
¾"	60TRST3418
1"	60TRST10650
1½"	60TRST15018
2"	60TRST2065
2½"	60TRST212065
3"	60TRST30650
4"	60TRST416

## STAINLESS STEEL PLUMBING SUPPORT



### SHORT THREADED SS PIPE CEILING BRACKET

¾"	Short	74075
1"	Short	74102
1½"	Short	74152
2"	Short	74202
2½"	Short	74252
3"	Short	74302
1"	Long	74101
1½"	Long	74151
2"	Long	74201
2½"	Long	74251
3"	Long	74301



### CANTRUST SS PIPE BRACKET

1"	74100
1½"	74150
2"	74200
2½"	74250
3"	74300



### CANTRUST SS MOUNTING PLATE


60STCH200P

### CANTRUST

60STCH600



## CONNECTORS



INS x INS

½"	662034
1"	662035
1 ¼"	662037
1 ½"	662038
2"	662039
3"	662033

## REDUCERS



INS x INS

1" x ½"	665580
1 ¼" x ¾"	665586
1 ½" x 1"	665581
1 ½" x ¾"	665587
1 ½" x 1"	665582
1 ½" x 1 ¼"	665599
2" x 1"	665596
2" x 1 ¼"	710150
2" x 1 ½"	665583
3" x 2"	6655302

## ADAPTORS



MIPT x INS

¾" x 5/16"	6645555
½" x 5/8"	710563
¾"	665589
1"	665592
1 ¼"	665591
1 ½"	665590
2"	665593
3"	660003

## VACUUM ADAPTOR

MANOMETER  
NOT INCLUDEDINS X MIPT X FIPT VACUUM  
1 x ¼"

6655921

## T



INS x INS x INS

½"	660503
¾"	7134341
1"	6607527
1 ¼"	6603106
1 ½"	6603105
2"	6603108
1" x 1" x 5/16"	660517
1" x 1" x ¾"	660505
1 ½" x 1 ½" x ¾"	660317
1 ½" x 1 ½" x 1"	6605061
1 ½" x 1 ½" x ¾"	660507
1 ½" x 1 ½" x 1"	660506
1 ½" x 1 ½" x 1 ¼"	730312
2" x 2" x ¾"	660508
2" x 2" x 1"	730311
2" x 2" x 1 ½"	730314
2" x 2" x 1 ½"	660511
3" x 3" x 1"	660520



INS x MIPT x INS

¾"	71343415
1"	660515
1 ¼"	66031066
1 ½"	66031056



INS x INS x MIPT

1"	66075251
1 ½" x 1 ½" x 1"	730308

## HOOK PLUGS



INS

½"	666834
1"	666801
1 ¼"	666114
1 ½"	666112
2"	666802
3"	666803
4"	666804

## Y



INS x INS x INS

½"	6607531
¾"	6607507
1"	6607501
1 ¼"	6607510
1 ½"	6607508
2"	6607509
3"	6607522
1" x 1" x ½"	6607524
1" x 1" x ¾"	660751
1" x ¾" x ¾"	660752
1 ½" x 1" x 1"	6607511
1 ½" x 1 ½" x ¾"	6607518
1 ½" x 1 ½" x 1"	6607512
1 ½" x 1" x 1"	6607519
1 ½" x 1 ½" x 1 ¼"	6607515
1 ½" x 1 ½" x ¾"	6607520
1 ½" x 1 ½" x 1"	6607516
1 ½" x 1 ½" x 1 ¼"	6607505
2" x 2" x ¾"	6607514
2" x 2" x 1"	6607513
2" x 2" x 1 ½"	6607519
3" x 3" x 1"	66075130
3" x 3" x 1 ½"	66075128
3" x 3" x 2"	66075129



MIPT x INS x INS

¾"	66075121
1"	66075122



INS x MIPT x INS

¾"	66075124
----	----------



*Sharp edges for solid grip, precise machining,  
no restriction, choose CDL quality!*



## COUPLINGS



1/4"	6010FC025
3/8"	6010FC0375
1/2"	6010FC05
5/8"	6010FC075
1"	6010FC1
1 1/4"	6010FC125
1 1/2"	6010FC15
2"	6010FC2

## TEES



FIPT	
1/4"	712525
3/8"	6010T0375
1/2"	711212
5/8"	713434
1"	711010
1 1/4"	6010T125
1 1/2"	6010T15
2"	6010T2

## THREADED PLUGS



FIPT	
1/4"	SCA025
1/2"	SCA050
5/8"	6010BF34
1"	6010BF1
1 1/4"	SCA125
1 1/2"	SCA150
2"	SCA200

MIPT	
1/4"	6010B25
3/8"	6010B38
1/2"	6010B12
5/8"	6010B34
1"	6010B1
1 1/4"	6010B114
1 1/2"	6010B112
2"	6010B2

## ELBOWS



90° FIPT x FIPT	
1/4"	6010914
3/8"	601090038
1/2"	601095
5/8"	6010975
1"	6010901
1 1/4"	601090125
1 1/2"	60109015
2"	6010902



90° MIPT x FIPT	
1/4"	6010913
3/8"	6010900375
1/2"	60109S05
5/8"	601090075
1"	601090
1 1/4"	601097
1 1/2"	601096
2"	601092



45° FIPT	
1/2"	S4E050
5/8"	S4E075
1"	S4E100
1 1/4"	S4E125
1 1/2"	60109415

## NIPPLES



1/4" close 610151

1/4" x 3" 601104003

1/4" x 6" SNI256

3/8" close 60150375C

3/8" x 2" 60382

3/8" x 2 1/2" SNI3725

3/8" x 3" 60150383

3/8" x 4" 601503754

3/8" x 5" SNI375

3/8" x 6" SNI376

1/2" close 60150500C

1/2" x 1 1/2" SNI051

1/2" x 2" 601105002

1/2" x 2 1/2" 6015150025

1/2" x 3" 60115003

1/2" x 4" 601105004

1/2" x 5" 60111501

1/2" x 6" 60115006

3/4" close 60110750C

3/4" x 2" 601107502

3/4" x 3" 601107530C

3/4" x 4" 711005

3/4" x 5" 711015

3/4" x 6" 711003

3/4" x 8" SNI758

1" close 60151000C

1" x 2" 601002

1" x 3" 60111003

1" x 4" 711004

1" x 5" 601110500

1" x 6" 601110006

1" x 8" 60118

1 1/4" close 60111250C

1 1/4" x 2 1/2" 601112525

1 1/4" x 3" 601112503

1 1/4" x 4" 711006

1 1/4" x 5" SNI125

1 1/4" x 6" 711017

1 1/2" close 60111500C

1 1/2" x 2 1/2" 6011150025

1 1/2" x 3" 60111503

1 1/2" x 4" 711009

1 1/2" x 5" SNI155

1 1/2" x 6" 601115006

1 1/2" x 8" SNI158

2" close 60152000C

2" x 3" SNI203

2" x 6" 601120006

Other lengths available:  
12"-24"-48"-72"-96". Contact us.

## REDUCERS



FIPT x FIPT

1/4" x 3/8" SC2537

1/2" x 1/4" SC5025

1/2" x 3/8" SC5037

3/4" x 1/4" SC7525

3/4" x 3/8" SC7537

3/4" x 1/2" SC7550

1" x 1/4" SC1025

1" x 3/8" SC1037

1" x 1/2" SC1050

1" x 3/4" SC1075

1 1/4" x 1/2" SC1250

1 1/4" x 3/4" SC1275

1 1/2" x 1" SC1210

1 1/2" x 1/2" SC1550

1 1/2" x 3/4" SC1575

1 1/2" x 1" SC1510

1 1/2" x 1/4" SC1512

2" x 1" SC2010

2" x 1 1/2" SC2015



MIPT x FIPT

1/4" x 3/8" 711014

1/2" x 1/4" 715025

1/2" x 3/8" 705038

3/4" x 1/4" 713414

3/4" x 3/8" 713438

3/4" x 1/2" 713412

1" x 1/4" 714014

1" x 3/8" SB1037

1" x 1/2" 711012

1" x 3/4" 711034

1 1/4" x 3/8" SB1237

1 1/4" x 1/2" 665551

1 1/4" x 3/4" 714075

1 1/2" x 1" 714100

1 1/2" x 1/2" 712050

1 1/2" x 3/4" 712034

1 1/2" x 1" 711210

1 1/2" x 1 1/4" 712114

2" x 1/2" SB2050

2" x 3/4" 711013

2" x 1" 711020

2" x 1 1/4" 711225

2" x 1 1/2" 712015

3" x 2" 710302

## STAINLESS STEEL QUICK COUPLINGS



PART A

½"	66209005-A
¾"	662090075-A
1"	662090100-A
1¼"	662090125-A
1½"	662090150-A
2"	662090200-A
3"	662090300-A



PART B

½"	66209005-B
¾"	662090075-B
1"	662090100-B
1¼"	662090125-B
1½"	662090150-B
2"	662090200-B
3"	662090300-B



PART C

½"	66209005-C
¾"	662090075-C
1"	662090100-C
1¼"	662090125-C
1½"	662090150-C
2"	662090200-C
3"	662090300-C



PART D

½"	66209005-D
¾"	662090075-D
1"	662090100-D
1¼"	662090125-D
1½"	662090150-D
2"	662090200-D
3"	662090300-D

**BEST VALUE FOR MONEY!**



PART E

½"	66209005-E
¾"	662090075-E
1"	662090100-E
1¼"	662090125-E
1½"	662090150-E
2"	662090200-E
3"	662090300-E



PART F

½"	66209005-F
¾"	662090075-F
1"	662090100-F
1¼"	662090125-F
1½"	662090150-F
2"	662090200-F
3"	662090300-F



PART DP

¾"	662090075-DP
1"	662090100-DP
1½"	662090150-DP
2"	662090200-DP
3"	662090300-DP



PART DC

¾"	662090075-DC
1"	662090100-DC
1½"	662090150-DC
2"	662090200-DC
3"	662090300-DC

## POLYETHYLENE FITTINGS



REDUCERS | MIPT x FIPT

3" x 2"	63251
---------	-------



NIPPLES | MIPT x MIPT

2"	63248
3"	63247



BALL VALVES

2"   FIPT	63242
2"   MIPT	63243
2"   3-way FIPT	710156
3"   FIPT	63253



GASKETS

¾"	6607901
1"	6607902
1¼" and 1½"	6607903
2"	6607904
3"	6607905



## A- COUPLINGS WITHOUT RESTRICTION

### MIPT x INS

½"	630100
1"	630101
1½"	630102
1¾"	630103

## B- ADAPTORS

### INS x FIPT

½"	64091
¾"	64092
1"	64093
1¼"	64094
1½"	64096

### MIPT x INS

½"	66195
¾"	64054
1"	64056
1¼"	66198
1½"	66199

## C- REDUCING ADAPTORS

### MIPT x INS

½" x ¾"	64053
½" x 1"	6605301
¾" x ½"	64058
¾" x 1"	63200
1" x ¾"	66089
1" x 1¼"	63205
1" x 1½"	63204
1¼" x ¾"	64060
1¼" x 1"	64062
1½" x 1½"	63206
1½" x 1"	64064
1½" x 1¼"	64066
1½" x 2"	63208
2" x 1½"	63210

## D- TEES

### INS x INS x INS

½"	66022
¾"	66023
1"	66029
1¼"	6602801
1½"	66030
2"	66033
½" x ½" x ¾"	63150
¾" x ¾" x ½"	635002
¾" x ¾" x 1"	63152
1" x 1" x ½"	6602401
1" x 1" x ¾"	66024
1" x 1" x 1¼"	66020
1¼" x 1" x ½"	6602001
1¼" x 1" x ¾"	6602002
1½" x 1" x 1"	6602003
1½" x 1½" x ½"	6602004
1½" x 1½" x ¾"	66025
1½" x 1½" x 1"	66028
1½" x 1" x 1"	66028011
1½" x 1½" x 1¼"	66028021
1½" x 1½" x ½"	6602803
1½" x 1½" x ¾"	66026
1½" x 1½" x 1"	66027
1½" x 1½" x 1¼"	66021
2" x 1½" x 1½"	6602101
2" x 2" x ½"	6602102
2" x 2" x ¾"	6602103
2" x 2" x 1"	66357
2" x 2" x 1½"	6602105
2" x 2" x 1¾"	6602106

### INS x INS x MIPT

¾" x ¾" x ¾"	678483
1" x 1" x 1"	678484
1¼" x 1½" x 1½"	678485
1½" x 1½" x 1½"	6602804
2" x 2" x 2"	660331

### INS x INS x FIPT

¾" x ¾" x ½"	6602901
1" x 1" x ½"	6602701
1½" x 1½" x ½"	66025010
1½" x 1½" x ¾"	6602601

## E- CONNECTORS

### INS x INS

½"	66012
¾"	66013
1"	66014
1¼"	66015
1½"	66016
2"	63220

## F- REDUCERS

### INS x INS

¾" x ½"	66069
1" x ½"	66066
1" x ¾"	66065
1¼" x ¾"	66092
1¼" x 1"	66073
1½" x ¾"	66093
1½" x 1"	63175
1½" x 1¼"	66078
2" x 1"	63222
2" x 1¼"	63225
2 x 1½"	66067

## G- 90° ELBOWS

### INS x INS

½"	66045
¾"	66046
1"	64068
1¼"	64070
1½"	64072
2"	66666
3"	66677

### INS x FIPT

¾" x ½"	63156
1" x ½"	64071

## H- CAPS

### INS

½"	66076
¾"	66043
1"	66059
1¼"	66060
1½"	66061
2"	66062

# COMPLETE SELECTION AVAILABLE IN STORE!

## CROSSES (SLIP)



1"	6608152
1½"	6608153
2"	6608154
2½"	6608156
3"	6608155

## Y (SLIP)



1"	6613149
1½"	6613150
2"	6613152
3"	661330

## TEES



### FIPT x FIPT x FIPT

½"	63177
¾"	63182
1"	63180
1¼"	63178
1½"	63179
2"	63181



### SLIP x SLIP x FIPT

1"	631801
1½"	66058151
2"	665637



### SLIP x SLIP x SLIP

1"	63184
1½"	66058150
2"	665545
3"	664565
4"	664599



### PVC SUPPORT

1" x 1" x 1"	6645303
1½" x 1½" x 1½"	6645304
2" x 2" x 2"	6645305
3" x 3" x 2"	6645306

## ELBOWS



### 90° ELBOWS (SP x SLIP)

1¼"	66147
1½"	66088152
2"	665530
3"	665499
4"	63214



### 90° ELBOWS (MIPT x SLIP)

1"	631982
1½"	66088154
2"	665527



### 90° ELBOWS (FIPT x SLIP)

½"	63190
1"	63192
1½"	63193
1½"	63194



### 90° ELBOWS (SLIP x SLIP)

1"	63207
1¼"	661471
1½"	66088150
2"	665526
2½"	665543
3"	665534
4"	63203



### 90° ELBOWS (MIPT x FIPT)

½"	63196
¾"	63197
1"	63198
1¼"	63163
1½"	63166
2"	64086
3"	665512



### 90° ELBOWS (SP x FIPT)

1½"	66088160
-----	----------



### 22.5° ELBOWS (SLIP x SLIP)

1½"	66088156
2"	665540
3"	665529



### 45° ELBOWS (SLIP x SLIP)

1"	63130
1¼"	63131
1½"	66088153
2"	665531
3"	665536
4"	63215

## ADAPTORS



### SP x FIPT

1"	63015
1½"	66068154
2"	665585
3"	6606806



### SLIP x INS

1"	63011
1½"	665557
2"	6655461



### FIPT x SLIP

1"	63012	2½"	6606804
1½"	64095	3"	6606803
1½"	66068153	4"	664094
2"	665546		



### MIPT x SLIP

1½"	66068160
2"	66068158

### MIPT x SLIP

1" x 1"	63010
1½" x 1½"	63014
1½" x 1½"	66068150
2" x 2"	665525
2½" x 2½"	665547
3" x 3"	6606801
4" x 4"	665506

## REDUCERS



### MIPT x FIPT

½" x ¼"	66975
¾" x ¼"	660777
¾" x ½"	63185
1" x ¼"	63051
1" x ½"	66973
1" x ¾"	63050
1½" x ½"	63171
1½" x 1"	63170
1½" x ¾"	66976
1½" x 1"	66977
1½" x 1¼"	66974
2" x ¾"	669782
2" x 1"	669791
2" x 1½"	66978
2" x 1½"	66979
2½" x 2"	6697951



### SP x FIPT

1½" x 1"	660781251
1½" x ¾"	66078151
1½" x 1"	66078150
1½" x 1½"	66078152
2" x ¾"	66078275
2" x 1"	66078201
2" x 1½"	66078153
2" x 1½"	66078250
3" x 2½"	660101
4" x 3"	6625475



### SLIP x SLIP

1½" x 1"	66990
1½" x 1"	669779
2" x 1½"	669797
3" x 2"	669793



### MIPT x SLIP

1½" x 1½"	66068151
2" x 1½"	66068152
2½" x 3"	6606802



### SP x SLIP

1½" x 1"	669783
1½" x 1¼"	660481
2" x ¾"	669787
2" x 1½"	662545
2½" x 1½"	669795
2½" x 2"	669794
3" x 1½"	669786
3" x 2"	679799
3" x 2½"	669796
4" x 2"	669788
4" x 3"	669778

## CONNECTORS (SLIP)



1"	66452
1½"	66098150
2"	665535
3"	668831
4"	668835

**CAPS**

## SLIP

1"	669734
1½"	630351
2"	668820
3"	66881
4"	66882



## FIPT

½"	660521
¾"	660801
1"	660802
1½"	660586
1½"	630352
2"	660583
2½"	660584
3"	660806



## MIPT

¼"	66053
½"	66052
¾"	6606101
1"	6606102
1½"	6606103
1½"	63035
2"	66058
2½"	660585
3"	66884
4"	66885

**ADHESIVES AND TEFLON**

A



B



C



D



E



F

A	FusionPro tape, 2,5 cm x 3 m (1" x 10')	6613001
B	PVC glue, 118 ml	667055
C	PVC glue, 473 ml	667056
D	Teflon, ½" x 40' (10 m)	64100
D	Blue Monster Teflon tape ½" x 1429"	64102
E	Pink Teflon, ½" x 260" Pink Teflon, ½" x 45' (10 m) Pink Teflon is designed for plumbing. More resistant than white Teflon.	64105
F	Grey Teflon, ½" x 260" Grey Teflon is designed for stainless steel fittings.	64106

**QUICK CONNECTORS**

## SLIP x SLIP

1"	66699
1½"	667003
1½"	66700
2"	66701
3"	66702
4"	667044



## FIPT x FIPT

1"	66698
1½"	667004
1½"	6670012
2"	667012
3"	66693

**CLAMPS****ANSWERS SUGARMAKER'S NEEDS**

Stainless steel

HS-10 (¼")	660822
HS-16 (1")	6608301
HS-20 (1½")	6608311
HS-24 (1½")	660841
HS-32 (2")	60HAS32

**BEST VALUE FOR MONEY!**

Heavy duty stainless steel

1"	32-35 mm	660848S
1½"	40-43 mm	660838S
1½"	48-51 mm	660849S
2"	60-63 mm	660843S
3"	86-91 mm	660842S
4"	113-121 mm	660854S

For HD hose

1"	29-31 mm	660846HDS
1½"	36-39 mm	660836HDS
1½"	40-43 mm	660840HDS



For flexible hose

1½"	660846
2"	660847
3"	660839

## PVC VALVES



### BALL VALVES (FIPT)

1/2"	63100
3/4"	63105
1"	63110
1 1/4"	63115
1 1/2"	63120
2"	63125
3"	63128



### GATE VALVES (SLIP)

1"	66175031
1 1/2"	6617504
2"	6617506
3"	6617507
4"	6617509



### BALL VALVES HEAVY DUTY (FIPT)

1/2"	63100R
3/4"	63105R
1"	63110R
1 1/4"	63115R
1 1/2"	63120R
2"	63125R
3"	63128R

## PVC SINGLE UNION VALVES



### FIPT x FIPT

1"	6618100
1 1/2"	6618101
2"	6618102

## STAINLESS STEEL VALVES



### BALL VALVES (FIPT)

1/4"	6617053
3/8"	601438
1/2"	601412
3/4"	601475
1"	6013TBV21
1 1/4"	601414
1 1/2"	601415
2"	6013TBV22



### BALL VALVES (INS x INS)

3/4"	66177075
1"	66177100



### BALL VALVES (INS x FIPT)

3/4"	66178075
1"	66178100



### 3-WAY VALVES (OSMOSIS)

3/4"	71017
1"	71014

## CHECK VALVES



### SLIP x SLIP CLEAR PVC

1 1/2"	6607112
2"	660702
3"	660703



### SLIP

1"	6618103
1 1/2"	6618104
2"	6618105



### FIPT x FIPT CLEAR PVC

1/2"	660712
3/4"	660734
1"	660701
1 1/4"	660714
1 1/2"	660715
2"	660716



### FIPT x FIPT

1/2"	660731
3/4"	660733
1"	660711



### SWING CHECK VALVES

3/4"	71013
1"	71011
1 1/2"	660706
2"	660705

Stainless steel

**PVC RIGID PIPES**

Sold in 10' length



Sold in 8' length

**\*Price by foot****WHITE**

1"	6645100
1½"	6645006
2"	6645020
3"	6645011
4"	664513

**CLEAR**

1½"	6625601040
2"	6625801040

**HOSES****CLEAR FLEXIBLE VACUUM**

¾"	66450512
1"	6645051
1¼"	664504
1½"	664505
2"	6614922
3"	664503

**FLEXIBLE HIGH PRESSURE**

¾"	66243
1"	6600400
1¼"	6600500
1½"	66006099200
2"	661491

100 PSI and more (pressure)  
For pressure pumps

For extractors plumbing.

**GREEN FLEXIBLE**

1"	620610
1¼"	620612
1½"	620615
2"	620620
3"	62030
4"	620640

**HOSES FOR FILTER PRESSES****\*Price per foot**

A 5/8" Clear	6600210
A 1" Clear	6600110
B 5/8" High temperature high pressure Use between the pump and the plates.	66285
B 1" High temperature high pressure Use between the pump and the plates.	660100



cdlinc.ca | cdlusa.com

**PVC FLEXIBLE PIPES****\*Price per foot**

Not approved food grade

1"	6645101
1½"	6645001
2"	6645002
3"	6645003

**PVC STRAPS**

1"	667401
1½"	667413
1½"	667415
2"	667420
3"	667430

**\*Price per foot****1/8" CLEAR THIN WALL**

¾"	6600300
7/8"	660078*
1"	66004001
1-1/8"	660112*
1½"	664507

Not recommended for vacuum (maximum 30 PSI)

\* Use on CDL reverse osmosis

**1/4" CLEAR THICK WALL**

¾"	660030012001
1"	660040012001
1¼"	660050992001
1½"	660060992001
2"	66149

Can be used with vacuum (50 to 60 PSI maximum)  
Maximum 24 inches of mercury.**1/4" POLYETHYLENE TUBING****\*Price per foot****1/4" POLYETHYLENE**

1/4"	661415
------	--------

**RUBBER COUPLINGS  
AND CLAMPS****COUPLINGS**

1½"	66094
1½"	669050
2"	669051
3"	669058
4"	669060

**REDUCERS**

1½" x 1¼"	66099
2" x 1½"	66098
4" x 2"	669054
3" x 4"	669059

Please contact your CDL store or CDL online store for more information and prices.



# VISION 4.0

## in MAPLE SYRUP PRODUCTION

CDL's Vision 4.0 aims for a 100% automated and remotely controlled maple syrup operation, where every step, from the maple sap to the barrel, is interconnected. This vision is becoming a reality thanks to CDL Intelligence, the brain that ensures the synergy and interconnection of all your equipment.

### 4.0 technology is transforming your sugurbush!

- **Less work, more efficiency:**

Automate repetitive tasks and free up time.

- **Yields and profitability:**

Produce more and avoid costly losses.

- **24/7 monitoring:**

Your sugarbush looks after itself.

- **Real-time data:**

Access everything, everywhere.

- **Designed for the next generation:**

Modern, scalable and ready for the future.

1. Sugarbush 4.0 ✓

2. Pumping station 4.0 ✓

3. Tanks 4.0 ✓


4. Concentrator 4.0 ✓

5. Evaporator 4.0 ✓

6. Filtration 4.0

7. Barreling 4.0

8. Sugarbush certification 4.0



SCAN TO SEE  
THE VIDEO

[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



### THE DISTINCTIVE ADVANTAGE OF CDL INTELLIGENCE:

- Integrated team management
- Complete automation between your equipment
- Data analysis to guide your decisions
- IoT interface designed for maple syrup production
- Expert CDL support, always there for you
- Remote updates
- Simplified user experience

#### Innovation at the heart of CDL

Our internal team of developers works continuously to create cutting-edge maple technologies. With CDL Intelligence, your sugarbush is ready for the future.

# CDL INTELLIGENCE:

## An interface designed for your sugarbush

The interface centralizes all your essential operations in a single dashboard.

You can identify problems more quickly, automate your key actions, and maintain a complete overview of your sugarbush, wherever you are.


Intuitive technology designed to maximize your yield and your time.



## Forest

Quickly identify weak points in your tubing network to fix leaks quickly and maximize your production.


The CDL Intelligence interface allows you to keep a constant eye on your sugarbush and the factors that could affect its yield.



## Pumping Station


Manage your pumping stations remotely, with real-time monitoring and rapid alerts in case of problems.

The interface automates operations such as pump activation and valve management, while providing historical tracking to optimize your performance.




## Tanks

Monitor the levels and temperatures of your water, concentrate, filtrate, and even syrup tanks! Program automatic controls and let liquids flow automatically through your sugarbush!



## CDL Intelligence Hosting

Host your data locally with the CDL control base or in the cloud with cloud hosting.



### Local Hosting

Requires a microcomputer to run your CDL Intelligence system on your various devices.

### Cloud Hosting

Automatic data backup in the cloud and access to advanced features.

[Find out more!](#)

## FOREST

Enjoy rapid leak detection, energy autonomy, and unmatched reliability - all without any necessary intervention after installation.



**A Simple Vacuum Sensor (1 mainline)**

SE100-V

**B Double Vacuum Sensor (2 mainlines)**

SE100-V-2

### Vacuum sensor for mainline

Vacuum sensors enable remote measurement of the vacuum in each main line and provide information on the ambient temperature in the forest using the CDL Intelligence system. Batteries recharged using solar energy.

### Advantages

- Minimizes travel.
- Allows leaks to be located quickly.
- Reduces the labor required in the forest and the ambient temperature in the forest.
- More efficient pump management based on temperature differences.

### Communication Gateway V2

**C** Ensures the secure transmission of vacuum data between the forest and the control base.

SG100-V2

### V2 Antenna Deployment kit (20 feet)

**D** Position antennas outside while keeping the gateway indoors to improve signal strength.

21072

**DISCOVER  
THE WORLD  
OF CDL  
INTELLIGENCE**

## CDL INTELLIGENCE STARTER KIT

Possibility to add-on other CDL Intelligence products over the years based on your growing needs

### The CDL Intelligence starter kit includes:

ITEM NUMBER 21090-EN



5 Simple Vacuum Sensors

SE100-V



1 Communication Gateway V2

SG100-V2



1 Control Base (mini-PC)

21082A



1 HD monitor, wireless keyboard and mouse

**NEW!**

# 5/16" VACUUM SENSOR



**THE PRECISION TECHNOLOGY FOR THE FOREST!**

**Accurately identify**

problems with freezing, reverse slopes, leaks and micro-leaks  
on each 5/16" line.


**Monitor your entire network**

and intervene in exactly the right place, first time.  
Increase your yields while reducing intervention  
time in the forest.

**CURRENTLY ON DISPLAY IN OUR DEMO SUGARBUSHES**

Available for purchase at **2026 Open House**

**TOTAL  
ANALYSIS.  
PRECISE  
ACTION.  
MAXIMUM  
PERFORMANCE.**



## PUMPING STATION

Efficiently manage your pumping stations with real-time control solutions for vacuum, recirculation pumps, and valves. Ensure optimal operation and continuous monitoring for uninterrupted processes.



SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



### 4.0 MEGAPIXELS PAN AND TILT WIRELESS IP CAMERA

Easily monitor your operations remotely with this high-performance and intuitive camera.

- Day and night vision up to 33 feet.
- Panoramic field of view: 120° and full rotation up to 355°.
- Operates with CDL Intelligence via Wi-Fi or Ethernet.
- Preprogrammed with 16 preset positions for personalized use.

20210



SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



### PUMP SAFETY MODULE

Protect your water pumps and prevent backflow issues.

- Allows pumps to start or stop based on the detected pressure in the recirculation system.
- Robust and easy-to-install box, designed for maple production conditions.
- Essential for avoiding costly interruptions.
- Can be connected to CDL Intelligence or not

Without CDL Intelligence - 521252

With CDL Intelligence - 521256

### MULTIFUNCTION CONTROLLER (IN/OUT)

Choose a simplified and efficient management system for your sugarbush equipment.

- Compatible with CDL Intelligence for easy integration.
- Controls pumps, valves, and sensors with analog and digital inputs/outputs.
- Configurable analog and digital inputs/outputs (0-10V, 4-20 mA).
- Compact and robust design, built for demanding environments.

SE200-M2

## FLOWMETERS

### CDL Ultrasonic Flowmeters

- > Measures flow rate per minute and total water quantity. Operates in both positive and negative pressures. Volume reset to zero is possible.
- > It is very important to ensure the flowmeter size is suitable for the extractor's outlet with vacuum (under vacuum conditions). The ideal application is at the outlet of a vacuumless transfer pump.
- > 24V power supply with included transformer. Maximum pressure of 150 PSI.
- > Easily connects to the CDL Intelligence system.

1-1/2" RS-485 MESH 210150U



2" RS-485 MESH

210200U

3" RS-485 MESH

210300U

### CDL Rotor Flowmeters

- > Measures flow rate per minute and total water volume. Works in positive mode only (installation of a check valve recommended).
- > Recommended for vacuum applications (vacuum, extractor outlet). 24 V power supply with transformer included. Maximum pressure of 150 PSI.
- > Easily connects to the CDL Intelligence system.

1" RS-485 MESH  
2.5 - 79 GPM 210100



1-1/2" RS-485 MESH  
6.5-225 GPM 210150

2" RS-485 MESH  
10.5-357 GPM 210200

3" RS-485 MESH  
24-739 GPM 210300

## VACUUM MODULATING VALVE

### ALLOW REMOTE VACUUM MODULATION

### ADVANTAGES :

- > Improve vacuum management to prevent premature mainline freezing when temperature are close to 0°C. (32°F)
- > Better vacuum management. Can allow quicker sap flow at the beginning of the day for less airtight systems.

668409

Vacuum regulator and plumbing not included.



SCAN TO SEE  
THE VIDEO



[bit.ly/cdlvideos](http://bit.ly/cdlvideos)

## COMMUNICATION MODULE

Adapts to the phase converter for LENZE vacuum pumps to manage RPM based on the outdoor temperature.

21206



## MOTORIZED VALVES

Allows remote control of drainage valves on tanks, discharge tubing, and extractors in distant pumping stations through the CDL Intelligence system.

120 V | ON/OFF 1-1/2" ferrule 668408S

120 V | ON/OFF 2" ferrule 668409S

120 V | ON/OFF 2-1/2" ferrule 668410S


120 V | ON/OFF 3" ferrule 668411S

120 V | ON/OFF 4" ferrule 668412S



## TANKS AND SILOS

Keep control of your sap, concentrate, permeate, and syrup reserves with CDL Intelligence equipment for tanks and silos. Monitor levels and temperatures in real time, receive anomaly alerts, and ensure efficient management to maximize productivity and avoid interruptions.



### Tank Level Sensor

**A** Allows real-time monitoring of maple sap or concentrate levels remotely.

SA100-HT

### Tank Level Sensor Holder

**B** Allows proper positioning of the tank level sensor at the right distance from tank walls for accurate readings.

21120

### Tank Level Sensor with Probes

**C** Provides automatic control of pressure pumps.

66551

### Submersible Pressure Transmitter

**D** Allows level measurement in a tank or Silo up to 10 meters (32 feet) in height.

679610050

### Liquid Temperature Sensor

**E** Allows temperature measurement within a range of (-40°C to 40°C / -40°F to 104°F) in a tank, Silo, or pipeline.

679610006





Maple Sugaring Management System

- Dashboard
- Automation
- Vacuum sensors
- Stations
- Tanks**
- Devices
- Cameras
- Concentrations
- Gateways
- Employees
- Reports

Configuration

- Settings
- Logout

Version: 0.2.1.1

Dashboard | Tanks

Station: Station 1 QC

Concentrate	Permeate	Sap
15% 9"	17% 9"	8% 2"
0.6 °C 24h ago	0.9 °C 24h ago	0.0 °C 24h ago

Station: Station 1 QC

Concentrate	Permeate	Sap	Syrup
38% 1' 2"	23% 9"	36% 1' 2"	8% 3"
0.0 °C 24h ago	0.6 °C 24h ago	0.0 °C 24h ago	0.0 °C 24h ago

Station: Station 2 QC

Concentrate	Permeate	Sap
73% 2' 4"	50% 1' 3"	55% 1' 9"
0.6 °C 24h ago	0.9 °C 24h ago	0.0 °C 24h ago

## INTERFACE

The interface allows you to monitor the levels and temperatures of your water, concentrate, permeate, and even syrup tanks. Program automations and let the liquids circulate automatically in your sugarbush!

Avoid tank overflows and stay informed about the levels of water, concentrate, permeate, and syrup, whether in the sugarhouse or at the pumping station.

Maple Sugaring Management System

- Dashboard
- Automation
- Vacuum sensors
- Stations
- Tanks
- Devices
- Cameras
- Concentrations
- Evaporators
- Gateways
- Employees
- Reports

Configuration

- Settings
- Logout

Version: 0.2.1.1

Dashboard | Automation

Add automation

Trigger: ↑	Action: Valve	IF: <input checked="" type="checkbox"/>
If BASSIN 6 FILTRAT height sensor's level reaches 80%.	Close W-POMPE 3HP FILTRAT valve.	<input checked="" type="checkbox"/>

Trigger: ↑	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 5 FILTRAT height sensor's level reaches 90%.	Open ALARME FLASH valve.	<input checked="" type="checkbox"/>

Trigger: ↑	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 5 height sensor's level reaches 90%.	Close EAU BASSIN 5 valve.	<input checked="" type="checkbox"/>

Trigger: ↑	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 4 height sensor's level reaches 90%.	Close EAU BASSIN 5 valve.	<input checked="" type="checkbox"/>

Trigger: ↑	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 1 height sensor's level reaches 60%.	Open --- valve.	<input checked="" type="checkbox"/>

Trigger: ↑	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 2 height sensor's level reaches 40%.	Open --- valve.	<input checked="" type="checkbox"/>

Trigger: ↓	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 1 height sensor's level drops below 55%.	Close --- valve.	<input checked="" type="checkbox"/>

Trigger: ↓	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 2 height sensor's level drops below 35%.	Close --- valve.	<input checked="" type="checkbox"/>

Trigger: ↓	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 2 height sensor's level drops below 10%.	Close W-POMPE 3HP FILTRAT valve.	<input checked="" type="checkbox"/>

Trigger: ↓	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 4 height sensor's level drops below 15%.	Close W-SSV FILTRAT valve.	<input checked="" type="checkbox"/>

Trigger: ↑	Action: Valve	OR: <input checked="" type="checkbox"/>
If BASSIN 5 height sensor's level reaches 75%.	Close EAU BASSIN 5 valve.	<input checked="" type="checkbox"/>

Program your choice of automations when tanks reach critical levels!  
Be alerted, open valves, or start transfer pumps!

# EMPLOYEE MANAGEMENT MODULE

**MANPOWER MANAGEMENT OF YOUR SUGARING BUSINESS  
CAN NOW BE DONE WITH THE CDL INTELLIGENCE SYSTEM!**

## FROM THE WEB INTERFACE

- **Multi-user management, with different levels of access:**

- > Visualization of cameras
- > Equipment control
- > Access to production reports
- > Access controlled by employees

- **Build personalized reports on employee tasks, for example:**

- > Who did the work
- > Date the work was done
- > Time spent on the task
- > Apply filters on employees, the type of work, the period, etc.

- **Build timecard reports**

- > Filter by employee or period
- > Simplify pay management by getting the time for each employee for a period

- **Detailed view of timecards**

- > Day by day time entries detailed by type of task
- > Filter per period


## FROM THE MOBILE APP:

- > Log employee displacements
- > Time card: Start/stop the stopwatch and possibility to specify the task

User Management for the CDL Intelligence System.

The system allows the management of each employee's timecards to facilitate payroll processing!

**THIS MODULE CAN MANAGE  
THE DAILY ROUTINE FOR YOU.  
FOR MORE DETAILS,  
CALL YOUR CDL  
SALES REPRESENTATIVE.**



## FOR SIMPLIFIED MANAGEMENT OF YOUR BUSINESS

Exclusive to CDL: Locate employees in the field to track their positions, their progress, and better coordinate operations!

## CDL INTELLIGENCE NOW OFFERS CLOUD HOSTING

### ADVANTAGES :

- Automatic cloud data backup
- Improved user access management
- Complete history of previous sugaring seasons
- Better interconnectivity of equipment via the platform
- Employee management: timecards, forest tracking, tasks management
- Maple syrup production report
- History of alerts and notifications



## COMPLETELY REDESIGNED INTERIOR!

### Available on submersible extractors

- Stainless steel check valve
- Replacement of PVC plumbing with stainless steel
- Anti-rotation pump support with safety bracket

## LOW HORIZONTAL EXTRACTORS


### ADVANTAGES

- Very low (only 24" from the ground)
- No sap-return in the 5/16"
- High quality submersible pump
- Pump adapted to pump up water
- No air in the tubing system while extracting sap
- Solves the sap extraction problems caused by pumping at high vacuum.
- Highly reliable, floatless design
- Angled sap entry
- Pre-drilled to accommodate the optional self-cleaning sprinkler

**NEW: 100% stainless steel internal plumbing**

		INLETS	CAPACITY AT 27" HG	
12" x 24"	1/2 HP (120V)	6 x 1"	2 400 taps	1224ES
18" x 36"	1/2 HP (240V)	8 x 1-1/2"	3 500 taps	1836ES
18" x 36" 	1-1/2 HP	8 x 1-1/2"	7 500 taps	1836ES15
18" x 48" 	1 x 2 HP Low pressure	8 x 2"	12 500 taps	2048ES2LP
18" x 48" 	2 x 2 HP Low pressure	8 x 2"	25 000 taps	2048ES2DLP

Pressure gauge not included



### OPTIONAL:

- Self-cleaning sprinkler kit (72000201)
- Drainage check valve (66248Z)
- Vacuum gauge (64011SS)
- LED light kit (72000202)

 : ALSO AVAILABLE IN 3 PHASES  
208V, 460V AND 575V (CANADA ONLY).

## HORIZONTAL EXTRACTORS WITH 2-SPEED SUBMERSIBLE PUMP

ALLOWS GREATER FLEXIBILITY AND SPEED OF PUMP OUTS FOLLOWING DIFFERENT SAP FLOWS. THIS AVOIDS LOSSES AND OVERFLOWS LINKED TO UNPREDICTABLE BURSTS OF SAP IN THE EVENT OF FREEZE-THAW CYCLE OR EXCESSIVE SAP RUNS.

### ADVANTAGES

- Improved management of small sap flows
- Very low (only 24" from the ground)
- High-quality submersible pump
- No air in the tubing system during sap extraction
- Solves sap extraction problems caused by high-vacuum pumping, preventing sap returns in the 5/16"
- Float-free design, extremely reliable
- Angled water inlets
- Pre-drilled to accommodate the optional self-cleaning sprinkler
- 100% stainless steel internal plumbing

	INLETS	Capacity at 27" HG	
18" x 36"	1 x 1,5 HP (240V)	8 x 1-1/2"	7 500 taps 1836ES15-1DW
18" x 36"	2 x 1,5 HP (240V)	8 x 1-1/2"	15 000 taps 1836ES15-2DW



### OPTIONAL:

- Self-cleaning sprinkler kit (72000201)
- Drainage check valve (662482)
- Vacuum gauge (64011SS)
- LED light kit (72000202)

## HORIZONTAL EXTRACTORS WITH SUBMERSIBLE PUMP

### ADVANTAGES

- No sap returns in the 5/16"
- High-quality submersible pump
- Pump adapted to pump up water
- No air in the tubing system during sap extraction
- Resolves sap extraction problems caused by high-vacuum pumping
- Float-free design, extremely reliable
- Straight water inlets
- Pump within or outside of the pumping station (2 options available)
- Pre-drilled to accommodate the optional self-cleaning sprinkler
- Customizable setup for discharge within or outside the pump station upon request

		INLETS	CAPACITY AT 27" HG	
18" x 48"	1/2 HP	10 x 2"	3 500 taps	204820ES
18" x 48"	1 x 2 HP Low pressure	10 x 2"	12 500 taps	204820ES2LP
18" x 48"	2 x 2 HP Low pressure	10 x 2"	25 000 taps	204820ES2DLP
18" x 60"	3 x 2 HP Low pressure	10 x 2"	37 500 taps	206020ES3LP
18" x 60"	4 x 2 HP Low pressure	10 x 2"	50 000 taps	206020ES4LP

Pressure gauge not included



The electrical box may differ from picture.  
The specified measurement is the distance between the base of the extractor and the center of water entry.

### OPTIONAL:

- Self-cleaning sprinkler kit (72000201)
- Drainage check valve (662482)
- Vacuum gauge (64011SS)
- Grid kit (18" x 36" 7200098A) (18" x 48" 7200099A)
- LED light kit (72000202)

: ALSO AVAILABLE IN 3 PHASES 208V, 460V AND 575V (CANADA ONLY).



cdlinc.ca | cdlusa.com

Please contact your CDL store or CDL online store for more information and prices.

## VERTICAL EXTRACTORS WITH SUBMERSIBLE PUMP

### ADVANTAGES

- Opening on top for easy cleaning
- No sap-return in the 5/16" tubing
- High quality submersible pump
- No float, extremely reliable
- No air in the tubing system while extracting sap
- Solves the sap extraction problems caused by pumping at high vacuum
- Pre-drilled to accommodate the optional self-cleaning sprinkler

**NEW : 100% stainless steel internal plumbing**

		Without manifold (Not drilled)	With manifold (Not drilled)	With manifold (Pre-drilled)*
18" x 40"	1/2 HP	2036ES	203608ES-NP	203608ES
18" x 40"	1-1/2 HP	2036ES2 With converter	203608ES2-NP	203608ES2
18" x 40"	2 x 1/2 HP	2036ESD	203608ESD-NP	203608ESD
18" x 40"	2 x 1-1/2 HP	2036ES2D With converter	203608ES2D-NP	203608ES2D

Pressure gauge not included

\* Now pre-tapped to receive the self-cleaning sprinkler in option – 72000201



### OPTIONAL:

- Self-cleaning sprinkler kit (72000201)
- Vacuum gauge (64011SS)
- LED light kit (72000202)

### EXTRACTORS OPTIONS

- Self-cleaning sprinkler kit (72000201)
- Drainage check valve (662482)
- Vacuum gauge (64011SS)
- Grid kit (18"x 36" 720098A) (18"x 48" 720098A)
- LED light kit (72000202)

### Practical and Stylish Lighting for Your Extractor

Monitor your sap flow at a glance and add style to your extractor with the easy-to-install LED light!

LED Light Kit (72000202)

### Protect Your Extractor


with the Stainless Steel Screen Kit!

Effectively prevent ice and debris from damaging the pump.  
Easy to install on your existing extractors.

18" x 36"  
7200098A

18" x 48"  
7200099A

18" x 60"  
7200089A



### Efficient 360° Cleaning

Keep your extractor clean effortlessly with the CDL self-cleaning nozzle kit.

Nozzle kit for pre-drilled extractors (72000201)

Nozzle kit for non-drilled extractors (72000200)  
(older models or competitors' extractors)



## MECHANICAL EXTRACTORS

 <p>15"</p> <p>INLETS 12" x 12" 4 x 1-1/2" 750 taps</p> <p>121208</p>	 <p>21"</p> <p>INLETS 4 x 1-1/2" 2 x 1" 3 000 taps</p> <p>121808</p>	 <p>20"</p> <p>INLETS 12" x 24" 8 x 1-1/2" 4 000 taps</p> <p>122408</p>
--	---	--

The specified measurement is the distance between the base of the extractor and the center of water entry.



### ADVANTAGES

- > Quick evacuation of the sap;
- > No maintenance mechanism;
- > Stainless steel float;
- > Openings at both extremities for easy cleaning;
- > Non bonded, dismountable cylinder;
- > Straight entry into the manifold;

INLETS  
18" x 24" Manifold 12" x 26 low 8 x 1-1/2" 12 000 taps

Pressure gauge not included



We are proud to  
design and manufacture  
our equipment in  
our own facilities!



## HIGH VACUUM MOISTURE TRAP



Designed for high vacuum, this moisture trap captures water particles in the air that are not normally retained by conventional traps. It offers better protection for your pumps than other models on the market.



CDL 3" high vacuum moisture trap  
mechanical/electrical

710607

## MOISTURE TRAPS



A CDL 2" moisture Trap 6610508



B CDL 3" moisture Trap 710605

Electric option 667282

## REPAIR PARTS



Screws and nuts 662641P



Hinge and spring kit for extractors 662481



**Ask our experts to drill additional holes at low cost.**

Please contact your CDL store or CDL online store for more information and prices.

## VACUUM PROTECTION VALVE



The vacuum protection valve safely prevents sap overflow in your moisture trap or your vacuum pump without shutting vacuum down.

668411-2.0

## VACUUM BOOSTER TANKS THICK WALL



Pressure gauge included



Pressure gauge included

### HORIZONTAL

8" x 24"	722408
12" x 24"	722412
12" x 36"	723612
18" x 36"	723618

### VERTICAL

12" x 18"	721218
12" x 24"	721224

## SAP LIFTERS



Simple sap filter



300 taps

73015

# CDL HIGH VACUUM SAP LIFTER KIT

**THE SOLUTION TO SOLVE  
FREEZING, MECHANICAL  
AND LEAK PROBLEMS  
IN A REVERSE SLOPE  
APPLICATION.**

- Different models available depending on the type of power supply and the elevation of the terrain.
- Designed without leaks for high vacuum.
- Electric with thermal protection or propane heating depending on the model.
- 100% insulated gray plastic shelter of superior quality for weather resistant function.
- Small access door for visual inspection and large access door for maintenance or washing.
- Shelter floor with slight slope and bottom drain
- Adjustable ventilation hatches
- Reversible mainline entrance
- Horizontal blue PVC tank with stainless steel legs and transparent covers for better durability and vision of the water level
- Stainless steel hardware and quick connections

## AVAILABLE MODELS:



### 12 V solar model

200 to 700 taps\*.

Heating with a safe propane pilot (propane tank not included).

73800012V1P



### 230 V Electric models

Heating with a ceramic heating element (75W 220-240V).

From 300  
to 1 000 taps\*

1 pump

From 600  
to 2 000 taps\*

2 pumps

From 275  
to 875 taps\*

2 pumps  
280 GPH in series

7380002301P

7380002302P

7380002302P-HP




## RAISED SUPPORT FOR SAP ELEVATOR

**THINK OF A  
RAISED SUPPORT  
TO PREVENT THE  
SAP ELEVATOR  
FROM ENDING IN  
THE SNOW IN  
SPRING  
(NOT INCLUDED).**

Combine your sap lifter kit with the CDL stand! Its fully bolted aluminum design with stainless steel reinforcements gives you a total of 6 adjustments from 8 to 38 inches high. This is the simple, robust and economical solution to keep your CDL high vacuum sap elevator out of the snow while saving you a lot of time.

738120



**SCAN TO SEE  
THE VIDEO**

[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



\* Depending on your application, height, vacuum level and model chosen.

# CHOOSE A HIGH VACUUM PUMP : THE BEST INVESTMENT FOR YOUR BUSINESS!

## WE DID THE MATH!

- > Go from 25" to 29" Hg of vacuum and increase production by 20%
- > Go from 3.5 to 4.2 lb per tap gives:
  - + \$9 625 (\$7 000 USD) of revenue / year for 5,000 taps
  - + \$19 200 (\$14 000 USD) of revenue / year for 10,000 taps
  - + \$57 750 (\$42 000 USD) of revenue / year for 30,000 taps

## A ONE YEAR RETURN ON YOUR INVESTMENT!

### CDL HIGH PERFORMANCE VANE VACUUM PUMP



### DESIGNED FOR UP TO 29.9" HG!

Available from  
0.5HP to 10HP, single or 3 phase motor

Available in 208-460V, 240V and 575V (Canada only)

#### ADVANTAGES

- Compact and quiet
- Very reliable
- Competitive pricing
- Very low maintenance
- High performance

### CDL HIGH VACUUM PUMP WITH GAS MOTOR

## 100% CDL ASSEMBLY

#### INCLUDES

- High vacuum CDL pump
- Electric starter
- Battery
- Honda gas motor
- Steel platform



5 HP assembled  
(less than 1 800 taps)

58041GG5HP

9 HP assembled  
(less than 3 000 taps)

58064GG9HP

0.75 HP 120/240V	1PH	(250 taps)	58006G40.5HP
1 HP 120/240V	1PH	(650 taps)	58020G41HP*
* Plug in model includes electric cord and male plug.			
1 HP 208-460V	3PH	(650 taps)	58020G11HP
1 HP 575V (Canada only)	3PH	(650 taps)	58020G51HP
1.5 HP 575V (Canada only)	3PH	(1 200 taps)	58031G51.5HP
1.5 HP 208-460V	3PH	(1 200 taps)	58031G11.5HP
2 HP 208-460V	3PH	(1 700 taps)	58041G12HP
2 HP 240V	1PH	(1 700 taps)	58041G42HP
2 HP 575V (Canada only)	3PH	(1 700 taps)	58041G52HP
3 HP 208-460V	3PH	(2 300 taps)	58064G13HP
3 HP 240V	1PH	(2 300 taps)	58064G43HP
3 HP 575V (Canada only)	3PH	(2 300 taps)	58064G53HP
5 HP 208-460V	3PH	(4 000 taps)	58101G15HP
5 HP 240V	1PH	(4 000 taps)	58101G45HP
5 HP 575V (Canada only)	3PH	(4 000 taps)	58101G55HP
7.5 HP 208-460V	3PH	(6 300 taps)	58160G17.5HP
7.5 HP 240V	1PH	(6 300 taps)	58160G47.5HP
7.5 HP 575V (Canada only)	3PH	(6 300 taps)	58160G57.5HP
7.5 HP 208-460V	3PH	(8 000 taps)	58200G17.5HP
7.5 HP 575V (Canada only)	3PH	(8 000 taps)	58200G57.5HP
10 HP 575V (Canada only)	3PH	(10 000 taps)	58250G510HP
10 HP 208-460V	3PH	(10 000 taps)	58250G110HP
10 HP 208-460V	3PH	(11 700 taps)	58300G110HP*
15 HP 208-460V	3PH	(11 700 taps)	58300G115HP

\* Available upon request.  
Contact your CDL sales representative to find out  
which pump is right for you!



## Best value for money on the market!

- ✓ High performing and stable
- ✓ Allows you to reach high vacuum: 29.9" Hg
- ✓ 100% oil-free pump entirely made of aluminum with a design compliant with regulatory hygiene principles, for risk-free food safety
- ✓ Air cooled without oil or water allowing it to operate at low vacuum without damaging the pump
- ✓ Installation possible near waterways due to the absence of oil, and therefore possible spills
- ✓ No friction, which minimizes the amperage required for constant efficiency
- ✓ Robust dry screw principle and tolerant to water vapor (humidity)
- ✓ Simplicity of installation and operation
- ✓ Reduced maintenance requirements
- ✓ Reduced noise level, quiet operation without humming or high-pitched noise
- ✓ Three-phase motor 230/460 Volts

Inline filter required to prevent ice from going in the pump.



## DRY SCREW VACUUM PUMPS

SCAN TO SEE THE VIDEO

[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



2HP 230V 1PH, 230V 3PH or 460V 3PH	57065G12HP
3HP 230V 1PH, 230V 3PH or 460V 3PH	57100G13HP
4HP 230V 1PH, 230V 3PH or 460V 3PH	57160G14HP
5.5HP 230V 1PH, 230V 3PH or 460V 3PH	57200G15.5HP

PUMP	DRIVE		
	1-phase (230V)	3-phase (230V)	3-phase (460V)
57065G12HP	66112DA	66113DA-460	
57100G13HP	66113DA	66113DA-460	
57160G14HP	66115DA	66129DA-460	
57200G15.5HP	66129DA	66115DA	66129DA-460

## UNIVERSAL ADJUSTABLE TABLE FOR VACUUM PUMP

### Durable painted steel table with easy assembly!

Designed to adapt to all your needs with outstanding versatility!

- **COMPATIBLE WITH ALL VACUUM PUMP MODELS:**  
a universal and reliable solution.
- **HIGH LOAD CAPACITY:**  
supports up to a maximum of 1000 lbs.
- **ADJUSTABLE DESIGN:**  
the top platform and bottom shelf can be easily set to the desired height, offering optimal flexibility for your projects.
- **MULTI-PURPOSE USE:**  
can also serve as a very practical workbench for various tasks.
- **COMPACT DIMENSIONS:**  
48" x 23", fits perfectly into any workspace.

Combine versatility, durability, and practicality with this must-have table for your workshop!



## DIAPHRAGM VACUUM PUMPS (IDEAL FOR SMALLER PRODUCERS)



A



B



C



D

Source : 120 volts

### ADVANTAGES

- > Pumps up to 22" Hg (A-B-C) and 28" Hg (D)
- > Works without a sap extractor
- > Easy to use and very compact
- > Liquid won't damage the pump
- > Can run dry without problem

**Inline filter required to prevent ice from going in the pump.**

Note: These pumps must be protected from freezing.



Diaphragm only	G500SK-13
Diaphragm only (Heavy duty model)	669674
Conversion kit (Required to upgrade to the heavy duty model)	640537

A	Single diaphragm vacuum pump (electric)	Up to 400 taps	669512
	Double diaphragm vacuum pump (electric)	Up to 800 taps	669514
B	24 VDC double diaphragm pump <i>Minimum of 12 hours of operation when used with 2x 12V DC 60 amp batteries.</i>	Up to 700 taps	669520 <i>Batteries not included.</i>
C	24 VDC electric diaphragm pump <i>Minimum 20 hours operation on 2 12VDC 60-amp hour batteries. Battery not included.</i>	Up to 400 taps	669510
D	4 diaphragm pump (electric)	Up to 1 800 taps	669660

## 2 STAGE LIQUID RING CDL PUMPS

### ADVANTAGES

- > Up to 28 Hg
- > No mechanical friction inside the pump.
- > The circulation of water around the rotor creates vacuum
- > Maintenance free
- > Ideal for use in a heated room (cannot freeze)

6.5 HP 208/460V	3PH	(4 000 taps)	5845008G15HP
6.5 HP 230V	1PH	(4 000 taps)	5845008G45HP
6.5 HP 575V (Canada only)	3PH	(4 000 taps)	5845008G55HP
7.5 HP 208/460V	3PH	(6 000 taps)	5845311G17.5HP
7.5 HP 230V	1PH	(6 000 taps)	5845311G47.5HP
7.5 HP 575V (Canada only)	3PH	(6 000 taps)	5845311G57.5HP
10 HP 208/460V	3PH	(8 000 taps)	5845316G110HP
10 HP 230V	1PH	(8 000 taps)	5845316G410HP
10 HP 575V (Canada only)	3PH	(8 000 taps)	5845316G510HP

**PROVEN RELIABILITY  
FOR OVER 40 YEARS!**



Please contact your CDL store or CDL online store for more information and prices.

## PHASE CONVERTERS

Factory preprogrammed  
Available on 550V. (Canada only)



\* 230V > 208V CONVERTERS  
\*\* 460V CONVERTERS

	1 > 3 PHASE CONVERTER	3 PHASE DRIVE
1.5 HP	66111DA*	-
2 HP	66112DA*	-
3 HP	66113DA*	-
3 HP	66113DA-460**	-
5 HP	66115DA*	-
5 HP	66115DA-460**	-
7.5 HP	66129DA*	-
10 HP	66118DA*	66115DA*
15 HP	66015DA*	66129DA*
20 HP	66120DA*	66118DA*



## OIL FOR RECLAIMERS



High vacuum oil,  
18,9 L  
Grade 32  
663532

Oil recommended by  


## VACUUM OIL FOR VANE PUMPS



Vacuum oil, 10 L  
Grade 60  
Ideal for DeLaval pump  
Without reclaimer  
663549

Oil recommended by  




cdlinc.ca | cdlusa.com

## AUTOMATIC STARTERS



	120V	230V	575V CANADA ONLY
1 & 2 HP	-	66573	-
1.5 HP	66574	-	-
3 HP	-	66571	66590
5 HP	-	66562	66595
7.5 HP	-	66561	66588
10 HP	-	66563	66569

## AUTOMATIC STARTERS



A



B



C

A Temperature controlled automatic starter 669375

B Manual adjustment kit for converter 68100

C Vacuum transmitter probe GRD1632

## VACUUM REGULATOR



CDL vacuum regulator 721212

## HIGH VACUUM OIL FOR AIRTECH AND CDL VANE PUMPS



Vane pump oil ISO 22 3.78 L 6635378



Vane pump oil 22  
20 L 663520

Oil recommended by  


## GAUGES



VACUUM



DIGITAL VACUUM



PRESSURE



GLYCERIN PRESSURE

A

B

C

D

A	Vacuum	2,5" 0-30 HG SS	64011SS
		4" 0-30 HG SS 3 % precision	66120SS
B	Digital vacuum	0-30 HG	64019
C	Pressure	2,5" 0-100 PSI SS bottom outlet	64010SS

D	Glycerin pressure	2,5" 0-100 PSI SS rear outlet	663331SS
		2,5" 0-200 PSI SS rear outlet	663349SS
		2,5" 0-600 PSI SS rear outlet	663337SS
		2,5" 0-1 000 PSI SS bottom outlet	64014SS

## PRESSURE PUMPS (VACUUM)




220V  
OTHER VOLTAGES  
AVAILABLE  
UPON REQUEST

### GOULD PUMPS NPE SERIES

3/4 HP	1 st	669003
1 HP	1 st	669000
1-1/2 HP	1 st	669001
2 HP	1 st	669006
3 HP	1 st	669007
2 HP	2 st	669020
3 HP	2 st	669021
5 HP	2 st	669015
2 HP	3 st	669024
3 HP	3 st	669022
5 HP	3 st	669042

Machined and threaded  
chambers on all models for  
easier maintenance or repair



Ultra-abrasion-resistant wear rings  
with a separate bearing at each stage  
will reduce pressure loss



### POMPSCO PUMPS PXP SERIES - 230V 1 PHASE

6 GPM	1 HP	66PXP06G41HP-1	25 GPM	1 HP	66PXP25G41HP-1
10 GPM	1 HP	66PXP10G41HP-1	25 GPM	2 HP	66PXP25G42HP-1
10 GPM	2 HP	66PXP10G42HP-1	25 GPM	3 HP	66PXP25G43HP-1
10 GPM	3 HP	66PXP10G43HP-1	35 GPM	2 HP	66PXP35G42HP-1
15 GPM	1 HP	66PXP15G41HP-1	35 GPM	3 HP	66PXP35G43HP-1
15 GPM	2 HP	66PXP15G42HP-1	35 GPM	5 HP	66PXP35G45HP-1
15 GPM	3 HP	66PXP15G43HP-1	50 GPM	3 HP	66PXP50G43HP-1
			50 GPM	5 HP	66PXP50G45HP-1

OTHER VOLTAGES AVAILABLE  
PLEASE CONTACT YOUR CDL STORE



Various Goulds pumps  
models also available.  
Contact us for more details.

# MOBILE PUMPING STATION

TURNKEY, FACTORY-PREFABRICATED SOLUTION  
DELIVERED DIRECTLY TO YOUR SUGARBUSH  
AND READY TO CONNECT!

NEW  
2026

✓ Pumping Station  
fully equipped  
according to your needs:

- Vacuum pump
- Extractor
- Moisture trap
- Water pump
- CDL Intelligence

✓ Fully finished interior:

- Insulation
- Lighting
- Heating
- Ventilation
- Electrical Panel

Available  
WITH or WITHOUT  
a 3300 Gal. Imp.  
tank

Actual appearance may differ from images shown.  
Equipment sold separately.



## INNOVATION THAT SLIPS IN WHERE THE SAP FLOWS.

### ADVANTAGES:

**Ready to use upon delivery — no need for a slab, a building, or permits.**

It significantly reduces installation costs and time compared to a permanent structure.

**Easily movable depending on your needs, ideal for remote areas, public land, or leased properties.**

Its robust design adapts to the evolution of your sugARBUSH and the demanding conditions of the terrain.

**Configurable to your needs (vacuum pump, extractor, controls, etc.)**

Compatible with the CDL Intelligence system for connected and efficient management.

**INCLUDES:**

- > 360° rotating spray ball
- > Manhole at the bottom
- > Water inlets (1 from bottom and 1 from above) and outlet 3"
- > Air vent with screen for venting without bugs or any undesirable debris

**SILO 4 ET 6 FEET :****OPTIONAL AVAILABLE:**

- > Stainless steel top feed plumbing
- > Stainless steel supply plumbing for rotating spray ball
- > Attachment plate
- > Washing system with access
- > Ladder (no gateway or roll cage option)

**SILO 6 FEET ONLY:**

- > Gateway
- > Transmitter protection box

SCAN TO SEE  
THE VIDEO

[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



## CDL VERTICAL SILOS

### SPECIFICALLY DESIGNED FOR SUGARING NEEDS

- ✓ Superior quality, CDL fabrication in brushed stainless steel
- ✓ Reinforced urethane insulated base with anchor points
- ✓ Sloped bottom for complete drainage
- ✓ Available in several sizes

DIAMETER	HEIGHT	(US GAL.)	(IMP. GAL.)
4 FEET	10 FEET	820	682
6 FEET	10 FEET	1915	1595
6 FEET	15 FEET	2915	2425
8 FEET	7,5 FEET	2650	2210
8 FEET	10 FEET	3570	2975
8 FEET	12,5 FEET	4520	3765
8 FEET	15 FEET	5465	4550
8 FEET	20 FEET	7325	6100
8 FEET	25 FEET	9200	7660
12 FEET	10 FEET	8050	6700
12 FEET	15 FEET	12 255	10 200
12 FEET	20 FEET	16 480	13 720
12 FEET	25 FEET	20 730	17 260
12 FEET	30 FEET	24 800	20 650

**PROUD MANUFACTURERS,  
WE DESIGN AND PRODUCE OUR  
EQUIPMENT IN OUR OWN FACTORIES,  
THANKS TO THE EXPERTISE  
OF OUR EMPLOYEES.**

# CDL TRANSPORT TANKS

## OUR LINE OF TRANSPORT TANKS

Available in five different sizes to suit all your needs!

### SPECIALLY DESIGNED FOR MAPLE SUGARING NEEDS!

- ✓ Robust construction in grade 304 stainless steel with brushed finish.
- ✓ Domed ends and reinforced structure which increases the overall strength of the tank.

#### INCLUDED:

- > 1x 3" inlet > 1x 3" outlet > Lifting anchors
- > 8" inspection hole on the 500 gallons
- > 24" inspection hole for the 1100, 2200, 3200 and 4100 gal.
- > Anti-wave separation for the 1100, 2200, 3200 et 4100 gal.

#### AVAILABLE OPTIONS:

- > Visual water level > Single wash ball
- > Ladder > Double wash ball
- > Graduated ruler > Triple wash ball

**Personalize your tank!**  
Contact us for more information.

#### EXTRACTOR SUPPORTS

##### SUPPORT KITS

2' wide	672078
3' wide	672079
4' wide	672080
5' wide	672081
6' wide	6720821
7' wide	672082

All of our extractor supports can be adjusted to the desired depth.



	INSPECTION HOLE	ANTI-WAVE SEPARATION	
550 US Gal.	458 IMP Gal.	8"	66TR550
1 100 US Gal.	916 IMP Gal.	24"	66TR1100
2 200 US Gal.	1 832 IMP Gal.	24"	66TR2200
3 200 US Gal.	2 665 IMP Gal.	24"	66TR3200
4 100 US Gal.	3 414 IMP Gal.	24"	66TR4100

## ROUND BOTTOM TANKS SMALL AND LARGE CAPACITY

MORE THAN 125 SIZES AVAILABLE  
FROM 50 to 7 500 gallons.

Complete listing on our website



#### ADVANTAGES

- > Food grade and strong high quality welds allow complete sanitizing;
- > Made of bright 304 stainless steel.

**TANK WASHER  
WITH REMOTE CONTROL**

# Innovative feature!



**Labor-saving  
automated tank washing**

## PLUGS



FOR TANKS			
1-1/2"	5' rod	678112	
2"	5' rod	678123	
2"	7' rod	6781237	
3"	7' rod	67BOUCH37	

## TANK LEVEL CONTROL



6' level control for CDL tanks 73500-6

### ADVANTAGES

- > The CDL tank level controls are made entirely of stainless steel;
- > In addition, you can very quickly and easily adjust the desired sap level where the pump will start;
- > The solidity of CDL controls prevent breakage caused by ice.



Several sizes available.  
Contact your CDL sales representative!

SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](https://bit.ly/cdlvideos)



## UNIVERSAL MIXER AND STAINLESS STEEL SUPPORT



Universal mixer for  
4', 5', 6' and 7' wide tank

6792034

Adjustable stainless  
steel support.  
1/2 HP motor at 30 RPM,  
115 Volts with 10'  
electric cord.

Note: a cut in length may be required to adjust the height. Prices are available upon request.

## ADAPTORS

### FOR PLASTIC TANKS



1/2"	RA5012
3/4"	RA5032P
1"	RA5034P
1-1/4"	RA5036P
1-1/2"	RA50309P
2"	RA5042P
3"	RA5454P

### FOR STAINLESS STEEL TANKS



1-1/2"	676401
2"	676402
3"	676403
4"	676400



**NOT IN STOCK IN THE USA  
UPON REQUEST ONLY**

## HORIZONTAL PLASTIC TANKS

US GALLONS	DIAMETER X HEIGHT	LID SIZE	OUTLET	
35	20" x 23" x 29"	5"	3/4"	HOR035
55	23" x 26" x 34"	5"	3/4"	HOR055
65	23" x 27" x 43"	5"	3/4"	HOR065
125	32" x 35" x 42"	8"	2"	HOR125
225	38" x 41" x 49"	8"	2"	HOR225
325	38" x 43" x 68"	16"	2"	HOR325
425	49" x 54" x 60"	16"	2"	HOR425
525	49" x 54" x 71"	16"	2"	HOR525
725	49" x 54" x 101"	16"	2"	HOR725
1 025	49" x 54" x 139"	16"	2"	HOR102
1 625	63" x 68" x 139"	16"	2"	H01625



Elliptical tanks  
also available  
Ask your representative!

Adaptors and level indicator included.  
Galvanized bands not included.

## SPECIAL APPLICATION



Applicator tank  
Available size: 12 US gallons.



PCO tank  
Available sizes: 30 to 300 US gallons.

## TANKS - VARIOUS MODELS



For pickup truck



SPE300



SPE400

A

B

US GALLONS	WIDTH X HEIGHT X LENGTH	LID SIZE	OUTLET	
210	51" x 39" x 28"	8"	2"	PUP210
A 325	62" x 49" x 33"	8"	2"	
425	65" x 49" x 39"	8"	2"	
B 300	29" x 49" x 62"	16"	1-1/4"	SPE300
	400	29" x 71" x 66"	16"	SPE400



Adaptors and level indicator included.

## VERTICAL PLASTIC TANKS

US GALLONS	DIAMETER X HEIGHT	LARGER BASE	
100	28" x 43"		VER100
305	46" x 50"		VER305
550	67" x 42"		VER550
1 100	87" x 53"		VE1100
1 550	87" x 67"		VE1550
1 700	87" x 74"		VE1700
2 100	87" x 89"		VE2100
2 500	95" x 91"		VE2500
3 000	95" x 109"		VE3000
		SMALLER BASE	
25	18" x 29"		SPS025
50	18" x 53"		SPS050
65	23" x 43"		SPS065
75	23" x 49"		SPS075
105	23" x 63"		SPS105
165	31" x 56"		SPS165
200	30" x 72"		SPS200
250	30" x 89"		SPS250
300	36" x 79"		SPS300
500	48" x 73"		SPS500
750	48" x 103"		SPS750
1 000	64" x 80"		SP1000
1 500	64" x 116"		SP1500

## TANK STRAINER BASKETS

For 5" cover	STBA05
For 8" cover	STBA08
For 12" cover	STBA12
For 16" cover	STBA16

## REPLACEMENT LIDS AND COLLARS

16" solid, non-ventilated cover	LIDP16S
16" ventilated, requires central cover	LIDP16
5" ventilated, for center of 16" cover	LIDPV5
8" solid, non-ventilated cover	LIDP08
5" ventilated 16" cover	LIDP05
8" threaded replacement collar	COL008
12" threaded replacement collar	COL012


# ULTRAFILTRATION

## CDL quality standards and simplified operations

- Designed and made for very fine filtration of maple sap, birch sap and concentrate
- Eliminates bacteria, yeast and other organic particles from liquids
- Improves sap and concentrate preservation time



- Eliminates all bacteria and yeast present in the sap;
- Increases preservation time of sap and concentrate at room temperature;
- Reduces sap waste after long distance transport;
- Produces pure and clear sap;
- Essential for maple syrup producers that want to bottle maple sap;
- Can be used to prevent production of stringy maple syrup when the days are warm during or at the end of the season.



SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



# GLASS BEAD FILTRATION SYSTEM

THIS IS THE FILTRATION EQUIPMENT THAT WILL HELP YOU SAVE YOUR CONCENTRATOR PRE-FILTERS\*. YOU WILL BENEFIT FROM CLEANER SAP TO ACHIEVE BETTER CONCENTRATION PERFORMANCE AND REDUCE THE NUMBER OF PRE-FILTER CARTRIDGES USED DURING THE SEASON!\*



## 2 MODELS AVAILABLE

to meet all your maple sap pre-filtration needs!

Models	Dimensions Dim. x Height	Glass beads (Kg)	Number of bags
83 GPM	36" X 40"	200	8
167 GPM	48" x 52"	500	20

\*Note that glass bead filters do not replace the 5 micron pre-filters in your concentrator.

- Reliable and easy-to-use system that can operate over long periods of time
- Filtration from 1 to 3 microns
- Durable food grade stainless steel design
- Considerable savings on your disposable cartridges for a quick return on investment
- Easy daily cleaning with backwash function
- Self-cleaning drainage retaining glass beads inside the equipment
- Only one type of glass beads (media) needed
- Little annual maintenance

## UNMATCHED ON THE MARKET!



Fully stainless steel inner strainer for increased durability.



## NANO RO REVERSE OSMOSIS SYSTEMS

YOUR  
BEST  
INVESTMENT  
OF THE YEAR



- > SIMPLE AND EFFICIENT DESIGN
- > THREE STEP PRE-FILTRATION TO ELIMINATE IMPURITIES
- > EFFICIENT MEMBRANE SYSTEM
- > INCLUDES 600 GPD MEMBRANE, CARTRIDGE PRE-FILTERS AND HOOK-UP TUBING
- > LOW ELECTRIC CONSUMPTION 110 VOLTS

PERFECT FOR SMALLER PRODUCERS  
AND EASY TO USE

Product number	81018
Number of taps	50 to 250
Capacity	Removes up to 30 GPH of filtrate
Concentration	4 to 5 Brix in batch
Weight	17.19 kg
Recirculation	Yes, pump dedicated to recirculation
Freezing	Does not tolerate
Membranes	3 membranes (800 GPD)

## HOBBY REVERSE OSMOSIS SYSTEMS



- Ideal for 500 to 3000 taps
- Stainless steel main unit
- Casters included for easy movement
- Easy drainage
- Stainless steel pressure pump
- Stainless steel membrane housing
- 10" pre-filter cartridge housing included
- Concentrate and filtrate flow meter
- Low pressure and high temperature protection
- Membrane included



WASHING TANK OPTION  
AVAILABLE FOR BOTH MODELS

125-250 GPH - OSHO-A00007  
350 GPH - 710015350

81125V	120 V	125 GPH
81125V-240	240 V	125 GPH
81250V	120 V	250 GPH
81250V-240	240 V	250 GPH
81350V-240	240 V	350 GPH

Models	125 GPH	250 GPH	350 GPH
Pressure pump	0.75 HP	0.75 HP	1.5 HP
Recirculation pump	0.75 HP	0.75 HP	1 HP
Membranes	1 x 4"	2 x 4"	1 x 8"
Electricity	120V (17A) or 240V (10A)	120V (17A) or 240V (10A)	240V (15A)

## LA FENDEUSE CLASSIC AND DELUXE



Equipment appearance may vary

FENDEUSE CLASSIQUE	MAIN FEATURES	FENDEUSE DELUXE
500 TO 1500 GPH	GALLON	500 TO 3600 GPH
STAINLESS STEEL	MAIN UNIT	STAINLESS STEEL
NO	FINISHING COVERING IN STAINLESS STEEL	YES
PLASTIC	BOOSTER PUMPS	STAINLESS STEEL
1	MAXIMUM NUMBER OF PUMPS PRESSURE (TURBINES)	2
5 HP 7.5 HP	HP FORCES OF PUMPS PRESSURE (TURBINES)	5 HP 7.5 HP
1 X 5 HP 1 X 7.5 HP	POSSIBLE COMBINATIONS FOR PRESSURE PUMPS (TURBINES)	1 X 5 HP 1 X 7.5 HP 2 X 5 HP 1 X 5 HP + 1 X 7.5 HP 2 X 7.5 HP
2	MAXIMUM NUMBER OF 20" PREFILTERS	3
3 VERTICALS	MAXIMUM NUMBER OF MEMBRANES (POSTS)	1 TO 2 VERTICALS 3 TO 8 ON RO POST CART
YES	POSITIVE RECIRCULATION SYSTEM	YES
YES	SUBMERSIBLE MOTOR MAINTENANCE FREE	YES
YES	HIGH PROTECTION TEMPERATURE AND LACK OF WATER	YES
15 BRIX	MAXIMUM CONCENTRATE BRIX IN ONE PASS	30 BRIX

We offer an **ECONO RANGE** of post cart also compatible with La Fendueuse Classique and La Fendueuse Deluxe can accommodate from 3 to 8 horizontal post Boosters available (optional)

Ask for information!



## CONTROL REMOTELY

YOUR CURRENT RO FOR AN AFFORDABLE COST!

Add an affordable module to control remotely your current system at your fingertips, no matter which model you have or which company your concentrator is from.

It is a small investment and simple to use!

It's even available for mini ROs! Contact our team to upgrade your current equipment and make your life easier!





# HERO

MODULAR CONCENTRATORS

CDL IS THE ONLY ONE IN THE INDUSTRY  
THAT ALLOWS YOU TO CONFIGURE  
**YOUR CONCENTRATOR**  
THROUGH ITS RANGE

**100%  
MODULAR!**



Available in **STANDARD** (manual)  
or **INTELLIGENT** (automated) models.  
Photo: heRO-4T Intelligent Model

Model appearance may vary.

**FROM 720 TO 7200 GPH**

**CONCENTRATE FROM 1.5 BRIX TO 30 BRIX  
IN ONE PASS, EVEN AT THE END  
OF THE SEASON!**

NEW  
2026

**NEW HERO MODEL  
NOW AVAILABLE!**

## **HeRO 1T INTELLIGENT**

**THE MOST  
AFFORDABLE  
AUTOMATED  
CONCENTRATOR!**

- Automated and remotely controlled via the proven HeRO interface
- Capacity between 600 and 1800 GPH
- Concentration from 1.5 to 30 Brix
- Single turbine design
- Compact cart for up to 7 membranes
- Configurable to suit your needs

**IDEAL FOR SUGARBUSH  
OR PUMPING STATION!**



## INCLUDED WITH EACH MODEL

- Stainless steel pressure pumps (turbines)
- Positive recirculation system that allows operation for several hours without reducing efficiency. This unique system extends the life of the membranes
- Post: Maintenance-free submersible motor that has been highly reliable for over 15 years
- Low pressure protection now controlled by differential pressure, facilitating the management of filter unit replacement
- High pressure protection
- High temperature protection

### MAIN UNIT

#### HERO 1T

Reference Code: 84

#### HERO 2T

Reference Code: 88

#### HERO 4T

Reference Code: 812

### PROCESSING CONTROL

INTELLIGENT

MANUAL

INTELLIGENT

MANUAL

INTELLIGENT

### CAPACITY

600 TO 1800 GPH

1800 TO ~~3600~~ GPH

4200 TO 7200 GPH

### BRIX

15  
BRIX

20  
BRIX

25  
BRIX

30  
BRIX

15  
BRIX

20  
BRIX

25  
BRIX

30  
BRIX

15  
BRIX

20  
BRIX

25  
BRIX

30  
BRIX

### MEMBRANE CONFIGURATIONS

1 TO 7 MEMBRANES  
(SIMPLES, SIMPLES AND DOUBLES,  
WITH OR WITHOUT SURPRESSION PUMP)

3 TO 10 MEMBRANES  
(SIMPLES, SIMPLES AND DOUBLES,  
WITH OR WITHOUT SURPRESSION PUMP)

9 TO 21 MEMBRANES  
(SIMPLES, SIMPLES AND DOUBLES,  
WITH OR WITHOUT SURPRESSION PUMP)

### FEED PUMP

1 X 1 HP OR 1 X 2 HP

1 X 1 HP OR 1 X 2 HP  
OR 1 X 3 HP

1 X 7.5 HP OR 2 X 7.5 HP

### PRESSURE PUMPS (TURBINES)

1 X 5 HP OR 1 X 7.5 HP

1 X 5 HP OR 1 X 7.5 HP  
OR 2 X 7.5 HP

3 X 7.5 HP OR 4 X 7.5 HP

### FILTRATION

2 SIMPLE (PRE-FILTER)  
OR 2 MULTI-CARTRIDGES

2 SIMPLE (PRE-FILTER)  
OR 2 MULTI-CARTRIDGES

2 MULTI-CARTRIDGES  
OR 4 MULTI-CARTRIDGES

### AVAILABLE OPTIONS

INTELLIGENT  
OPTIONS

MANUAL  
OPTIONS

INTELLIGENT  
OPTIONS

MANUAL  
OPTIONS

INTELLIGENT  
OPTIONS

## INTELLIGENT VS REMOTE CONTROL


If your model is Intelligent, you will automate and manage 100% remotely all the features of your concentrator according to the defined parameters. If your model is Manual, you can add control modules that allow you to perform certain functions remotely. However, this does not make it intelligent; you will have to perform the actions one after the other through the interface. This will require supervision.

OPTIONS		MANUAL MODEL			INTELLIGENT MODEL	
		INCLUDED	OPTIONAL	REMOTELY CONTROL	INCLUDED	OPTIONAL
VALVE MANAGEMENT	Maple water tank supply control	✓		✓	✓	
	Permeate tank feed control	✓		✓	✓	
	Wash tank valve supply control	✓		✓	✓	
	Wash tank drain control	✓		✓	✓	
	Concentration valve control	✓		✓	✓	
	Pressure valve control	✓		✓	✓	
	Concentrate outlet valve control	✓		✓	✓	
	Permeate outlet valve control	✓		✓	✓	
ACCESSORIES	Brix reading (input and/or output)		✓	✓		✓
	Digital readout of concentrate flow		✓	✓		✓
	Digital readout of permeate flow		✓	✓		✓
	Concentrate reading at the arrival of the tank			✓		✓
	Visualization of the sap tank level		✓	✓		✓
	Visualization of the permeate tank level		✓	✓		✓
	Visualization of concentrate level		✓	✓		✓
	Conductivity reading		✓			✓
	pH reading		✓			✓
	Open drain valve safety on concentrate tank			✓		✓
	Multi-cartridges dedicated to washing		✓			✓
	Brix departure management					✓
	Soap pump			✓		✓
	Acid pump			✓		✓
PROCESSES/ACTIONS	Brix control		✓	✓		✓
	Rinse after wash				✓	
	Custom washes configuration				✓	
	Start of a tank washing cycle while concentrating					✓
	Departure of your cooling unit from your concentrate tank					✓
	Desugaring after concentration				✓	
	Repetitive hot water loop				✓	
	Preventive management of membrane clogging					✓
	Intelligent management of maple sap if 2 concentrate tanks					✓
	End of concentration at lower flow rate with turbine management					✓ N/A 1T
	Shutdown protection depending on the opening of the pressure control					✓ N/A 1T
	Washing pH control management					✓
	Washing management according to the permeability test (PWP) in regards of the biological standards					✓

# CDL RO POST CART 2.0

MORE THAN


**40** RO POST CARTS  
CONFIGURATIONS AVAILABLE. CONTACT US!




Example above: Intelligent RO post cart with 21 single posts

## ADVANTAGES

- > All stainless steel plumbing
- > High flow rate rinsing
- > Drainage of the whole cart by gravity (optional)
- > Modular, possibility to add membranes over time according to your needs.
- > Simplified addition of membranes
- > Available in manual or automated model
- > Individual flow meter at the end of each membrane for faster diagnosis
- > On casters to facilitate movement and/or installation of the membranes
- > Easy addition of booster pumps
- > High-speed wash



Example above: Manual RO post cart with 4 single posts



Example above: Manual RO post cart with 10 single posts

### Buy a bigger RO post cart to better plan your future expansion.

**You will only need to add the additional posts and membranes over time.**



Example above: Intelligent RO post cart with 2 single posts and 3 double posts

**We offer the best membrane washing service!**  
Details in-store!

## MULTIPLE CARTRIDGE HOUSING



Stainless steel multiple filtration cartridge housing (holds 5 pre-filters)

665056

Stainless steel base for the multiple cartridge housing

7100101

Interior support only

665068



**Change your  
RO prefilters  
in 1 minute!**

### ADVANTAGES

- > Designed and manufactured by CDL;
- > Quick and easy filter changes;
- > High filtration capacity;
- > Creates no restrictions at the entrance of the RO.

## PREFILTERS



Pre-filter cartridge  
5 mic. 9-7/8"

6682101

Pre-filter cartridge  
5 mic. 20"

66821

10" synthetic filter  
protectors | 12/pkg

66207

20" synthetic filter  
protectors | 12/pkg

66208

6-1/2" plexiglass cover

66270

10" filtration bag  
6-1/2"x16"

EVBAG100

20" filtration bag  
6-1/2"x32"

EVBAG200

30" filtration bag  
6-1/2"x30"

66823-30

16" filtration bag with cord

668178

30" filtration bag with cord

668177



## MEMBRANES & STORAGE CANISTERS

4" membrane 660404023

8" membrane 660804023

16" membrane 660016



800 GPD membrane (3" x 12") Nano-RO 660608

membrane (4" x 20") Nano-RO Max 6606001



A 4" storage canister 724204

B 8" storage canister 724225

16" storage canister 724226

## MISCELLANEOUS



Food grade o-ring  
grease | 6 g 66531



Food grade o-ring  
grease | 150 g 66535



Wrench for blue filter 662283



10 GPM Bluewhite  
flowmeter 661042



1/4" NPT valve x  
Tube 90° 6622312



4" membrane U-cup 66402



8" membrane U-cup 66401



## CLEANING AND STORAGE SOLUTIONS



TRUST THE CDL BRAND  
FOR CLEANING AND  
STORAGE SOLUTIONS.  
**QUALITY. EFFICIENCY.**



Citric acid  
1 kg (powder)

66994

Citric acid  
20 L (liquid)

6699420

Superflow soap  
4 L (liquid)

66230

Superflow soap  
20 L (liquid)

66232

Superflow soap  
1 kg (powder)

6624909

Superflow soap  
20 kg (powder)

66239

Peracetic cleaner  
4 L

66298

G Organic membrane soap  
4 L (liquid)



6624130

H Organic membrane soap  
20 L (liquid)



6624530

I Organic membrane soap  
"Superflow green"  
1 kg (powder)



662403

J Organic soap  
"Superflow green"  
22.7 kg (powder)



662402

K Storage solution  
1 kg

80000

L 50/50 Glycol  
20 L

88020

50/50 Glycol FDA  
heating recofreeze 20 kg  
(Master-E)

## MEASURING INSTRUMENTS



pH 0-2,5 Papers  
50/pkg

668802

pH 10-13 Papers  
50/pkg

668813



Calibration  
solution pH 10  
500 ml

718866



Calibration  
solution pH 4  
500 ml

718865



Calibration  
solution pH 4, 7, 10  
20 ml

718847



PH tester

665514



Portable conductivity  
tester

718856



Heating element  
3 000 W - 240 V

66493

## FILTERS



1-1/2" line filter +  
24-micron cartridge

6615024



1-1/2" 24-micron filter  
cartridge only

660024



1-1/2" line filter only

6615024K



2" line filter +  
24-micron cartridge

6620604



2" 24-micron filter  
cartridge only

660025



2" line filter only

6620604K



20" complete  
blue filter housing

665050



NEW  
**2026**

## MASTER-E **40HP**

**Produces 3/4 to 1 barrel  
per hour\***

\*With a concentrate of 30 Brix  
under optimal operating conditions

**Power supply:**  
Single-phase: 240V  
On a 200 Amp. electrical input



**CONTROL IT REMOTELY,  
JUST LIKE YOUR INTELLIGENT CONCENTRATOR!**

**A TAILORED SOLUTION,  
FOR 5,000 TO 100,000 TAPS SUGARBUSH**

**✓ CONTINUOUS SYRUP PRODUCTION**

With a concentrate of 15 to 30 Brix

**✓ COMPLETELY INTELLIGENT SYSTEM**

Production, desugaring, washing

**✓ ENERGY COST AS LOW  
AS \$2.75\* PER BARREL**

\*calculated at \$0.10/kW



**CDL**  
INTELLIGENCE

MAPLE SUGARING  
MANAGEMENT SYSTEM





# MASTER-E 75HP/100HP

**Produces 2 to 3 barrels  
per hour\***

\*With a concentrate of 30 Brix  
under optimal operating conditions

**Power supply:**  
Three-phase: 460V,  
575V, 230V  
Single-phase: 240V



**Continuous Brix reading**  
with advanced continuous  
microwave Brix measurement  
technology exclusive to CDL.



**Automated washing**  
with customizable or  
preprogrammed sequences  
to ensure spotless equipment.



**Energy recovery**  
with a unique steam condensation  
system integrated into  
the preheating system.

**PUSH THE LIMITS OF EVAPORATION!**

# **GET READY** **for intelligent evaporation**

**Innovation honors tradition.**

A series of intelligent evaporators arrives at CDL

let's meet at

**2026**  
**OPEN HOUSE**

to discover what  
CDL innovation means...

**100% Intelligent**

Wood, Pellets, Wood chips, Oil,  
Propane or Natural Gas

For all producers

With concentrate from 2 to 35 Brix



# THE MASTER OF EVAPORATORS

## FOR THE FOLLOWING REASONS:

- Rugged and quality construction
- Energy efficient
- Easy to operate
- Boiling stability
- Boiling conditions adjustment and flexibility from 2 to 35 Brix
- Longer boiling time without pan change
- Flavor and authenticity of maple syrup
- Evaporation performance
- Energy costs / labor per barrel
- Easy cleaning

### AVAILABLE SIZES:

**3' x 11' to 7' x 18'**



**50/50 CONFIGURATION  
AVAILABLE!**

### AVAILABLE OPTIONS:

- > Syrup flow reverser
- > Double pass flue pan
- > Syrup drip tray
- > Multi-pass syrup pan
- > Permeate or concentrate preheater
- > Mechanical or electrical level control
- > Control panel with 110 V electric outlet
- > Front/rear Protect-O
- > Front/Rear pan washer
- > Motorized level control (ON-OFF)



**TO GUIDE YOU IN CHOOSING YOUR NEW MASTER EVAPORATOR, HERE ARE SOME THINGS TO CONSIDER DEPENDING ON THE FUEL.**

## WOOD EVAPORATORS

- > Self-sufficiency and fuel availability
- > Independence on energy costs (low and stable)
- > 100% renewable energy
- > Valorization of non-marketable wood from your sugarbush
- > Feeding of the evaporator can be facilitated by mechanical equipment

Master evaporator - wood				
	Brix of concentrate			
	15	20	25	30
<b>Ratio</b> Cord / imp. gal	0.0065	0.0047	0.0032	0.0025
<b>\$ Cost / imp. gal</b>	\$0.65 (CAD)	\$0.47 (CAD)	\$0.32 (CAD)	\$0.25 (CAD)
<b>\$ Cost / U.S. gal</b>	\$0.81 (USD)	\$0.58 (USD)	\$0.40 (USD)	\$0.31 (USD)
<b>\$ Cost / Barrel</b> (34 imp. gal, 40 U.S. gal)	\$21.99 (CAD) \$32.34 (USD)	\$15.82 (CAD) \$23.26 (USD)	\$10.99 (CAD) \$16.17 (USD)	\$8.48 (CAD) \$12.47 (USD)

Based on a price of \$100 CAD (\$150 USD) / wood cord (24" x 4' x 8')





- > Ease of supply from the chip reserve
- > Simplifies feeding
- > Ensures a stable and constant chip supply
- > Separate power supply ensuring autonomous and safe operation

## WOOD CHIP FEEDING SCREW



## WOOD CHIPS EVAPORATORS

- > Self-sufficiency and fuel availability
- > Independence on energy costs (low and stable)
- > 100% renewable energy
- > 100% automated feeding
- > Valorization of non-marketable wood from your sugarbush
- > Quick start, stability of boiling, rapid shutdown and reduced monitoring of operation
- > Simple, effective and easy boiling modulation

Master evaporator - wood chips				
	Brix of concentrate			
	15	20	25	30
Ratio ft <sup>3</sup> / imp. gal	0.87	0.60	0.44	0.34
\$ Cost / imp. gal	\$0.59 (CAD)	\$0.41 (CAD)	\$0.30 (CAD)	\$0.23 (CAD)
\$ Cost / U.S. gal	\$0.35 (USD)	\$0.24 (USD)	\$0.18 (USD)	\$0.14 (USD)
\$ Cost / Barrel (34 imp. gal, 40 U.S. gal)	\$19.97 (CAD) \$14.25 (USD)	\$13.92 (CAD) \$9.93 (USD)	\$10.30 (CAD) \$7.35 (USD)	\$7.88 (CAD) \$5.62 (USD)

Based on a price of \$0.68 CAD (\$0.49 USD) / ft<sup>3</sup> of wood chips

## PELLET EVAPORATORS


- > 100% renewable energy
- > Low energy cost
- > 100% automated feeding
- > Quick start, stability of boiling, rapid shutdown and reduced monitoring of operation
- > Simple, effective and easy boiling modulation



### Master evaporator - pellet

	Brix of concentrate			
	15	20	25	30
Ratio Lbs / Gal. US	7.00	5.00	3.50	2.70
\$ Cost / imp. gal	\$1.34 (CAD)	\$0.96 (CAD)	\$0.67 (CAD)	\$0.52 (CAD)
\$ Cost / U.S. gal	\$0.84 (USD)	\$0.60 (USD)	\$0.42 (USD)	\$0.32 (USD)
\$ Cost / Barrel (34 imp. gal, 40 U.S. gal)	\$45.70 (CAD) \$33.60 (USD)	\$32.64 (CAD) \$24.00 (USD)	\$22.85 (CAD) \$16.80 (USD)	\$17.63 (CAD) \$12.96 (USD)

Based on a price of \$0.16 CAD (\$0.12 USD) / lbs of pellets





Master



**THE MOST ECONOMICAL ON THE MARKET!**



**STANDARD RIELLO BURNER**

Allows flame modulation between 20% to 100% to perfectly adapt the boil to your need.

Distributes the flame efficiently and more environmentally friendly.

## OIL, NATURAL GAS & PROPANE EVAPORATORS

- > Quick start and stop
- > Boiling stability, reduced operation supervision
- > Boiling modulation available depending on the burner
- > Natural gas: When available, the possibility of being connected to a gas distribution network

### Master evaporator - oil

Ratio Litre / U.S. gal	Brix of concentrate			
	15	20	25	30
\$ Cost / imp. gal	\$3.12 (CAD)	\$2.18 (CAD)	\$1.60 (CAD)	\$1.23 (CAD)
\$ Cost / U.S. gal	\$1.72 (USD)	\$1.20 (USD)	\$0.88 (USD)	\$0.68 (USD)
\$ Cost / Barrel (34 imp. gal, 40 U.S. gal)	\$106.20 (CAD) \$68.92 (USD)	\$74.09 (CAD) \$48.08 (USD)	\$54.33 (CAD) \$35.26 (USD)	\$41.99 (CAD) \$27.25 (USD)

Based on a price of \$1.60 CAD (\$1.06 USD) / litre

### Master evaporator - propane

Ratio Litre / U.S. gal	Brix of concentrate			
	15	20	25	30
\$ Cost / imp. gal	\$2.10 (CAD)	\$1.43 (CAD)	\$1.05 (CAD)	\$0.79 (CAD)
\$ Cost / U.S. gal	\$1.91 (USD)	\$1.30 (USD)	\$0.96 (USD)	\$0.72 (USD)
\$ Cost / Barrel (34 imp. gal, 40 U.S. gal)	\$71.31 (CAD) \$76.46 (USD)	\$48.62 (CAD) \$52.13 (USD)	\$35.66 (CAD) \$38.23 (USD)	\$27.01 (CAD) \$28.96 (USD)

Based on a price of \$0.70 CAD (\$0.77 USD) / litre



# Phoenix

## WOOD CHIPS OR PELLETS EVAPORATOR

Ideal for producers of  
**2000 to 15 000**  
taps

### A REINVENTED BOILING EXPERIENCE!

Discover our BIOMASS evaporator with a single double-pass tube pan!  
Simple to operate and easy to maintain!

Works with 100% wood chips or 100% wood pellets, the choice is yours!



SCAN TO SEE  
THE VIDEO

[bit.ly/phoenix\\_evaporator](http://bit.ly/phoenix_evaporator)



### MODEL FEATURES

FUEL	WOOD CHIPS or WOOD PELLETS
DIMENSIONS	Available in sizes: 3' x 8' - 3' x 10' - 3' x 12'
PERFORMANCE	3.5 gallons / ft <sup>2</sup> (With wood chips)
AVAILABLE OPTIONS	<ul style="list-style-type: none"> <li>• Dome</li> <li>• Concentrate preheater</li> <li>• Pan washer</li> <li>• Automatic draw-off valve</li> <li>• Permeate preheater</li> <li>• Stainless steel capping</li> <li>• Protect-O Level controller protection</li> </ul>

Interchangeable and reversible water inlet and outlet

### Phoenix evaporator - wood chips

	Brix of concentrate			
	10	15	20	25
Ratio Ft <sup>3</sup> / Imp. gal.	1.85	1.15	0.80	0.59
\$ Cost / Imp. gal.	\$ 1.25	\$ 0.78	\$ 0.54	\$ 0.40
\$ Cost / US gal.	\$ 1.04	\$ 0.65	\$ 0.45	\$ 0.33
\$ Cost / Barrel (34 Imp gal, 40 US gal.)	\$ 42.36	\$ 26.38	\$ 18.39	\$ 13.60

Based on a price of \$ 0,68 (CAD) / Ft<sup>3</sup> of wood chips

### Phoenix evaporator - pellets

	Brix of concentrate			
	10	15	20	25
Ratio Ft <sup>3</sup> / Imp. gal.	18.10	11.27	7.86	5.81
\$ Cost / Imp. gal.	\$ 2.80	\$ 1.75	\$ 1.22	\$ 0.90
\$ Cost / US gal.	\$ 2.34	\$ 1.46	\$ 1.01	\$ 0.75
\$ Cost / Barrel (34 Imp gal, 40 US gal.)	\$ 95.36	\$ 59.39	\$ 41.41	\$ 30.62

Based on a price of \$ 0.16 (CAD) / lbs of pellets

# DELUXE



CDL's **Deluxe** oil evaporator was designed for small and medium-sized producers.

This evaporator is very efficient and gives its owner an incomparably comfortable and stable boiling experience. This equipment is very reliable and very simple to operate. **To use it is to adopt it!**

**> 100%  
REVERSIBLE!**

- > Most proven evaporator in its class
- > Timeless classic look
- > Incomparable value for money
- > Simple and reliable mechanics

## MAIN FEATURES

FUEL	OIL, NATURAL GAS OR PROPANE
DIMENSIONS	Available in sizes: 2' x 6' to 6' x 18'
CONSUMPTION	Perfect for small and medium producers. Hassle-free boiling stability and easy operation.
AVAILABLE OPTIONS	Automatic draw-off valve, syrup drip tray, hood pre-heater, permeate pre-filter, steam pan and protect-O Level controller protection.

Interchangeable and reversible sap inlet and outlet




**> 100%  
REVERSIBLE!**

- > Integrated heat recovery system that:
  - > Preheats combustion air for unparalleled combustion efficiency
  - > Limits energy loss by reducing the chimney temperature
- > Automated combustion air management system that:
  - > Simplifies the operation
  - > Allows you to adjust the evaporation rate according to your needs
  - > Stabilizes power throughout the charging period
- > Manual air adjustment dampers allow fine-tuning combustion adjustments for optimal performance regardless of the type of wood used
- > Luxury aesthetics 100% stainless steel

The most **EFFICIENT** evaporator in the range of wood evaporators with conventional evaporation pan offered by CDL

**MAIN FEATURES**

<b>FUEL</b>	WOOD (soft or hard)
<b>DIMENSIONS</b>	Available sizes: 2½' x 8' to 6' x 18'
<b>CONSUMPTION</b>	0.24 medium quality wood cord (24") per barrel (32 imp. gal - 40 U.S. gal) of syrup (15 Brix)
<b>IDEAL FOR</b>	Get up to 85% energy efficiency while benefiting from automation and ease of use.

Interchangeable and reversible sap inlet and outlet

# InTens-<sup>2</sup>-FIRE



## > 100% REVERSIBLE!

- > Automated combustion air management system that:
- > Simplifies the operation
- > Allows you to adjust the evaporation rate according to your needs
- > Stabilizes power throughout the wood loading periods
- > Manual air adjustment dampers allow fine-tuning combustion adjustments for optimal performance regardless of the type of wood used

The most **PERFORMING** evaporator in the range of wood evaporators with conventional evaporation pan offered by CDL.

### MAIN FEATURES

FUEL	WOOD (soft or hard)
DIMENSIONS	Available sizes: 2½' x 8' to 6' x 18'
CONSUMPTION	Wood consumption 40% less than a conventional evaporator
IDEAL FOR	Balance between performance and boiling stability

Interchangeable and reversible sap inlet and outlet




## > 100% REVERSIBLE!

- > High evaporation capacity at an affordable price
- > Superior lifespan
- > Even boil: softer in front, aggressive in rear
- > No need to preheat the chimney
- > Full throttle in less than 10 minutes
- > Good operation even in low pressure (bad wind)
- > Fully reversible
- > Small amount of bricks needed
- > Perfect for beginners, easy to operate and very limited risk of error
- > No risk of backdraft and very safe
- > Adjustable boiling intensity

The new **airtight high performance Venturi** evaporators has a unique **artificial draft system** allowing the intake of **primary air at high pressure by suction**. It simply and safely increases the evaporation performance of the evaporator. The Venturi Performance system developed by CDL.

### MAIN FEATURES

FUEL	WOOD
DIMENSIONS	12 models from 2'x4' to 4'x15'
CONSUMPTION	Up to 40% more output
AVAILABLE OPTIONS	Wide choice of options available

Interchangeable and reversible sap inlet and outlet

# UNIQUE TECHNOLOGY IN THE MAPLE SUGARING INDUSTRY.



## STEAM EVAPORATOR



MAIN FEATURES	
FUEL	OIL, PROPANE, NATURAL GAS
DIMENSIONS	25 HP, 35 HP, 50 HP ET 60 HP without certifications, up to 350 HP
EFFICIENCY	Unmatched evaporation power per square foot
AVAILABLE OPTIONS	Automated washing system, steam pan and flow reverser

### INCLUDES:

- > R7 pan only includes sight glass level, draw off valve and electric valve with levato
- > Single inner coil
- > Hood with glass doors
- > Stack, roof jack& collar
- > Stainless steel stand with two 120V electrical outlets
- > Delivery and start-up by a CDL technician

### OPTIONAL:

- > Steam blower
- > Pan Washer
- > Steam Pan
- > Sequential automated washing system for steam pans
- > LED light
- > Reverse Flow
- > Double coils
- > Thermoregulator

**The R7 steam evaporator from CDL** allows evaporation of sap, concentrate or maple syrup from **2 to 66 Brix**.

The R7 offers **optimal control of the heat and evaporation intensity** allowing great flexibility.

This high-tech and high performance steam evaporation system brings unmatched evaporation per square foot power.

Available from 25 HP to 60 HP without any certifications/license card. Power can reach up to 350 HP depending on the regulations in your area.

### STEAM BOILER

- > Very low water level in pan;
- > Ultra-quick start and stop;
- > No need to change coils and cleaning directly in pan;
- > No pan change needed;
- > No risk of burning the pans.

### Useful features of steam generator system:

- > Barrel cleaning;
- > Maple syrup warming;
- > Quick and efficient cooking for processing.





## THE TRADITIONAL EVAPORATORS

### AVAILABLE IN SIZES: 2-1/2' X 8' TO 4' X 15'

The Traditional CDL evaporator is designed for owners of medium and large sugarbushes wishing to keep the tradition alive of boiling the syrup with firewood while being effective and efficient. This evaporator will provide an incomparable boiling stability. Its robust construction will allow many generations to experience the pleasure of boiling maple syrup.

#### INCLUDES:

- > 32" high furnace with cast iron grates and 2 doors for wood loading.
- > 1 flue pan with 7" argon welded flues.
- > 2 to 3 argon welded syrup pans for finishing (depending on model)
- > Front and rear float boxes.
- > Stainless steel connections, drain valve and draw-off valve.
- > Complete chimney (twice the length of the evaporator) including the stack.
- > 1 rope operated stack cover.
- > Water level on flue pan.

## HOBBY EVAPORATORS



The CDL Hobby Evaporator is designed for recreational producers who want to enjoy springtime, while boiling small quantities of maple sap to produce a few gallons of maple syrup per season.

### SYRUP DRAW-OFF NOW FULLY REVERSIBLE!

#### 18" X 48" INCLUDES:

- > Stainless steel furnace with steel grids
- > Stainless steel stack
- > 18" x 48" 304 stainless steel argon welded pan
- > Stainless steel draw-off valve

18" X 48" evaporator  
with 2-way flat pan

6700102WD

1 to 75 taps

18" X 48" Evaporator  
with 18" x 36" flue pan and  
18" x 12" syrup pan

6700102WP

50 to 125 taps

#### AVAILABLE OPTION:

- > Pre-heating pan 67112WPARE

#### 18" X 60" INCLUDES:

- > 18" x 42" flue pan
- > 18" x 18" syrup pan
- > Float box with rear control level.
- > Complete smoke stack.

18" x 60"  
5" flue pan

67001

100 to 200 taps



**Combine your evaporator with a Nano RO.  
It will reduce your boiling time!**

## 16" X 32" HOBBY PRO EVAPORATOR

The perfect solution for small producers that want an efficient and affordable wood evaporator to turn sap into maple syrup!

### INCLUDES:

- > Stainless steel base
- > Angle iron grates
- > Ceramic wool
- > 6' of 6" smoke stack and 1 elbow 6" x 90°

Stainless steel evaporator base (16" x 32")

670090200SS

Flat bottom pan

670090215

3-way pan

670090214

### OPTIONAL:

- > Reheat pan 670090218
- > Pan cover 67WPC032
- > 2 wheel kit 670090213
- > Thermometer EITC0306

Requires bricking kit 1-1/4" x 4-1/2" x 9" (not included).

670090217

**IDEAL FOR UP  
TO 25 TAPS**



**EASY TO  
ASSEMBLE**

## IDEAL FOR UP TO 75 TAPS



## 24" X 48" HOBBY PRO EVAPORATOR

Benefit from the same advantages as the smaller Hobby Pro with this new format while increasing your boiling capacity up to 3 times!

Stainless steel evaporator base (24" x 48")

67009020024SS

Flat bottom pan

67009021524

3-way pan

67009021424

Deluxe pan

67009022024

### INCLUDES:

- > Stainless steel base
- > Angle iron grates
- > Ceramic wool
- > 2x 6" smoke stack and 1 elbow 6" x 90°

### OPTIONAL:

- > Reheat pan 670096
- > 2 wheel kit 67009021324
- > Water level 670090219
- > Thermometer EITC0306

Requires bricking kit 1-1/4" x 4-1/2" x 9" (not included).

67009021724

## CDL EVAP-O-GRILL

- > Good up to 50 taps
- > Evaporates up to 7 gallons / hour
- > Easy assembly
- > No brickling necessary

### INCLUDES :

- > 2' x 3' stainless steel pan
- > 3/4" stainless steel draw-off ball valve
- > Cast iron grate set (3X)
- > Cast iron evaporator base
- > Cast iron fire grates (3X)

670090

### OPTIONAL:

- > Reheat pan

670096



**GREAT  
GIFT IDEA!**



SCAN TO SEE  
THE VIDEO



## BEGINNER BOILING KIT



**EASY TO  
ASSEMBLE**



cdlinc.ca | cdlusa.com

16" x 16" 15 tap kit

6600801

### INCLUDES:

- > 1 16" x 16" sugar pan cover
- > 1 16" x 16" sugar pan
- > 1 R-65 propane burner
- > 1 filter
- > 1 8" cup
- > 1 thermometer
- > 1 55-70 Brix syrup hydrometer
- > 1 3/4" stainless steel nipple
- > 1 3/4" FIPT stainless steel ball valve

B

16" x 16" kit

PRFW16

### INCLUDES:



- > 1 R-65 propane burner
- > 1 hose and regulator
- > 1 16" x 16" sugar pan
- > 1 propane burner support
- > 1 3/4" stainless steel nipple
- > 1 3/4" FIPT stainless steel ball valve

A

B

A

C



16" x 32" kit

PRFW32

### INCLUDES:

- > 2 R-65 propane burners (with fastening kit)
- > 2 hoses and regulators
- > 1 16" x 32" sugar pan
- > 1 16" x 32" propane burner support
- > 1 3/4" stainless steel nipple
- > 1 3/4" FIPT stainless steel ball valve

C

## STEAM PAN AND PAN WASHER OPTIONS FOR EVAPORATORS

Available with:



# PERFORMANCE AND EFFICIENCY GREATLY IMPROVED!



### STEAM PAN

Sizes available:  
2' x 4' to 7' x 12'

#### STEAM PAN ADVANTAGES

**Improve performance and efficiency by up to 50% without additional fuel consumption.**

- > The use of the steam pan causes a significant reduction in energy consumption by reusing the steam produced by the flue pan. This reduction in energy consumption can be up to 50% depending on the Brix at the input of the pan.
- > This option can be installed on all types of evaporators (wood, pellet, oil).

#### AUTOMATED PAN WASHER ADVANTAGES

**A must for anyone looking to improve and simplify their operation.**

- > Available as an option for Venturi, Intense-O-Fire 2, Chinook, Deluxe, Master and R7 evaporator models, the pan washer by CDL is completely automated and sequential.
- > With its complete non-contact wash and continuous washing circuit, it eliminates stubborn stains and greatly reduces the daily workload.

## SYRUP PAN WASHERS



## CLEANING SIMPLIFIED!

SINGLE, DOUBLE AND TRIPLE PAN WASHERS ARE AVAILABLE IN MANY SIZES.  
CHECK IT OUT!

## FLUE PAN LIFTER ON WHEELS

Easily move your flue pan for cleaning or access firebox for maintenance.



Flue pan lifter on wheels  
For all evaporators except the Master evaporator.

671910

Front pan lifter (Master)



671920

Pan lifter on wheels (Master)



671900



cdlinc.ca | cdlusa.com

Please contact your CDL store or CDL online store for more information and prices.

# CDL INSULATED TANKS

CDL INSULATED TANKS ARE MADE FROM STAINLESS STEEL.  
THEY ARE FULLY INSULATED TO ELIMINATE ANY HEAT TRANSFER  
IN THE ROOM WHERE YOU WILL INSTALL THEM.



## FEATURES:

- Stainless steel conception
- 100% insulated tank to avoid any external thermal transfer
- Polished welds both inside and outside
- Conical heated cell-type bottom with pipe
- Double walls
- Adjustable legs

\*Refrigerating or heating unit not included

## DYNAMIC MIXER

Ideal for mixing filtering powder (diatomaceous earth) into your maple syrup in your syrup filter tank or insulated tank in less than 10 minutes!

- 50-liter funnel
- 4kw motor or approximately 5 HP
- A 3-phase drive is required



Dynamic Mixer YRL 1-100  
with 5.5 HP motor  
6601043AS

Allows for rapidly and uniformly loading the syrup press when hot

Models	Dimensions L x H	Number of paddles on agitator
220 Imp. Gal. / 290 US Gal.	52" x 85"	2
440 Imp. Gal. / 580 US Gal.	66" x 96"	2
1 000 Imp. Gal. / 1 300 US Gal.	75 x 136"	3
1 500 Imp. Gal. / 2 000 US Gal.	80" x 164"	3
2 000 Imp. Gal. / 2 600 US Gal.	83" X 186"	4

**Included:**

- 3x 2" ferrule inlets on the top
- 2 outlets, a 2" ferrule and a 1-1/2" ferrule
- Air vent
- 2 washing balls
- Agitators

**Options :**

- 2" vent 67RI00002
- Float on 2" vent 67RI00003
- Temperature transmitter 668062
- Pressure transmitter 668097
- 120V timed valve (1 1/2" 668408SD) (2" 668409SD)

## WATER JACKETED CALIBRATION TANK

**Calibrate and bottle your syrup easily with our brand new water jacketed calibration tank with a capacity of 130 imperial gallons.**

The two 5 000 W (240 V) electric elements heat water in the double wall, gently warming your syrup to the desired temperature.

The height of the tank has been designed to fill all types of syrup barrels or totes. The wheeled frame is made of stainless steel. This water jacketed tank kit includes an electric diaphragm pump, a water thermometer, a water and syrup level gauge, and an air agitation system. The Brix reader (optional) will give you greater precision and consistency in the Brix level of your syrup.

**This system, inspired by large operations, is now accessible to everyone!**



SS WATER JACKET TANK  
130 IMP Gal./156 US Gal.

46" x 36" x 30"

67424

Brix reader option

668429

## WATER JACKETED TANKS AND BOTTLING STAND

### FULLY REDESIGNED BOTTLING MACHINE FOR 12 OR 35 GALLON WATER JACKETED TANKS

- Bottling machine with rail allowing packaging of up to 4 jugs or bottles at a time
- Overflow ensures a constant level in your containers
- Easy-to-use and clean bottling valve

Electric water jacketed tank	Electric water jacketed tank
35 GAL. IMP.	12 GAL. IMP.
43 GAL. US	15 GAL. US
220 V	220 V
67422	67422-M
SS Bottling stand 2.0	SS Bottling stand 2.0
35 GAL. IMP.	12 GAL. IMP.
43 GAL. US	15 GAL. US
67422EMB-35	67422EMB-12



## DRAW-OFF VALVES



Ideal for evaporator with a flow reverser

Modulating draw-off valve multiple control 2" 66783

Modulating draw-off valve multiple control 2-1/2" 66784

Clips, silicone gasket and spout not included.



Modulating draw-off valve 1-1/2" 66781

Modulating draw-off valve 2" 66775

Modulating draw-off valve 2-1/2" 66782

Clips, silicone gasket and spout not included.

## LEVEL CONTROLLER (PROTECTION)

Protect-O 66876




Please contact your CDL store or CDL online store for more information and prices.

## LEVEL CONTROL

Electric level control with Belimo actuator and butterfly type valve.

Manual height adjustment.



Control box for 2" evap. level + Levato

668767200

Control box for 2-1/2" evap. level + Levato

668767250

Connection piping not included.

## 1" AUTOMATIC DRAW-OFF VALVE

The CDL 1" automatic draw-off valve allows you to get precise maple syrup flow from your evaporator, every time!

An innovative solution for syrup lovers and small producers.



66786

Silicone gaskets and clips ferrules are available at page 34.

## DRAW-OFF VALVE ACCESSORIES



### ELBOWS

1-1/2" 69BCD150

2" 69BCD112

2-1/2" 69BCD212



### DOUBLE DRAW-OFF FOR EVAPORATOR

2" 660104200

2-1/2" 660104250



### OFF CENTERED FERRULES

2" x 1-1/2" 60R14215

2-1/2" x 2" 60R142122

## RECTANGULAR SYRUP FILTER TANKS



### NEW RECTANGULAR DRAW-OFF TANKS WITH ALUMINUM STRUCTURE

#### CONFIGURABLE ACCORDING TO YOUR NEEDS

- > PLUMBING
- > LID
- > SHELF

- > DIAPHRAGM PUMP
- > CORNER BASKET

ALUMINUM STRUCTURE	US GAL	IMP. GAL	
Simple with wheels	35 GAL	29 GAL	6667351FAL
Simple with wheels	44 GAL	36 GAL	6667441FAL
Simple with wheels	55 GAL	46 GAL	6667551FAL
Simple with wheels	75 GAL	62 GAL	6667751FAL
Double with wheels	35 GAL	29 GAL	666735FAL
Double with wheels	55 GAL	46 GAL	666755FAL
Double with wheels	75 GAL	62 GAL	666775FAL

## SYRUP FILTER TANKS



Include the stainless steel cover and drain valve.

All syrup filter tanks are 28" high.

US GAL	IMP. GAL	DIAM.	
5.85 GAL	5 GAL	9" (mini)	67MINFIL
7.6 GAL	6.5 GAL	9"	6740006
14.4 GAL	12 GAL	12"	6740026
18 GAL	15 GAL	15-1/4"	72054015*
*Includes 1 filter support (1 hole)			
24 GAL	20 GAL	21-3/4"	72054020*
*Includes 2 filter support (2 holes)			
24 GAL	20 GAL	16"	6740326
30.4 GAL	26 GAL	18"	6740426
45.65 GAL	39 GAL	22"	6740626
53.8 GAL	46 GAL	24"	6740726

## FILTER SUPPORTS



1 HOLE	3 HOLES	
12"	22"	6742211
16"	24"	674243

## SUGAR PANS




¾" valve and lid not included




16" x 16" x 12"	67WP1616	24" x 24" x 12"	67WP2424
16" x 32" x 12"	67WP1632	24" x 36" x 12"	67WP2436
16" x 16" Lid	67WPC016	24" x 48" x 12"	67WP2448
16" x 32" Lid	67WPC032	24" x 72" x 12"	67WP2472

## WATER JACKETED PANS



\* Valve not included




> Water jacketed tank for sugar pan that can be used for the beginner bottling kit on page 115.

> Possibility to install an electric heating element (664934A)  
> 5" high

16" x 16"

67316M



16" x 32"

MIN532

## BOILING ACCESSORIES STAINLESS STEEL



CUPS	
8"	6784782
10"	67847102
12"	67847122



## BOILING ACCESSORIES STAINLESS STEEL (CONTINUED)



Products may vary depending on supply

### DIPPERS AND SKIMMERS

A	Round   6-1/2" Wooden handle	72054065R
B	Round   8" Wooden handle	7205408R
C	Flat-sided   5" Wooden handle	7205405P
D	Flat-sided   8" Wooden handle	7205408P
C	Without holes	6772922007
D	4" Skimmer with 12" SS handle	720540412



### SUGAR PAN

Rectangle   17" X 23" X 11"	72054172311
Round   10" X 14" X 5"	72054101405R
Round   12" X 17" X 6"	72054121706
Rectangle   12" X 17" X 11"	72054121711



### DEFOAMER SUPPORT

D	Small	67ANTIMOUP
D	Large	67ANTIMOUG
E	9 oz	6700009
E	16 oz	6700016



### FUNNELS

F	Small	66811
F	Large	6681102
G	1" x 3/8"	FUNMIN
G	5-1/2" x 9/16"	FUNSMA
H	Plastic (set of 3)	FUNPLA



### FILLING CONTAINERS AND PADDLES

I	2 L stainless steel with handle	666320
J	4 L with handle (mesuring)	MEACU4
K	42" paddle	674242

\* Product available in limited quantity.

Please contact your CDL store or CDL online store for more information and prices.

## STACKS AND ACCESSORIES



**A** Chinese hats  
Available in diameters from 6" to 32" and optional spark guard

**B** Smoke stacks  
Available in diameters from 6" to 32"

**C** Stack covers  
Available in diameters from 7" to 30" and optional spark guard.

**D** Custom made roof jacks  
From 6" to 32" with collar

**E** Base stacks  
Available for 2' to 6' width evaporators

## GLASS TUBES FOR WATER LEVEL

5/8" x 8	60OPEN58X6PLAGL
5/8" x 12	672176
5/8" x 18	60OPEN58X18PLAGL
1-1/2" x 8	675157
1-1/2" x 18	60GROSNIQUEAU18



## BLUE PLUGS WITH LONG ARM

1-1/2"	678117112
2"	678117
2-1/2"	6781171



## HIGH TEMPERATURE PRODUCTS

	Silicone	60YYYCSL503
	Small brick 2 500 °F 1-1/4" x 4-1/2" x 9"	66869
	Large brick 3 000 °F 2-1/2" x 4-1/2" x 9"	66868
	Briquetting mortar 1 gallon	66866
	Briquetting mortar 4 gallons	668664
	Dry cement, 25 kg bag	66875

	Fiber glass wool rope	60TXP018
	Ceramic wool 1" x 4' x 23.65'   8 lb	60BKTI8LB100A
	Ceramic wool 1/2" x 4' x 50'   8 lb	60BKTI8LB050A
	Thermofab wool 2" x 1/8"	60GW300100
	Ceramic wool panel 1" x 12" x 36"	EBISOL06
	Ceramic wool panel 1" x 24" x 36"	60BK0019
	Ceramic wool panel 1/2" x 24" x 36"	60BK0012

Please contact your CDL store or CDL online store for more information and prices.

cdlinc.ca | cdlusa.com



## LIQUID DEFOAMER DOSING DEVICE

**It is the most flexible and automatic liquid defoamer dosing device on the market.**



Liquid defoamer dosing device 730400

## COLORIMETERS



Sample bottle only (1,75") 662378



Sample bottle (3,75") 668887



Sample bottle (3,75") + cap 668888

Cap only 668889



Maple syrup digital grader  
HANNA Brand 662397



10 ml round test tube with plastic  
insert for HI759 662398



Solution to find the correction  
factor to apply when reading a  
hydrotherm or a hydrometer 718867

## DEFOAMERS



Kosher | 200 g 66890



Kosher | 2,5 kg 66898



Odorless organic  
sunflower oil bag  
in a box 1.5L 6635515



Odorless organic  
sunflower oil bag  
in a box 10L 6635515



FOR ORGANIC  
CERTIFIED PRODUCERS



Liquid | 8 oz. EVAN108W

Liquid | 32 oz. EVAM032W

Liquid | 128 oz. EVAM128W

## CENTRE ACER PRODUCTS AVAILABLE ON REQUEST ONLY



Calibrating solution for  
refractometers

Specially design and  
developed by the Acer  
Center to calibrate  
refractometers for Brix  
maple syrup measurement 66616



## REFRACTOMETERS

### SAP AND SYRUP



Eau 0-32 Brix EIRE0032C




Siro 45-82 Brix EIRS4582C

### DIGITAL



0-85 Brix 668412

## HYDROMETERS SAP AND SYRUP



A	Sap	0-6 Brix	EIDE2010
B	Sap	0-15 Brix	668433
C	Sap	10-25 Brix	66849
	Syrup	45-75 Brix (Vermont state approved)	EIDS4575
D	Syrup	55-70 Brix	66845
E	Syrup	Hydrotherm	66841


Limited warranty and non-returnable items.

## DIAL THERMOMETERS



A	3" Dial   9" stem   0-50 °F   1/4" MIPT	72920003
	3" Dial   12" stem   0-50 °F   1/4" MIPT	72920004
B	5" Dial   9" stem   0-50 °F   1/4" MIPT	72920001
	5" Dial   12" stem   0-50 °F   1/4" MIPT	72920002
	3" Dial   12" stem   0-250 °F   1/2" MIPT	668350
	3" Dial   6" stem   0-50 °F   1/4" MIPT	EITC0306
C	3" Dial   9" stem   50-300 °F   1/2" MIPT	EITC0309
	3" Dial   6" stem   0-250 °F   1/4" MIPT	EITC0336
	3" Dial   6" stem   0-250 °F   1/2" MIPT	EITC033612
	3" Dial   9" stem   0-250 °F   1/4" MIPT	EITC0330
D	5" Dial   4" stem   0-250 °F   1/2" MIPT	668356
E	3" Dial   4" stem   200-1000 °F   1/4" MIPT	668354
	3" Dial   6" stem   200-1000 °F   1/2"	668210
	For evaporator smoke stack	

## OTHER THERMOMETERS



A	8" stem	71750425
B	12"   Stainless steel	71750426
C	Electronic   18" probe	668204
D	6" barometer	72920030
E	3" thermometer preheater (hot water)	6408503SS



**CDL PRESENTS THE DIFFERENT  
MEASURING INSTRUMENTS AVAILABLE FROM CDL.**

SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



## BRUSHES FOR PANS AND TANKS



6" x 6" flue brush

663565



2" x 7" without handle

663524



2" x 7" flue brush

663521



1/2" x 7" flue brush

66352



9" handle

EVBRE001



20" handle

EVBRE003

No handle  
Round tank brush

66356

## WATERPROOF THERMAL GLOVES

- Breathable
- Waterproof
- Insulated - PU Coated
- High levels of handling precision and grip
- Provides warmth and protection from liquids in cold conditions, with the comfort of a breathable glove.

Medium	669282M
Large	669282L
X-Large	669282XL
XX-Large	669282XXL



Sold in pairs.



cdlinc.ca | cdlusa.com

## PAN CLEANERS



A Sani-clean | 3.78 L

6628378


B Sani-clean | 20 L

66288

B 99% Glacial acetic acid | 20 L

667474

## TUBING AND SPOUT SANITIZERS



Pictures shown are for illustration purpose only.  
Actual product may vary.

70% Isopropyl alcohol handy wipe

6674999

A Isopropyl 70% | 4 L

ONLY AVAILABLE  
IN CANADA

60ALC04

B Isopropyl 70% | 20 L

ONLY AVAILABLE  
IN CANADA

667470

C Isopropyl 70% | 162 kg

ONLY AVAILABLE  
IN CANADA

6674277

D Pure denatured | 4 L

667575

Please contact your CDL store or CDL online store for more information and prices.



# CDLWESFAB FILTER PRESSES

**IMPROVES THE  
PERFORMANCE OF  
YOUR PRESS AND  
FACILITATES THE  
FILTRATION**

✓ Made entirely in Canada and the United States

✓ Light and compact construction

SCAN TO SEE  
THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



## SEPARATING FILTER PRESS PLATE

Allows you to use only part of your filter press to filter a small quantity. Less cleaning and use less papers.




7" CDLWESFAB press	WFCDL7PLATE
10" CDL press (old CDL model)	6660010PLATE
10" CDLWESFAB press	WFCDL10PLATE
15" CDLWESFAB press	WFCDL15PLATE
20" CDLWESFAB press	WFCDL20PLATE



## ADVANTAGES (7" and 10" presses)

- > Reclinable press (0, 45 and 90 degrees with the cart option) to facilitate the replacement of filter papers;
- > Removable pump kit (to use on another filter press).

	7" presses	10" presses
Short filter press + manual diaphragm pump 3 hollow / 2 waffles	WFCDL7M	-
3 hollow / 2 waffles	WFCDL732	WFCDL1032
4 hollow / 3 waffles	WFCDL743	WFCDL1043
7 hollow / 6 waffles	WFCDL776	WFCDL1076
8 hollow / 7 waffles	WFCDL787	WFCDL1087
<b>Available options:</b>		
Air dia. pump kit 1/2"	WFCDL7ADP12	WFCDL10ADP12
Dia. pump kit 120v 1/2" 5.3 GPM	WFCDL7EDP1253	WFCDL10EDP1253
Filter press cart	WFCDL7CH	WFCDL10CH
Air distributor option	WFCDL710AIRM	WFCDL710AIRM
Air inlet kit The air supply must be filtered using the 66345657K air filter kit.	WFCDL7AIRI	WFCDL10AIRI
Air outlet kit The air supply must be filtered using the 66345657K air filter kit.	WFCDL7AIRO	WFCDL10AIRO



### ADVANTAGES (15" presses)

- > Tightening with a 12 ton hydraulic cylinder with food grade oil, pneumatic or manually operated (not necessary to have compressed air);
- > Drip tray connected to the pump (Useful for closed loop de-sugaring or for pumping syrup from the tray);
- > Bypass valve installed on the front plate for greater efficiency;
- > Drainage of the inlet and outlet in the drip tray through the front plate;
- > Air drainage (optional);
- > Reverse air flow in the press outlet to extend filtration (optional).

**AIR INLET KIT:** Allows air to be pushed through the inlet to drain the syrup remaining in the filter press at the end of filtration.

**AIR OUTLET KIT:** When the filter press is partially blocked and the syrup flow slows, this option allows air to be pushed through the outlet to replace the contents of the filter press to extend the operating time before cleaning.

### ADVANTAGES (20" presses)

- > Easy paper installation
- > Larger filtration capacity
- > Frame on wheels
- > Syrup pan underneath
- > Filtration capacity between 15 to 50 barrels
- > Hollow plates 3" thick

15" presses	
7 hollow / 6 waffles	WFCDL1576
8 hollow / 7 waffles	WFCDL1587
9 hollow / 8 waffles	WFCDL1598
10 hollow / 9 waffles	WFCDL15109

#### Available options:

Air dia. pump kit 1/2"	WFCDL15ADP12
Air dia. pump kit 1"	WFCDL15ADP1
Dia. pump kit 120v 1/2" 5.3 GPM	WFCDL15EDP1253
Splash guard	WFCDL15DEF
Air inlet kit The air supply must be filtered using the 66345657K air filter kit.	WFCDL15AIRI
Air outlet kit The air supply must be filtered using the 66345657K air filter kit.	WFCDL15AIRO

#### Available options:

Air dia. pump kit 1"	WFCDL20ADP1
Splash guard	WFCDL20DEF

**ALLOWS YOU TO SEE THE QUALITY OF THE SYRUP AT ALL TIMES**

**Offered on all our models**



Clamped sight glass ferrule 1-1/2"  
6600150

Clamped sight glass ferrule 2"  
6600200

Clamped sight glass ferrule 3"  
6600303

## CDL VACUUM FILTER PRESSES

**Syrup filter tank and filter press.**  
**Available in 9", 12", 15" and 18" sizes.**

**Includes : 1 filter and 12 prefilters**

9"	3.6 US GAL.	Up to 400 taps	FAU18PV009K
Thermometer included			
12"	9 US GAL.	Up to 800 taps	FAU18PV012
15"	14 US GAL.	800 to 1 800 taps	FAU18PV015
18"	19 US GAL.	1 800 to 3 600 taps	FAU18PV018

Thermometer not included on 12"- 15"- 18" models



Vacuum press cover assembly

9"	FAU18PV009COUV
12"	FAU18PV012COUV
15"	FAU18PV015COUV
18"	FAU18PV018COUV



5-micron vacuum filter press polyester filter

9"	FAU18036
12"	FAU18038
15"	FAU18017
18"	FAU18018
21"	668171
24"	668172



Vacuum filter press polyester prefilter (12/pkg)

9"	FAU18035
12"	FAU18037
15"	668167
18"	668168
21"	668169
24"	668170



Brushed stainless steel finish

SCAN TO SEE THE VIDEO  
[bit.ly/cdlvideos](http://bit.ly/cdlvideos)



## PRODUCT DETAILS (15")



## ELECTRIC DIAPHRAGM PUMP KIT



**Quick and easy installation.**  
For filter press pumping or hot syrup transfer.

Motor 115V  
5.3 GPM | 60 PSI

Electric diaphragm pump with support



669653A

## FILTER PRESS PUMPS



1/2" Diaphragm pump  
(aluminum)

669585

1" Diaphragm pump  
(aluminum)

669601

## ACCESSORIES



CDL filter aid  
50 lb

6683CDL

CDL filter aid  
25 lb

6683CDL25

5-1/4" filter papers

pkg 200

66817

7" filter papers

pkg 400

66828

7" filter papers with wings

pkg 400

66859

10" filter papers

pkg 400

66829

15" filter papers for  
CDLWESFAB filter presses

pkg 250

WFCDL668015

15" filter papers

pkg 250

668015

20" filter papers  
2 holes

pkg 250

668221

10" filter papers with  
wings

pkg 400

66801

Food grade grease

66530



cdlinc.ca | cdlusa.com



7" press felt filters

pkg 12

66827



10" press felt filters

pkg 12

66830



15" press felt filters for  
CDLWESFAB filter presses

pkg 7

WFCDL668015F



20" press felt filters  
7/8" holes (2023)

668207



20" press felt filters  
2 holes

pkg 7

66820



20" press felt filters  
2 double holes

pkg 7

668206



Self-cleaning press  
felt filters

66852



Polyester #8 felt cone  
5 mic.

66814




Polyester #8 felt cone  
1 mic.

668163



#5 cone filter

FILC05



Cone pre-filter

pkg 12

66206



Bucket filter

FILBAG



Bucket pre-filter

PREWFI



24" x 24" flat filter

FILF24



36" x 36" flat filter  
5 mic.

66211



36" x 36" flat polyester filter 1 mic.

668164



Flat pre-filter paper  
24" x 24", woven style

PREW24



Flat pre-filter paper  
36" x 36", woven style

PREW36

Please contact your CDL store or CDL online store for more information and prices.

## STAINLESS STEEL BARRELS

**The CDL barrel is designed according to the recommendations of the Federation of Maple Syrup Producers of Quebec.**



Capacity: 13 IMP. GAL. (15 US GAL.)  
Empty weight (Tare): 29 lb  
1 plastic cap (2" center)

66819R

Capacity: 34 IMP. GAL. (40 US GAL.)  
Empty weight (Tare): 48 lb  
2 plastic caps (2" off-center)

66810

Capacity: 34 IMP. GAL. (40 US GAL.)  
Empty weight (Tare): 48 lb  
2 plastic caps (2" and 3/4" off-center)

66813



Capacity: 34 IMP. GAL. (40 US GAL.)  
Empty weight (Tare): 49.6 lb  
2 plastic caps - 2" (one center and one off-center)

66816

Capacity: 45 IMP. GAL. (55 US GAL.)  
Empty weight (Tare): 59 lb  
2 plastic caps (2" and 3/4" off-center)

668161

### ADVANTAGES

- > All lower joints completely welded;
- > Designed for the complete drainage of syrup or washing water;
- > Drip hole on top; No hole on the side;
- > Edges with pronounced curves facilitating the handling of the barrels;

- > Same dimensions as conventional galvanized barrels;
- > Stackable.

## PUMP AND BARREL TRANSFER




Pneumatic stainless steel barrel pump

DRUPUM

### ADVANTAGES

- > Allows you to empty a barrel of syrup faster;
- > Quicker than a pump;
- > Empty barrels of syrup without making a mess;
- > Very easy to use.



A 1" Teflon barrel transfer

6150P1

B 5/8" Teflon barrel transfer

6150P58

**BARREL CAPS AND ACCESSORIES**

2" stainless steel cap

BUNGSS

2" plastic cap  
(Can be used with bag 663332)

660057

2" plastic cap  
for barrels  
(Large thread / hole 3/4 "NPT  
in center)

BUNG06

Stainless steel holder  
for barrel liner

678952

Stainless steel health  
barrel key

67ECHBA



Barrel wrench

662285



Barrel wrench

662282

**HANDLING ACCESSORIES  
FOR BARRELS**3-wheel stainless  
steel cart

676055S



Stainless steel lever

671092

Barrel lifter with  
pulley and cord

665045

**WATCH  
OUR VIDEOS**

**ANYWHERE... ANYTIME...**

[www.cdlinc.ca/en/videos](http://www.cdlinc.ca/en/videos)

[www.cdlusa.com/videos](http://www.cdlusa.com/videos)



## MAPLE CREAM MACHINES




Models may differ from those shown.

## NEW GENERATION OF MAPLE CREAM MACHINES!

Maple cream machine 8 L   110 V	Stainless steel pump	668828S
NEW 2026	Acetal pump	668828A
Maple cream machine 16 L   220 V	Stainless steel pump	668827S
NEW 2026	Acetal pump	668827A

## CANDY MACHINES



Please contact your CDL store or CDL online store for more information and prices.

## MAPLE SUGAR MACHINES



Single:  
Capacity of 17 lb.

Double:  
Capacity of 35 lb.

Single 8" automatic maple sugar machine - 110 V

668855A

Double 8" automatic maple sugar machine - 220 V

668856A

### ADVANTAGES

- > Fully automated;
- > Uniform granulation;
- > Can function without supervision;
- > Available without automation if requested;
- > Made of stainless steel;
- > 3 in 1: mixer, grinder and dryer;
- > Self-cleaning with hot water;
- > 2 possible modes, "small granules" for brown sugar or "large granules" for larger grains.
- > Produces between 17 and 35 pounds of sugar in approximately one hour of operation.

A Candy machine (motor included)

ECB0100A

B Auger and pan

ECBMW301

C Extra pan

ECBMP101

Motor 1/4 HP

660002

## BEGINNER BOTTLING KIT



### INCLUDES:

- > 1 16" x 16" sugar pan cover
- > 1 16" x 16" sugar pan
- > 1 16" x 16" filter holder
- > 1 R-65 propane burner
- > 1 coffee type valve
- > 1 16" x 16" water jacketed tank
- > 1 propane burner support
- > 1 1/2" SS nipple

Assembly required

6600802


### PURCHASE THE ELECTRIC OPTION TO COMPLETE YOUR KIT!

**DESIGNED TO MAINTAIN THE SYRUP AT A PROPER TEMPERATURE TO BOTTLE EFFICIENTLY.**




1 500 W electric element with thermostat. Can be installed on a 16x16 water jacketed tank (67316M)

664934A



Spacer designed to directly bolt on the propane cooker support.

67423



## DRAW-OFF ELBOWS

MIPT	TUBE	
1/2"	3/4"	SDE050
3/4"	1"	SDE075
1"	1"	6788991D2

MIPT	TUBE	
1-1/4"	1-1/2"	SDE125
1-1/2"	2"	SDE150



## OTHER



Propane burner  
R-65

66803



Electric bottling valve  
Includes 3 stainless steel tips:  
1/4", 3/8", 1/2"

67217



Bottling valve (coffee type) +  
3/4" reducer x M16

67212A



Bottling valve  
3/8", 90°

ECDVP804



Bottling valve  
1/2", 90°

ECDVP805



Bottling nozzle for water  
jacketed tank  
3/8" elbow x 3/4" mipt

67BM12



Bottling nozzle for  
water jacketed tank  
1/2" elbow x 1/2" mipt

6788991B2

# CDL JUG Collection



**OUR NEW JUG  
PRODUCTION LINE  
IS UP AND RUNNING!**

**WE USE AN  
IML PRINTING PROCESS  
UNIQUE TO THE MAPLE INDUSTRY  
FOR MORE RESISTANT LABELING  
ON ROUND AND SQUARE CDL JUGS**



SIZE	PRODUCT CODE	QTY/BOX
100 ml	360100	100
250 ml	360250	100
500 ml	360500	100
1 L	360001	100
2 L	360002	50
4 L	360044	25

**caps INCLUDED**

SIZE	PRODUCT CODE	QTY/BOX
100 ml	3601000	100
250 ml	3602500	100
500 ml	3605000	100
1 L	3600010	100
2 L	3600020	50
4 L	3600440	25

**caps INCLUDED**

SIZE	PRODUCT CODE	QTY/BOX
3.4 oz	EXCD0101U	100
½ pint	EXCD0261U	100
1 pint	EXCD0501U	100
1 quart	EXCD1001U	100
½ gallon	EXCD2001U	50
1 gallon	EXCD4401U	25

**caps INCLUDED**

## PREVIOUS MODELS (STILL AVAILABLE)\*

\*First come, first served.

SIZE	PRODUCT CODE	QTY/BOX
1.36 oz	EXCR0041*	100
3.4 oz	EXCR0101*	100
½ pint	EXCR0261*	100
1 pint	EXCR0501*	100
1 quart	EXCR1001*	100
½ gallon	EXCR2001*	50
1 gallon	EXCR4001*	24

For specific states, replace the * by:	
U	for All States
V	for Vermont
N	for New York
NH	for New Hampshire
ME	for Maine
WI	for Wisconsin
MI	for Michigan
P	for Pennsylvania
IN	for Indiana
WV	for Virginie Occidentale
MA	for Massachusetts
OH	for Ohio



**caps INCLUDED**

## CAPS FOR JUGS



**BROWN PLASTIC CAPS FOR JUGS**

40 ml and 100 ml	Bag of 12	661386
250 ml to 4 L	Bag of 12	6628400

We listened  
to our customers!

NEW  
2026



WITHOUT  
PRINTING



ONLY  
AVAILABLE  
IN THE USA

SIZE	PRODUCT CODE	QTY/BOX	SIZE	PRODUCT CODE	QTY/BOX
3.4 oz	BJ6300PL	480	1 quart	BJ3300PL	120
½ pint	BJ5300PL	200	½ gallon	BJ2300PL	60
1 pint	BJ4300PL	235	1 gallon	BJ1300PL	30



ONLY  
AVAILABLE  
IN CANADA

SIZE	PRODUCT CODE	QTY/BOX	SIZE	PRODUCT CODE	QTY/BOX
100 ml	BJ6300PL	480	1 L	BJ1000PL	120
250 ml	BJ250PL	200	2 L	BJ2000PL	60
500 ml	BJ500PL	235	4 L	BJ4000PL	30

THE  
**BACON JUGS  
ARE BACK!**

caps NOT included

GENERIC  
CANADA



GENERIC  
USA



SIZE	PRODUCT CODE	QTY/BOX
100 ml	BJ100	460
250 ml	BJ250	190
500 ml	BJ500	230
1 L	BJ1000	115
2 L	BJ2000	60
4 L	BJ4000	30

caps INCLUDED

SIZE	PRODUCT CODE	QTY/BOX
100 ml	BJ1000	460
250 ml	BJ2500	190
500 ml	BJ5000	230
1 L	BJ10000	115
2 L	BJ20000	60
4 L	BJ40000	30

caps INCLUDED

SIZE	PRODUCT CODE	QTY/BOX
3.4 oz	BJ6300U	460
½ pint	BJ5300U	190
1 pint	BJ4300U	230
1 quart	BJ3300U	115
½ gallon	BJ2300U	60
1 gallon	BJ1300U	30

caps INCLUDED



ONLY AVAILABLE  
IN THE USA

1" Round stickers (500 per roll)

6602IN	INDIANA
6602ME	MAINE
6602MA	MASSACHUSETTS
6602MI	MICHIGAN
6602NH	NEW-HAMPSHIRE
6602NY	NEW-YORK

6602OH	OHIO
6602PA	PENNSYLVANIA
6602VT	VERMONT
6602WV	WEST VIRGINIA
6602WI	WISCONSIN



## ROUNDS CANS WITH LIDS

**STAND OUT FROM THE CROWD WITH THESE  
TYPICAL SUGARING SCENES!**

 FOR ORGANIC  
CERTIFIED PRODUCERS



 ONLY AVAILABLE  
IN CANADA

Organic | 540 ml, 200/case  
6630250B



 ONLY AVAILABLE  
IN CANADA

Pure maple syrup | 540 ml, 200/case  
6630250



 ONLY AVAILABLE  
IN THE USA

Pure maple syrup | 561 ml, 200/case  
663000190

## CANS SEALERS



Master manual can sealer  
66777



Master automatic can sealer  
66824



## CARDBOARD BOXES FOR CANS



8 x 540 ml  
Package of 25  
66832



24 x 540 ml  
Package of 25  
66833



8 x 540 ml with handle  
Package of 25  
66834




Brown box 8 x 540 ml  
Package of 25  
6683219PL

## MODERN AND MAPLE LEAF

CAPS NOT INCLUDED



A MODERN



B MAPLE LEAF

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
100 ml	EXBV0100M	36	661374 (GOLD)
A 250 ml	EXBV0250M	12	661374 (GOLD)
500 ml	EXBV0500M	12	661388 (GOLD)
50 ml	EXBV0050AU	48	661378 (GOLD)
100 ml	EXBV0100AU	12	661374 (GOLD) CAPK25 (BROWN)
B 250 ml	EXBV0250AU	12	661374 (GOLD) CAPK25 (BROWN)
500 ml	EXBV0500AU	12	661388 (GOLD) CAP500 (BROWN)

## FLAT

CAPS NOT INCLUDED



A



B

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	EXBV0250L	12	661376 (WHITE) 661386 (BROWN) 661384 (BROWN)
A 375 ml	EXBV0375	12	661376 (WHITE) 661386 (BROWN) 661384 (BROWN)
500 ml	EXBV0500	12	661376 (WHITE) 661386 (BROWN) 661384 (BROWN)
8 oz	EXBV0252	12	661376 (WHITE) 661384 (BROWN)
B 12 oz	EXBV0377	12	661376 (WHITE) 661384 (BROWN)

## MAPLE BARREL BOTTLES

CAPS NOT INCLUDED



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
100 ml	EXBV0100MB	24	661374
250 ml	EXBV0250MB	12	661388
500 ml	EXBV0500MB	12	661388

## GALLONE

CAPS NOT INCLUDED



A

B

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
40 ml	EXBVRH50	48	661378 (GOLD)
250 ml	EXBVRH250	12	661377 (BLACK) 661390 (BROWN)
500 ml	EXBVRH500	12	661377 (BLACK) 661390 (BROWN)
A 1 L	EXBVRH1000	6	661377 (BLACK)
½ gal.	EXBVRH2000	6	661391 (BROWN) 661381 (WHITE) 72838000N (BLACK)
1 gal.	EXBVRH4000	4	661391 (BROWN) 661381 (WHITE) 72838000N (BLACK)
250 ml	EXBV0250GL-12	12	661388 (GOLD) CAP500 (BROWN)
B 500 ml	EXBVRH500M	12	661388 (GOLD) CAP500 (BROWN)



**BASQUE****CAPS NOT INCLUDED**

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	EXBV0250B	12	661377 (BLACK) 661390 (BROWN)
500 ml	EXBV0500B	12	661377 (BLACK)

**FLASK****CAPS NOT INCLUDED**

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
200 ml	BOTHF2	12	661384 (BROWN) CAP500 (BROWN)

**BASQUE : CHRISTMAS****4 MODELS, CAPS NOT INCLUDED**

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	EXBV0250BC*	12	661377 (BLACK) 661390 (BROWN)

\* First come, first served.

**GLASS JUG 1 L****CAP NOT INCLUDED**

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
1 L	EXBVRH1000M	6	72838000N (METAL) 661391 (BROWN) 661381 (WHITE)

**BASQUES : ANIMALS****4 MODELS, CAP NOT INCLUDED**

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
A 250 ml	EXBV0250BPMOOSE*	12	661377 (BLACK) 661390 (BROWN)
B 250 ml	EXBV0250BPWOLF*	12	661377 (BLACK) 661390 (BROWN)
C 250 ml	EXBV0250BPDEER*	12	661377 (BLACK) 661390 (BROWN)
D 250 ml	EXBV0250BPJAY*	12	661377 (BLACK) 661390 (BROWN)

\* First come, first served.

**CAPS SOLD FOR 250ML DECORATED AND PLAIN BASQUES****BASQUE PLASTIC CAPS**

Black plastic caps	Bag of 12	661377
Brown plastic caps	Bag of 12	661390

**DECANTER****CAPS NOT INCLUDED**

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
16 oz	EXBV016	12	661381 (WHITE) 72838000N (BLACK)
32 oz	EXBV032	12	661381 (WHITE) 72838000N (BLACK)

**GRAND LINE AND SAUCE****CAPS NOT INCLUDED**

A



GRAND LINE

B



SAUCE

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
A 1 L	EXBV1000G	12	661376 (WHITE) 661386 (BROWN) 661384 (BROWN)
B 350 ml	EXBV0350S2	12	72838000N (METAL) 661381 (WHITE) 661391 (BROWN) 661396 (BLACK)

Shrink band  
38 mm, 250/bag

60160

**WHISKY****CAPS NOT INCLUDED**

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
1 L	EXBV1000S	12	661376 (WHITE) 661386 (BROWN) 661384 (BROWN)

**CAPS****WHITE PLASTIC CAPS**

28 mm x 400	Bag of 12	661376
38 mm x 400	Bag of 12	661381
38 mm x 400 aluminum liner		661381AL

**BROWN PLASTIC CAPS**

24 mm x 400	Bag of 12	CAPK25
28 mm x 400	Bag of 12	661384
31.5 mm x 400	Bag of 12	661390
38 mm x 400	Bag of 12	661391
28 mm x 410	Bag of 12	CAP500

**BLACK PLASTIC CAPS**

18 mm x 400	Bag of 12	CAP05B
28 mm x 400	Bag of 12	661379
31.5 mm x 400	Bag of 12	661377
38 mm x 400	Bag of 12	661396

**GOLD PLASTIC CAPS**

18 mm x 400	Bag of 12	661378
24 mm x 400	Bag of 12	661374
28 mm x 400	Bag of 12	661388

**PLASTIC CAPS / TAMPER EVIDENT**

24 mm x 400	Bag of 12	661373 (BLACK)
28 mm x 400	Bag of 12	661382 (WHITE)
28 mm x 400	Bag of 12	661386 (BROWN)
28 mm x 400	Bag of 12	661385 (GOLD)
28 mm x 400	Bag of 12	CAPKB5 (BLACK)
31.5 mm x 400	Bag of 12	661392 (BLACK)

**GOLD CAPS FOR GLASS BOTTLES****GOLD CAPS**

30,5 x 42 mm, 100/box	EXCAP210
34 x 52 mm, 100/box	EXCAP310

## SHORT ROUND JARS

LIDS NOT INCLUDED



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
40 ml	EXPO40	24	728445
125 ml	EXPO125	12	72843000
250 ml	EXPO250	12	728470
375 ml	BOTS37	12	728470
750 ml	BOTS75	12	CAPG82

## LONG ROUND JARS

LIDS NOT INCLUDED



SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
250 ml	BOTT25	12	CAPG53
375 ml	BOTT37	12	788490
500 ml	BOTT50	12	788470
750 ml	BOTT75	12	728470

## HEXAGONAL AND EMBOSSED HONEY JAR

LIDS NOT INCLUDED

A



B



A

SIZE	PRODUCT CODE	QTY/BOX	CAP CODE
45 ml	EXPOH045-24	24	728445

A	110 ml	EXPOH110-12	12	72843000
B	190 ml	EXPOH190-12	12	788490
B	270 ml	EXPOH270-12	12	788470

A	380 ml (500 g honey)	BOT380	12	CAPHC7, CAPWF7, CAPP7, 728470
B	780 ml (1 kg honey)	BOT780	12	CAPHC8, CAPWF8, CAPP8, CAPG82

## SAMPLE JARS



30 ml jars  
Cap only

EICOL016  
EXBSCAP16

## METAL LIDS



SIZE

QTY/BAG

PRODUCT CODE

38 mm x 400 Black 12 72838000N

43 mm Gold 12 728445

48 mm Gold 12 72843000

53 mm Gold 12 CAPG53

58 mm Gold 12 788490

63 mm Gold 12 788470

63 mm Black 12 7884863N

70 mm Gold 12 728470

70 mm Black 12 728471

82 mm Gold 12 CAPG82

A



C



SIZE

QTY/BAG

PRODUCT CODE

A 70 mm 12 CAPHC7

A 82 mm 12 CAPHC8

B 70 mm 12 CAPWF7

B 82 mm 12 CAPWF8

C 70 mm 12 CAPP7

C 82 mm 12 CAPP8

## PLASTIC BOTTLES

CAPS INCLUDED



	SIZE	QTY/BOX	PRODUCT CODE
OXYGEN BARRIER BOTTLE			
A	500 ml	150	661500
B	1 L	90	661000
C	2 L	50	660020-50
D	4 L	40	660400
FREEZER JUG			
E	4 L	1	EXCD4C
PLASTIC JUG			
F	10 L	1	JUG210
FIVE GALLON BLUE CONTAINER			
G	18.9 L	1	EXBPL005



## EXTRA CAPS FOR OXYGEN BARRIER BOTTLES AND FREEZER JUG

	DESCRIPTION	SIZE	QTY/BAG	PRODUCT CODE
A	Bottle cap 375 ml, 500 ml	-	12	661375
B	Bottle cap 1 L, 2 L, 4 L	53 mm x 400	12	661380
B	For EXSH4P and JUG210	38 mm x 400	12	661381

## CARDBOARD BOXES

DESCRIPTION	SIZE	PRODUCT CODE
With handle	8 x 375 ml	668375*
With handle	8 x 500 ml	664350

\* First come, first served.



## PLASTIC CONTAINERS

*In-mold label offering exceptional print quality!*



### With security seal

250 g Lock container,  
CDL Collection  
500/box

66250001

NEW  
2026

66500LK



Maple cream tub  
CDL Collection 250 g  
500/box

61250001



250 g organic container  
500/box

61250001B



### IDEAL FOR COTTON CANDY



4 oz. granulated sugar container

EXPLSUG4

8 oz. granulated sugar container

EXPLSUG8

Clear Secure Tamper Evident round container 34oz (1L) | 250/box (lid not included)

667010

Clear Secure Tamper Evident round lid 114mm 34oz (1L) | 500/box

667904

\* Product available in limited quantity.

Please contact your CDL store or CDL online store for more information and prices.

## WOODEN STICKS



A



B

6" wooden sticks | pkg 12 66893

A 10" wooden sticks | pkg 12 668911

18" wooden sticks 66891

B 6" taffy sticks | pkg 500 72925050

## CANDY BOXES



12 cavities, 4-1/2" x 6" 60115

25 cavities, 4-1/2" x 9" 60128



One bite candy box 60101



1" brown paper cups  
pkg 1 000 EXBB0251



6 cavity box,  
3-1/2" x 4-5/8" 60127



Two bite candy box 60102



1-3/4" white paper cups  
pkg 1 000 EXBB0101

## CONES, BOXES AND SUPPORTS



A 72/box 66137

900/box 66138

B 6 holes 25/box ECBCOR06-25

12 holes 25/box ECBCOR12-25

C Plastic cone holder, 64 cavities 666315

## GLUCOSE AND POWDER GENUGEL



2,25 kg  
For the hardness of sweets and lollipops 6680801



25 kg  
For the hardness of sweets and lollipops 66808



200 g  
For the hardness of sweets and lollipops 72926170

## HANG TAGS AND ELASTICS



A



B



C

DESCRIPTION	PRODUCT CODE	QTY/PKG
A Hang tag  ONLY AVAILABLE IN CANADA	HANTAG	100
B Hang tag	NECBRO	100
C Golden elastic	EXECMEL6G	100

## SELF-ADHESIVE LABELS



ONLY AVAILABLE  
IN CANADA



A



B

	DESCRIPTION	DIMENSION / DESCRIPTION	QTY/ROLL	PRODUCT CODE
A	Nutrition Facts	MED. NUTRI. LAB. MAPLE SYRUP 250	250	NFME25
	Blank	2-1/2" H x 2-1/8" L	250	LABNSB
	250 ml	2-1/2" H x 2-1/8" L	250	LABN25
B	Blank	3-5/8" H x 2-3/4" L	250	LABNLB
	500 ml	3-5/8" H x 2-3/4" L	250	LABN50
	1L	3-5/8" H x 2-3/4" L	250	LABN01

## SIGNS AND FLAGS



A



B



C



D



E

	DESCRIPTION	PRODUCT CODE
A	24" x 36" metal sign	ECMS2436
	10" x 14" plastic sign	ECMP1014
	24" x 36" plastic sign	ECMP2436
B	20" x 30" plastic sign	SIGNGR
C	18" x 24" coroplast sign	SIGNYE
D	20" x 30" coroplast sign	SIGNAM
E	Flag	663660

## SYRUP GRADING SELF-ADHESIVE LABELS



DESCRIPTION

PRODUCT  
CODE

QTY/PKG

Canada Golden  
Golden Doré  
Delicate Taste  
Gout délicat  
MAPLE SYRUP / SIROP D'ÉPÉE



Ontario Golden  
Very Dark  
Tres foncé  
Strong Taste  
Gout prononcé  
MAPLE SYRUP / SIROP D'ÉPÉE



Vermont Quality

EXECVT01

1000



Vermont Golden  
Vermont Amber  
Vermont Dark  
Vermont Very dark

EXLAVTG  
EXLAVTA  
EXLAVTD  
EXLAVTV





US Golden  
US Amber  
US Dark  
US Very Dark

EXLAUSG  
EXLAUSA  
EXLAUSD  
EXLAUSV



Complete selection available online.  
Visit our webstore for the complete listing.

## BOOKS



DESCRIPTION

PRODUCT CODE

**The Maple Syrup Cookbook - 3<sup>rd</sup> edition**

(Offers recipes for breakfasts, appetizers, beverages, pastries and desserts.)

ECCBOOK3

**Backyard Sugarin'** (An excellent guide for people who would like to start producing maple syrup for pleasure or personal enrichment.)

ECBYSMAN4

**The Maple Syrup Cookbook** (Offers recipes for breakfasts, appetizers, beverages, pastries and desserts.)

ECCBOOK2



Several other books available.  
Visit our webstore for the complete listing.

## PLASTIC MOLDS



A SUCKER CANDY

DESCRIPTION

CAVITY/QTY

PRODUCT CODE

A Maple leaves

12

66093010



B SUCKER CANDY

DESCRIPTION

CAVITY/QTY

PRODUCT CODE

B Barrels

12

66093011



C CHOCOLATE

DESCRIPTION

CAVITY/QTY

PRODUCT CODE

Squares

20

EMCC071

Maple leaves

12

EMCC0121

Assorted designs

12

EMCC055

C

Rounds

12

EMCC070

Farm animals  
(for suckers)

4

EMCS11219


Cow  
(for suckers)

5

ECMS3624



## RUBBER CANDY MOLDS



MSEM2420

- > Made of food grade silicone
- > Unique design for added stability when pouring
- > Entirely self supporting
- > Three high sides for quick filling without making a mess, giving a uniform quality products without waste.
- > Uniform cavities giving perfect results every time.

## STAINLESS MOLDS



Use these molds to  
shape your maple sugar cakes.

250 g (35 per box) 72054250

500 g (25 per box) 72054500

Adjustable table 72924060

## SUCKER BAGS AND STICKS

DESCRIPTION	DIMENSIONS	QTY/PKG	PRODUCT CODE
Cellophane bags	4-3/4" x 6-3/4"	100	ECMSC406
Cellophane bags	3" x 4"	100	ECMSC304
Plastic bags	3" x 5"	100	ECMSS305
Plastic bags	4" x 5"	100	ECMSS405
Sticks	3-3/4"	1000	ECMSB375
Sticks	4-1/2"	1000	ECMSB450

## DISPENSER



A	Tape dispenser	661150
B	White tape for dispenser 9 mm x 165 m	661151
B	Red tape for dispenser 9 mm x 165 m	661153

## ONTARIO CORPORATE STORES AND SALES REPRESENTATIVES

### CDL CENTRAL ONTARIO

2907, Highway 11 N  
Oro-Medonte  
Ontario L0L 2E0  
P. 705-487-3331  
P. 1-800-959-9192 (Ontario only)  
atkinson@cdlinc.ca

#### Sales Representatives:

##### **Peter Sevelka**

Kawartha Lakes, Peterborough,  
Toronto, Simcoe County, North  
Cumberland, Haliburton  
C. 705-350-1003  
peter.sevelka@cdlinc.ca

##### **Xaver Kargl**

East Parry Sound, Manitoulin,  
Nipissing, North Haliburton,  
North Muskoka, Sudbury,  
Timiskaming  
C. 705-542-9357  
xaver.kargl@cdlinc.ca

### CDL WESTERN

3301, Perth Road 180, RR#2  
Staffa  
Ontario N0K 1Y0  
T. 519-345-0259  
western@cdlinc.ca

#### Sales Representatives:

##### **George Roney**

Brant, Bruce, Chatham-Kent,  
Elgin, Essex, Haldimand,  
Hamilton, Huron, Lambton  
Middlesex, Niagara, Norfolk,  
Oxford, Perth  
C. 519-949-1954  
george.roney@cdlinc.ca

##### **Michaël Murphy**

South Western Ontario  
T. 519-345-0259  
michael.murphy@cdlinc.ca

### CDL LANARK COUNTY

38, Dufferin Street  
Perth, Ontario K7H 3A4  
T. 613-259-5554  
lanark@cdlinc.ca

#### Sales Representatives:

##### **Neil Cruise**

Frontenac, Grenville, Hastings,  
Lanark, Lennox & Addington,  
Leeds, Ottawa, Prince Edward  
County, Renfrew  
C. 450-512-2619  
neil.cruise@cdlinc.ca

##### **Shawna Jenkins**

C. 613-200-2872  
shawna.jenkins@cdlinc.ca

### CDL GREY COUNTY

245794, Southgate Road 24  
Proton Station  
Ontario N0C 1L0  
T. 226-279-2835  
jonathon.martin@cdlinc.ca

#### Sales Representatives:

##### **Jonathon Martin**

Grey, Wellington County, Dufferin  
County, Waterloo  
C. 519-379-1795  
jonathon.martin@cdlinc.ca

### CDL EASTERN

3464, Station Street  
Monkland  
Ontario K0C 1V0  
T. 613-346-0333  
eastern@cdlinc.ca

#### Sales Representatives:

##### **Rob Berkvens**

Stormont, Dundas, Glengarry  
C. 613-551-3333  
T. 613-346-0333  
rob.berkvens@cdlinc.ca

## NEW-BRUNSWICK CORPORATE STORES AND SALES REPRESENTATIVES

### CDL ST-QUENTIN

7, rue Canada  
Saint-Quentin NB E8A 1J2  
T 506-235-9100  
stquentin@cdlinc.ca

#### Sales Representatives:

##### **Michaël Boucher**

New-Brunswick  
C. 506-740-6675  
michael.boucher@cdlinc.ca

##### **Jacques St-Pierre**

New-Brunswick (North-West)  
C. 418-860-7447  
jacques.st-pierre@cdlinc.ca

### CDL ACADIE

123, rue Bellechasse,  
Paquetville NB E8R 1M9  
P. 506-764-3280  
acadie@cdlinc.ca

#### Sales Representatives:

##### **Marc Chiasson**

Acadie, Moncton,  
New-Brunswick (North-East)  
C. 506-727-8699  
marc.chiasson@cdlinc.ca

##### **Jocelyn Chiasson**

Acadie, Moncton,  
Nouveau-Brunswick (Nord-Est)  
C. 506-724-0835  
jocelyn.chiasson@cdlinc.ca

##### **Joël Pelletier**

Acadie, Moncton,  
Nouveau-Brunswick (Nord-Est)  
C. 506-726-6892  
joel.pelletier@cdlinc.ca

## ONTARIO DISTRIBUTORS

### RMG FAMILY SUGAR BUSH

11866 W. Thompson Road  
Rudyard  
Michigan 49780  
T. 906-478-3038  
F. 906-478-7830  
C. 906-322-0765  
mjross@lighthouse.net

### KENTVALE HOME HARDWARE

712, K-line Road  
Richards Landing  
Ontario P0R 1J0  
T. 705-246-2002  
F. 705-246-2361  
kentvale.merchants@gmail.com

### NORTHWAY HOME HARDWARE

4231, Perth Road, Inverary  
Ontario K0H 1X0  
T1. 613-353-7000  
T2. 613-353-2155  
northway@kingston.net

## EUROPEAN REPRESENTATIVES

### NORDIQUE AND EAST

#### Sales Representatives:

##### **Ervins Labanovskis**

Europe (Nordique and East)  
P. 371 21075968  
ervins.labanovskis@birchsapcdl.com

### WEST

#### Sales Representatives:

##### **David Clément**

Europe (West)  
P. 06 86 24 46 31  
david.clement@birchsapcdl.com

**CDL ST. ALBANS (HEAD OFFICE)**

3 Lemnah Drive  
St. Albans, VT 05478  
T. 802-527-0000 F. 800-762-5587  
T. F. 800-762-5587  
stalbans@cdlusa.net

**Sales Representative:**

**Kory Woods**  
Monitoring sales & Automation  
C. 802-782-6492  
kory.woods@cdlusa.net

**Mitchell Charron**  
Northern, VT  
Used equipment specialist  
C. 802-393-9092  
mitchell.charron@cdlusa.net

**Jessica Gervais**  
Northern, VT  
C. 802-782-5633  
jessica.gervais@cdlusa.net

**CDL BARRE - MILES SUPPLY**

143 Boynton Street  
Barre, VT 05641  
T. 802-476-3963

**Sales Representative:**

**Chuck Gallfetti**  
C. 802-476-3963  
kory.woods@cdlusa.net

**CDL BRISTOL**

895 Hewitt Road  
Bristol, VT 05443  
T. 802-453-4335  
bristol@cdlusa.net

**Sales Representative:**

**Ben Shepard**  
Addison, Orange, S. Caledonia,  
Washington Counties, VT,  
Southern VT, MA  
C. 802-373-2799  
ben.shepard@cdlusa.net

**Nick Norton**

Addison, Orange, S. Caledonia,  
Washington Counties, VT,  
Southern VT  
C. 802-349-3350  
nick.norton@cdlusa.net

**CDL ENOSBURG**

257 Pearl Street  
Enosburg Falls, VT 05450  
T. 802-933-4279 F. 802-933-6908  
enosburg@cdlusa.net

**Sales Representative:**

**Zel Larivee**  
Franklin County, VT  
C. 802-782-2824  
zel.larivee@cdlusa.net

**CDL HERMON, NY**

418 Underwood Road  
Hermon, NY 13652  
T. 315-347-2037  
hermon@cdlusa.net

**Sales Representative:**

**Josh Whitford**  
New York Mid-State  
C. 802-582-5699  
josh.whitford@cdlusa.net

**CDL JOHNSTOWN, NY**

116 Lagrange Road  
Johnstown, NY 12095  
T. 518-705-4002  
johnstown@cdlusa.net

**Sales Representative:**

**Stephen Savage**  
Southwestern NY  
C. 518-421-6090  
stephen.savage@cdlusa.net

**CDL LANCASTER**

393 Main Street  
Lancaster, NH 03584  
T. 603-788-2600  
lancaster@cdlusa.net

**Sales Representative:**

**Will Streeter**  
New Hampshire  
C. 603-520-5725  
will.streeter@cdlusa.net

**CDL MAINE**

319 US Route 2 East  
Wilton, ME 04294  
T. 207-645-4000 F. 207-645-4003  
maine@cdlusa.net

**Sales Representative:**

**Miguel Ibarguen**  
Maine  
C. 207-578-0411  
miguel.ibarguen@cdlusa.net

**Josh Knipping**

Eastern Maine  
C. 207-944-2575  
josh.knipping@cdlusa.net

**CDL MASSACHUSETTS**  
QSH MAPLE SUPPLIES/ MIKE QUINN

78 Main Street  
Northfield, MA 01360  
T. 413-225-3245

**Sales Representative:**

**Michael Quinn**  
Massachusetts, Southern VT  
C. 413-834-5083  
mike.quinn@cdlusa.net

**CDL MICHIGAN**  
RMG FAMILY SUGAR BUSH

11866 West Thompson Road  
Rudyard, MI 49780  
T. 906-478-3038 F. 906-478-7830  
T. F. 1-800-50MAPLE(506-2753)  
mjross@lighthouse.net

**Sales Representative:**

**Derek Ross**  
Michigan  
C. 906-322-0765  
upmaple@gmail.com

**Doug DeGrave**

Lee Wood & Bark River MI, SW  
Upper Peninsula MI  
C. 906-723-3723

**CDL MORRISVILLE**

559 Harrel Street  
Morrisville, VT 05661  
T. 802-851-8232 F. 802-851-8153  
morrisville@cdlusa.net

**Sales Representative:**

**Kory Woods**  
Monitoring sales & Automation  
C. 802-782-6492  
kory.woods@cdlusa.net

**Mitchell Charron**

Northern, VT  
Used equipment specialist  
C. 802-393-9092  
mitchell.charron@cdlusa.net

**Jessica Gervais**

Northern, VT  
C. 802-782-5633  
jessica.gervais@cdlusa.net

**CDL NEWFIELD, NY**

418 Underwood Road  
Hermon, NY 13652  
T. 315-347-2037  
hermon@cdlusa.net

**Sales Representative:**

**Dan Weed**  
New York South  
C. 802-999-0597  
dan.weed@cdlusa.net

**CDL NORTHEAST KINGDOM - THE PICK & SHOVEL**

54 Coventry Street  
Newport, VT 05855  
T. 802-334-8370 F. 802-334-1218  
pick.maple@comcast.net

**CDL NORTHEASTERN, NY**

1036 Slosson Road  
West Chazy, NY 12992  
T. 518-493-3043  
neny@cdlusa.net

**Sales Representative:**

**Mike Parker**  
Northeastern NY  
C. 518-420-4497  
mike.parker@cdlusa.net

**Heath Relation**

C. 802-208-8831  
heath.relation@cdlusa.net

**CDL OHIO**

4508 York Street  
Farmdale, OH 44417  
T. 330-718-1167  
ohio@cdlusa.net

**Sales Representative:**

**Tim Sutton**  
Ohio  
C. 330-718-1167  
timothy.sutton@cdlusa.net

**CDL PENNSYLVANIA**

91 Patterson Road  
Westfield, PA 16950  
T. 814-628-2082 F. 814-628-2084  
pa@cdlusa.net

**Sales Representative:**

**Tim Eldridge**  
Northern Pennsylvania  
C. 814-367-7811  
tim.eldridge@cdlusa.net

**CDL RUTLAND**

5227 Route 103  
Cuttingsville, VT 05738  
T. 802-725-8040 F. 802-725-8097  
rutland@cdlusa.net

**Sales Representative:**

**Nick Norton**  
Rutland County, VT  
C. 802-582-2701  
nick.norton@cdlusa.net

**CDL SOUTHERN PENNSYLVANIA**

234 SugarCake Road  
Somerset, PA 15501  
T. 724-953-5765  
spa@cdlusa.net

**Sales Representative:**

**Mike Lynch**  
Southern PA, IN, WV, OH, IL  
C. 814-442-3680  
mike.lynch@cdlusa.net

**CDL SOUTHERN USA**

1747 Morris Branch Rd  
Dawson, WV 25976  
**Sales Representative:**  
**Brandon Daniels**  
WV, VA, KY, NC and TN  
C. 304-575-7266  
wvmapler@suddenlink.net

**CDL WESTERN, NY**

5760 State Route 19A  
Castile, NY 14427  
T. 585-493-5102 F. 585-493-5103  
wny@cdlusa.net

**Sales Representative:**

**Gordy Putman**  
Western NY  
C. 585-322-5507  
gordy.putman@cdlusa.net

**CDL WISCONSIN ROTH SUGAR BUSH**

Pete & Dawn Roth  
656 Tower Drive, Cadott, WI 54727  
T. 715-289-3820 F. 715-289-3821  
info@rothsugarbush.com

**Sales Representative:**

**James Adamski**  
WI, MN, NW Upper Peninsula MI  
C. 715-216-7855  
cdladamski@gmail.com

## UNITED STATES DISTRIBUTORS

### CONNECTICUT

#### LAMOTHE'S SUGAR HOUSE

89 Stone Road  
Burlington, CT 06013

**Robert & Jean Lamotte**  
P. 860-675-5043  
www.lamothesugarhouse.com  
lamothesugarhouse@gmail.com

### MAINE

#### SLATTERY'S FARM & MAPLE SUPPLY CO.

1381 Woodman Hill Road. P.O. Box 94  
West Minot, ME 04288

**Wayne & Joni Slattery**  
P. 207-966-3643  
slatbake2001@yahoo.com

#### GILE'S FAMILY FARM

139 Waterboro Road. P.O. Box 634  
Alfred, ME 04002

**Stephen Gile/Frank Boucher**  
P. 207-324-2944 C. 207-432-4479  
sgile@roadrunner.com

### MASSACHUSETTS

#### DUFRESNE'S SUGAR HOUSE

113 Goshen Road  
Williamsburg, MA 01096

**Keith Dufresne**  
P. 413-268-7509 C. 413-559-7072  
sugarmaker@berkshiremaple.com

#### IOKA VALLEY FARM

3475 Hancock Road  
Hancock, MA 01237

**Rob & Missy Leab**  
C. 413-441-5147  
missy@iokavalleyfarm.com

### MICHIGAN

#### SWEET SPOT MAPLE

10155 Teasdale Lake Road  
Constantine, MI 49042

**Marcus Miller**  
P. 574-364-0538  
sweetspotmaple@outlook.com

#### DEVOOGHT'S GENERAL STORE

9229 US 41 S  
Skandia, MI 49885

**Owen DeVooght**  
P. 906-942-7686 C: 906-362-4418

### MINNESOTA

#### DON'S SUGAR SHACK

842 West Street  
Taylors Falls, MN 55084

**Don Hansen**  
P. 612-201-1086  
don@tfmaple.com

#### TIMBER'S SUGAR SHACK LLC

1037 1<sup>st</sup> Street NW  
Aitken, MN 56431

**Tim and Amber Woodrow**  
P. 218-429-5805  
timberssugarshack@gmail.com

### NEW HAMPSHIRE

#### BASCOM MAPLE FARMS, INC.

56 Sugarhouse Road  
Alstead, NH 03602  
**Bruce Bascom**  
P. 603-835-6361 F. 603 835-2455  
sales@bascommaple.com

#### D & D MAPLE SUPPLIES

5 Saw Mill Drive, Unit 8  
Jaffrey, NH 03452  
**Dave Kemp**  
P. 603-532-8496 C. 603-562-6973  
david.kemp7@myfairpoint.net  
**Scott Kemp**  
C. 603-801-4690

#### SUNNYSIDE MAPLES, INC.

1089 Route 106 North  
Loudon, NH 03307  
**Mike Moore**  
P. 603-783-9961 C. 603-848-7091  
sugarmaker@aol.com

### NEW YORK

#### MILL CREEK MAPLE SUPPLY

1551 County Highway 20  
Edmeston, NY 13335  
**David Norton**  
P. 607-965-6920 F. 607-965-6921  
millcreekmaple@yahoo.com

#### MALONE FARM AND HOME CENTER

114 Raymond Street  
Malone, NY 12953  
**Ryan LaValley**  
P. 518-483-8072  
mfhc@bbinc.us

#### MAPLE GLEN SUGARHOUSE

2266 Gowanda Zoar Road  
Gowanda, NY 14070  
**Paul Lesefiske**  
P. 716-532-5483  
pl2266@yahoo.com

#### DOMINIC'S HARDWARE AND SUPPLIES, INC.

5195 State Route 11  
Ellenburg Depot, NY 12935  
**Jim Dominic**  
P. 518-594-3922 F. 518-594-7786  
lynn@dominicshardware.com

#### GROTTOLI'S MAPLE FARM

91 Ritchie Road  
Middle Granville, NY 12849  
**Mike Grottoli**  
C. 518-232-3024  
grottolimape@yahoo.com

#### CATSKILL MOUNTAIN MAPLE

65 Charlie Wood Road  
DeLancey, NY 13752  
**Thomas Kaufman**  
P. 607-746-6215 F. 607-746-8367  
tomshane95@msn.com

#### MOSER'S MAPLE RIDGE FARM

3981 Wilson Road  
Copenhagen, NY 13626  
**Lyndon Moser**  
P. 315-688-2518 C. 315-486-3248  
mosersmapleridgefarm@gmail.com

### PENNSYLVANIA

#### BRENNEMAN'S MAPLE FARM

572 Oak Dale Road,  
Salisbury, PA 15558  
**Iddo Brenneman**  
P. 814-662-2010

#### LOCH'S MAPLE

143 Cokely Road,  
Springville, PA 18844  
**Randy & Jamie Loch**  
P. 570-965-2679 C. 570-240-1432  
www.lochsmapple.com  
maple4u@epix.net

#### TRIPLE CREEK MAPLE LLC

9225 Fillinger Road,  
Cranesville, PA 16410  
**Gary Bilek**  
P. 814-756-4500  
triplecreekmaple@yahoo.com

#### MINEHART GAP MAPLE

30 Old Goss Lane,  
Lewiston, PA 17044  
**Matthew Fisher**  
P. 717-994-5759  
minehartgap@verizon.net

### OHIO

#### GORTNER'S MAPLE

1244 Township Road 13  
West Salem, OH 44287  
**Roger Gortner**  
C. 419-651-2425  
rdgortner@frontier.com

#### MCINTIRE FARM

7029 Gurneyville Road  
Wilmington, OH 45177  
**Gregg McIntire**  
P. 937-302-6740  
campg8440@gmail.com

#### ACKLEY FARM

9738 Township Road 141  
East Liberty, OH 43319  
**Jay and Kyle Ackley**  
P. 937-935-8272  
jkackley95@gmail.com  
kjackson96@gmail.com

### WISCONSIN

#### ADAMSKI'S SUGAR BUSH

W10923 Winter Road  
Antigo, WI 54409

**James Adamski**  
P. 715-623-6853 C. 715-216-7855  
cdladamski@gmail.com

#### SUGAR GROVE MAPLE SUPPLY

S2030 County Road D  
Westby, WI 54667

**Emmanuel and Owen Hershberger**  
P. 608-625-6745

#### BACKWOODS MAPLE SUPPLIES

N408 4th Avenue  
Eau Galle, WI 54737

**Tony and Roger Bundy**  
P. 715-495-6534  
backwoodsmaplesupplies@gmail.com

#### DRIFTLESS FARMS

16885 County Highway U  
Viola, WI 54664

**Scott and Erica Walter**  
P. 608-606-5049  
driftlessfarmsllc@gmail.com



#### F.W. WEBB RUTLAND

3091 Cold River Road  
Rutland VT 05701  
**Heather Smith**  
802-775-1922  
heap@fwwebb.com

#### F.W. WEBB BRATTLEBORO

231 John Seitz Dr-Exit 1 Indr Pk  
Brattleboro VT 05301  
**Mark McAllister**  
802-257-4316  
mam@fwwebb.com

#### F.W. WEBB MADISON

1173 Conway Road  
Madison NH 03849  
**Jason Poirier**  
603-367-8852  
jasp@fwwebb.com

#### F.W. WEBB BINGHAMTON

62 Griswold Street  
Binghamton NY 13904  
**Eric Brey**  
607-724-3170  
eric.brey@fwwebb.com

#### F.W. WEBB HAMPDEN

20 Webb Drive  
Hampden ME 04444  
**Russ Richards**  
207-947-6905  
russ@fwwebb.com

**F.W. WEBB BENNINGTON**

240 East Road  
Bennington VT 05201  
**Mick Andrew**  
**802-447-2312**  
mga@fwwebb.com

**F.W. WEBB SPRINGFIELD**

3 Charlestown Road  
Springfield VT 05156  
**Michael Griffin**  
**802-885-8127**  
mike.griffin@fwwebb.com

**F.W. WEBB WILLISTON**

80 Park Avenue  
Williston VT 05495  
**Bryan Tatro**  
**802-879-5155**  
bry@fwwebb.com

**F.W. WEBB GREENFIELD**

136 Silvio O Conte Drive  
Greenfield MA 01301  
**Jeremy Underwood**  
**413-773-3644**  
under@fwwebb.com

**F.W. WEBB LEBANON**

68 Etna Road  
Lebanon NH 03766  
**Rob Coloutti**  
**603-448-1980**  
rob.coloutti@fwwebb.com

**F.W. WEBB BIDDEFORD**

22 Landry Street  
Biddeford ME 04005  
**Conor Obrien**  
**207-282-7558**  
cono@fwwebb.com

**F.W. WEBB NORTHAMPTON**

135 Industrial Drive  
Northampton MA 01060  
**Eric Demers**  
**413-586-8100**  
ejd@fwwebb.com

**F.W. WEBB ALBANY**

17 Erie Boulevard  
Albany NY 12204  
**Mike Bifano**  
**518-472-9322**  
mch@fwwebb.com

**F.W. WEBB UTICA**

415 Broad Street  
Utica NY 13501  
**Tyson Brooks**  
**315-724-3191**  
trb@fwwebb.com

**F.W. WEBB BARRE**

10 Clark Road  
Barre VT 05641  
**Mark Safford**  
**802-479-3373**  
saff@fwwebb.com

**F.W. WEBB NORWICH**

33 New London Turnpike  
Norwich CT 06360  
**Justin Bednarz**  
**860-383-1690**  
just@fwwebb.com

**QUEBEC CORPORATE STORES****LES ÉQUIPEMENTS D'ÉRABLIÈRE CDL (HEAD OFFICE)**

257, route 279  
Saint-Lazare-de-Bellechasse  
Québec G0R 3J0  
Administration: 418-883-5158  
**TF. 1-800-361-5158**  
Store: 418-883-7071  
st-lazare@cdlinc.ca

**CDL CABANO**

315, boulevard Industriel  
Témiscouata-sur-le-Lac  
Québec G0L 1E0  
**P. 418-854-5158**  
**TF. 1-877-854-5158**  
cabano@cdlinc.ca

**CDL HAUT-SAINT-LAURENT**

2535, route 209  
Saint-Antoine-Abbé  
Québec J0S 1N0  
**P. 1-844-805-1235**  
hautst-laurent@cdlinc.ca

**CDL LA GUADELOUPE**

295, 14e Avenue  
La Guadeloupe  
Québec G0M 1G0  
**P. 418-459-4012**  
beauche@cdlinc.ca

**CDL L'ISLET**

194, route 204  
Saint-Adalbert  
Québec G0R 2M0  
**P. 418-356-5153**  
lislet@cdlinc.ca

**CDL LOURDES**

282, route 265  
Notre-Dame-de-Lourdes  
Québec G0S 1T0  
**P. 819-245-0058**  
lourdes@cdlinc.ca

**CDL MÉGANTIC**

2294, Rue Laval  
Nantes  
Québec G6B 2V5  
**P. 819-554-8443**  
megantic@cdlinc.ca

**CDL MONT-LAURIER**

1054, boul. Albiny-Paquette  
Mont-Laurier  
Québec J9L 1M1  
**P. 873-388-0145**  
mont-laurier@cdlinc.ca

**CDL PORTNEUF**

1142, avenue St-Louis  
Portneuf  
Québec G0A 2Y0  
**P. 418-286-0003**  
portneuf@cdlinc.ca

**CDL ROXTON FALLS**

286, rue Notre-Dame  
Roxton Falls  
Québec J0H 1E0  
**P. 450-366-0711**  
roxtonfalls@cdlinc.ca

**CDL SAINTE-AURÉLIE**

(Équipements d'érablière  
**Guy Maheux inc.**)

8, rang Saint-Jean-Baptiste  
Sainte-Aurélie  
Québec G0M 1M0  
**P. 418-593-3804**  
**P. 418-593-3805**  
ste-aurelie@cdlinc.ca

**CDL SAINTE-MARIE**

1235, rue 2 du Parc Industriel  
Sainte-Marie  
Québec G6E 1G7  
**P. 418-387-2215**  
ste-marie@cdlinc.ca

**CDL SAINT-GABRIEL-DE-RIMOUSKI**

266, rue Principale  
St-Gabriel-de-Rimouski  
Québec G0K 1M0  
**P. 418-798-0130**  
stgabrielrimouski@cdlinc.ca

**CDL SAINT-JACQUES**

97C, rue Venne  
Saint-Jacques QC J0K 2R0  
**P. 450-499-4961**  
stjacques@cdlinc.ca

**CDL SAWYERVILLE**

143, rue de Cookshire  
Sawyerville  
Québec J0B 3A0  
**P1. 819-416-1505**  
**P2. 819-416-1501**  
sawyerville@cdlinc.ca

**CDL SHEFFORD**

2981, route 112  
Shefford  
Québec J2M 1C6  
**P. 450-539-2225**  
shefford@cdlinc.ca

**CDL THETFORD**

1892, rue Nadeau  
(Secteur Pontbriand)  
Thetford Mines  
Québec G6H 3K3  
**P. 418-335-0853**  
thetford@cdlinc.ca

**CDL WARWICK**

1, route 116 Est  
Warwick, Québec J0A 1M0  
**P. 819-358-3499**  
warwick@cdlinc.ca

# CDL'S VALUES



Since 1991, CDL has grown guided by values that mirror the maple tree itself:  
**solid, authentic and deeply rooted.**

**Family, fairness, integrity, respect, simplicity, and pride**  
shape who we are and how we work together, day after day.

And if these 35 years have taught us anything,  
it's that maple sugaring is, above all, a story of connection.  
Thank you to all who share and help grow this story with us,  
one spring at a time.



PRESORTED STANDARD  
US POSTAGE  
PAID  
PRINT + MAILING  
CENTER  
05641

**CDL PRODUCTS  
CAN BE  
ACCESSED  
FROM  
ANYWHERE!**

**HOME  
DELIVERY OR  
STORE PICK UP  
AVAILABLE**

VISIT YOUR CDL  
ONLINE STORE TODAY

**webstore.cdlusa.net**



**A SHOPPING EXPERIENCE:  
SIMPLE, FAST, EFFICIENT!**



CDL SUGARING EQUIPMENT - USA HEAD OFFICE  
3 Lemnah Drive, St. Albans, VT 05478

**[cdlusa.com](http://cdlusa.com)**